

WEAVER

BOOS

CONSULTANTS

LLC

**GEO-ENVIRONMENTAL ENGINEERS
AND SCIENTISTS**

May 10, 2006
Project No. 1894-300-03

Mark D. Erzen, Esq.
Karaganis, White & Magel Ltd.
414 North Orleans Street
Suite 810
Chicago, Illinois

**Re: Sterling North Park Site Assessment
Downer Grove Park District
Downers Grove, Illinois**

Dear Mr. Erzen:

Weaver Boos Consultants North Central, LLC (Weaver Boos) prepared this letter to briefly summarize our site assessment concerning the DGPD Property commonly known as Sterling North Park, which is owned by the Downers Grove Park District (DGPD Property). The DGPD Property currently consists of undeveloped land and is generally located south of the intersection of Curtiss Street and Glenview Avenue and East of Belmont Road in Downers Grove, Illinois (see **Figure 1**, attached).

According to the limited existing documentation, the DGPD Property was formerly a wastewater treatment plant operated by the Downers Grove Sanitary District. Based on historical aerial photographs and other historical sources, the wastewater treatment plant included sludge beds and a lagoon, which appeared to be in operation from at least 1931 to 1963, and part of the DGPD Property was an open pit that was used for dumping of various materials (e.g., lumber, oil barrels, sheet metal, etc.).

Based on the historical documentation, Weaver Boos completed our site assessment consisting of soil and groundwater sampling in an effort to assess the potential environmental impact the historical uses have had on the DGPD Property. The following sections briefly summarize our environmental site assessment activities performed on March 30 and 31, 2006.

Soil Sampling Methodology and Observations

Weaver Boos advanced 16 soil probes on the DGPD Property to depths ranging from 15 to 40 feet below ground surface (bgs) in areas of identified potential sources, namely the former sludge beds, lagoon, and former underground sewer line (see **Figure 2**, attached). Weaver Boos advanced soil probes using a track-mounted Geoprobe®. A summary of the GPS-surveyed soil probe locations is included in **Attachment A**. Photographs documenting our field activities are included in **Attachment B**.

Upon retrieval of soil samples, Weaver Boos visually classified and logged the soil samples collected from the probing activities, and a split sample was placed in a separate sample container for organic vapor screening using a calibrated photoionization detector (PID) equipped with an 11.7 electron-volt lamp. The PID provides a qualitative field measurement of organic constituents contained in the sample. **Attachment C** contains the soil probe logs, which includes the PID readings, for each of the Weaver Boos soil probes. Copies of Weaver Boos' field notes and field logs are included in **Attachment D**.

Based on our observations, the soil at the DGPD Property generally consists of discontinuous and interspersed layers of sandy, silty and clayey soil of varying thicknesses with isolated gravel seams. Generally, the soil located in close proximity to St. Joseph Creek, which bisects the DGPD Property from the northwest corner to the southeast corner, contains a greater amount of sand, silt and gravel than the higher elevations located on the north and south sides of the Property, which consist predominantly of clay and silty clay soil. During our drilling activities, Weaver Boos observed no apparent chemicals odors or staining on the DGPD Property.

Weaver Boos selected as many as two representative soil samples¹ from each probe with the exception of soil probes WB-4 and WB-15. Weaver Boos selected one soil sample from WB-4 due to the highest organic vapor reading occurring near the bottom of the soil probe. Weaver Boos also selected one representative sample from soil probe WB-15 due to an obstruction encountered at 15 feet bgs.

Weaver Boos collected the soil samples following USEPA² Method 5035. We placed the selected soil samples into preserved laboratory-supplied sample containers, placed the selected

¹ Typically included samples from each soil probe that exhibited the greatest apparent degree of stains, odors, or elevated organic vapor reading as measured with a PID and a deeper representative sample.

² United States Environmental Protection Agency

soil samples in a cooler packed with ice in an effort to maintain a constant temperature near 4°C, and submitted the samples to a qualified laboratory for volatile organic compounds (VOC) analysis. Upon completion of the soil probes, Weaver Boos abandoned the soil probe borehole by backfilling each probe with granular bentonite to form an expanding low-permeability seal.

Groundwater Sampling Methodology and Observations

Weaver Boos encountered groundwater in silty sand, silt, and clayey soil at depths ranging from 20 to 28 feet bgs in 11 of the 16 soil probes completed at the DGP Property. Weaver Boos converted the 8 of the 11 soil probes to temporary monitoring wells and collected shallow groundwater samples in the locations that exhibited elevated organic vapor readings and in areas of identified potential sources (i.e., the former sludge beds, lagoon, and potential dumping areas).

Weaver Boos collected the groundwater screening samples using one-inch diameter polyvinyl chloride (PVC) and a ten-foot section of 0.01-inch slotted screen. Weaver Boos placed the groundwater screening samples into preserved, laboratory-supplied sample containers, placed the samples in a cooler packed with ice in an effort to maintain a constant temperature near 4°C, and submitted the samples to a qualified laboratory for VOC analysis. After collecting the water samples, Weaver Boos abandoned the temporary monitoring wells by removing the PVC screen and riser and backfilling each probe with granular bentonite to form an expanding low-permeability seal with the hydrated granular bentonite.

Laboratory Analytical Summary

Weaver Boos submitted the selected soil and water samples (30 soil samples and 8 groundwater samples) to STAT Analysis Corporation (STAT) of Chicago, Illinois for analysis using standard chain-of-custody documentation and handling procedures. STAT analyzed the selected soil and water samples for VOCs using USEPA Method 5035/8260B (soil) and USEPA Method 8260B (water) as outlined in *USEPA SW-846, Test Methods For Evaluating Solid Waste, Third Edition*.

The laboratory analyses detected certain VOCs, namely acetone, 2-butanone, and toluene, in 10 of the 16 soil probes completed on the DGP Property and in 17 of the 30 soil samples analyzed. None of the detected VOCs exceed the TACO Tier 1 soil remediation objective (see **Figure 3**).

The laboratory analyses detected certain VOCs in 3 of the 8 water samples analyzed from the DGP Property. Specifically, the water samples collected from soil probes WB-10 and WB-11

located in the former lagoon exhibited elevated concentrations of trichloroethene (TCE) that exceed the TACO Tier 1 Class I and Class II groundwater remediation objectives (see **Figure 4**, attached). **Tables 1** and **2**, attached, summarize the soil and groundwater results. Copies of the laboratory analytical reports are included in **Attachment E**.

Summary of Findings

Weaver Boos completed 16 soil probes on the DGPD Property and selected a total of 30 soil samples and 8 water samples for VOC analyses. Weaver Boos observed no apparent chemical odors or staining in the soil probes located on the DGPD Property. The laboratory analyses detected certain VOCs, namely acetone, 2-butanone, and toluene, in 10 of the 16 soil probes, which do not exceed the TACO Tier 1 soil remediation objectives. Additionally, the water sample collected from soil probes WB-10 and WB-11 located in the former lagoon exhibited elevated concentration of TCE that exceed the TACO Tier 1 groundwater remediation objectives

We trust that this information will be sufficient for your needs. If you have any questions, comments, or require any additional information, please do not hesitate to contact us.

Sincerely,

Weaver Boos Consultants North Central, LLC




Carl R. Dawes
Senior Project Manager



Douglas G. Dorgan, Jr., LPG
Principal

FIGURES



N

SCALE 1"=500'

APPROXIMATE LOCATION OF FORMER
WASTEWATER TREATMENT FACILITY

REUSE OF DOCUMENTS

THIS DOCUMENT, AND THE DESIGNS INCORPORATED HEREIN, AS AN
INSTRUMENT OF PROFESSIONAL SERVICE, IS THE PROPERTY OF WEAVER BOOS
CONSULTANTS, INC., AND IS NOT TO BE USED IN WHOLE OR IN PART, WITHOUT
THE WRITTEN AUTHORIZATION OF WEAVER BOOS CONSULTANTS, INC.

PREPARED FOR			SITE LOCATION LAYOUT		
REVISIONS			STERLING NORTH PARK DOWNERS GROVE PARK DISTRICT DOWNERS GROVE, ILLINOIS		
NO. DATE DESCRIPTION			WEAVER BOOS CONSULTANTS		
			CHICAGO, IL NAPERVILLE, IL (630) 717-4848	GRIFFITH, IN SPRINGFIELD, IL COLUMBUS, OH DENVER, CO	
			DRAWN BY: CPIV	DATE: 02/24/06	FILE: EL000003.DWG
			REVIEWED BY: CD	CAD: 1894-300-03-DWG	FIGURE 1



N
SCALE

0 50' 100' 200'

COPYRIGHT © 2006 WEAVER BOOS CONSULTANTS ALL RIGHTS RESERVED.

SOURCES

- 1.) ALL SOIL PROBE LOCATIONS ARE APPROXIMATE.
- 2.) SOIL PROBE LOCATIONS WERE LOCATED BY GPS FIELD SURVEY CONDUCTED BY WEAVER BOOS PERSONNEL ON 05/04/06.

LEGEND

- | | |
|-------|---|
| WB-15 | APPROXIMATE SOIL PROBE LOCATION |
| | APPROXIMATE PROPERTY BOUNDARY |
| | APPROXIMATE LOCATION OF FORMER SLUDGE BED |
| | APPROXIMATE LOCATION OF FORMER LAGOON |
| | APPROXIMATE LOCATION OF FORMER SEWER LINE |

SOIL PROBE LOCATION

STERLING NORTH PARK
DOWNERS GROVE PARK DISTRICT
DOWNERS GROVE, IL


Weaver Boos Consultants

GRIFFITH, IN FORT WORTH, TX COLUMBUS, OH	CHICAGO, IL (312) 822-1030	NAPERVILLE, IL SPRINGFIELD, IL ST. LOUIS, MO
--	-------------------------------	--

DRAWN BY: CJB	DATE: 05/08/06	FILE: 1894300-03
---------------	----------------	------------------

REVIEWED BY: CRD	CAD: ELO00003A.DWG
------------------	--------------------

FIGURE 2



SCALE

0 50' 100' 200'

SOURCES

- 1.) ALL SOIL PROBE LOCATIONS ARE APPROXIMATE.
- 2.) SOIL PROBE LOCATIONS WERE LOCATED BY GPS FIELD SURVEY CONDUCTED BY WEAVER BOOS PERSONNEL ON 05/04/06.

LEGEND

WB-15	APPROXIMATE SOIL PROBE LOCATION
—	APPROXIMATE PROPERTY BOUNDARY
- - -	APPROXIMATE LOCATION OF FORMER SLUDGE BED
- - - -	APPROXIMATE LOCATION OF FORMER LAGOON
—	APPROXIMATE LOCATION OF FORMER SEWER LINE
0.24	CONCENTRATION DETECTED ABOVE LABORATORY DETECTIVE LIMIT (mg/kg)
n/d	INDICATES LESS THAN LABORATORY DETECTION LIMIT

SOIL ANALYTICAL SUMMARY

STERLING NORTH PARK
DOWNTOWN GROVE PARK DISTRICT
DOWNTOWN GROVE, IL



Weaver Boos Consultants

GRIFITH, IN
FORT WORTH, TX
COLUMBUS, OH
CHICAGO, IL
(312) 822-1030
NAPERVILLE, IL
SPRINGFIELD, IL
ST. LOUIS, MO

DRAWN BY: CJB DATE: 05/08/06 FILE: 1894300-03

REVIEWED BY: CRD CAD: ELO00003B.DWG

FIGURE 3



GROUNDWATER ANALYTICAL SUMMARY		
STERLING NORTH PARK		
DOWNTOWN GROVE PARK DISTRICT		
DOWNTOWN GROVE, IL		
Weaver Boos Consultants		
GRIFITH, IN	CHICAGO, IL	NAPERVILLE, IL
FORT WORTH, TX	(312) 922-1030	SPRINGFIELD, IL
COLUMBUS, OH		ST. LOUIS, MO
DRAWN BY: CJB	DATE: 05/08/06	FILE: 1894300-03
REVIEWED BY: CRD	CAD: ELO00003C.DWG	FIGURE 4

TABLES

Table 1
VOCs Soil Analytical Summary
Sterling North Park
Downers Grove Park District
Downers Grove, Illinois

Analyte	Residential ^a		Industrial/Commercial ^a		Construction Worker ^a		Soil Component of Groundwater Ingestion ^a		Soil Saturation Limit ^b	Weaver Boos Site Assessment (March 30 and 31, 2006)																
	Ingestion mg/kg	Inhalation mg/kg	Ingestion mg/kg	Inhalation mg/kg	Ingestion mg/kg	Inhalation mg/kg	Class I mg/kg	Class II mg/kg		WB-1 ^d	WB-1	WB-2	WB-2	WB-3	WB-3	WB-4	WB-4	WB-5	WB-5	WB-6	WB-6	WB-7	WB-7	WB-8	WB-8	WB-8
							mg/kg			16 ^e	26	10	28	9	28	30	5 to 7	25	5	29	5 to 7	25	4 to 5	25		
VOCs																										
Acetone	7,800	100,000	200,000	100,000	200,000	100,000	16	16	100,000	< 0.055	< 0.056	0.22	< 0.047	< 0.056	< 0.043	< 0.056	0.24	0.11	0.52	< 0.05	0.22	0.14	0.15	0.15	3.2	
Benzene	12	0.8	100	1.6	2,300	2.2	0.03	0.17	870	< 0.0055	< 0.0056	< 0.0045	< 0.0047	< 0.0056	< 0.0043	< 0.0056	< 0.0055	< 0.0061	< 0.006	< 0.005	< 0.0077	< 0.0046	< 0.0058	< 0.0058		
Bromodichloromethane	10	3,000	92	3,000	2,000	3,000	0.6	0.6	3,000	< 0.0055	< 0.0056	< 0.0045	< 0.0047	< 0.0056	< 0.0043	< 0.0056	< 0.0055	< 0.0061	< 0.006	< 0.005	< 0.0077	< 0.0046	< 0.0058	< 0.0058		
Bromoform	81	53	720	100	16,000	140	0.8	0.8	1,900	< 0.0055	< 0.0056	< 0.0045	< 0.0047	< 0.0056	< 0.0043	< 0.0056	< 0.0055	< 0.0061	< 0.006	< 0.005	< 0.0077	< 0.0046	< 0.0058	< 0.0058		
Bromomethane	110	10	2,900	15	1,000	3.9	0.2	1.2	3,200	< 0.011	< 0.011	< 0.0091	< 0.0095	< 0.011	< 0.0085	< 0.011	< 0.011	< 0.012	< 0.012	< 0.01	< 0.015	< 0.0093	< 0.012	< 0.012		
2-Butanonc ^c	47,000	25,000	1,000,000	25,000	120,000	710	17	17	---	< 0.011	< 0.011	0.036	< 0.0095	< 0.011	< 0.0085	< 0.011	< 0.011	< 0.012	0.044	< 0.01	< 0.015	< 0.0093	< 0.012	< 0.012		
Carbon Disulfide	7,800	720	200,000	720	20,000	9.0	32	160	720	< 0.0055	< 0.0056	< 0.0045	< 0.0047	< 0.0056	< 0.0043	< 0.0056	< 0.0055	< 0.0061	< 0.006	< 0.005	< 0.0077	< 0.0046	< 0.0058	< 0.0058		
Carbon Tetrachloride	5	0.3	44	0.64	410	0.90	0.07	0.33	1,100	< 0.0055	< 0.0056	< 0.0045	< 0.0047	< 0.0056	< 0.0043	< 0.0056	< 0.0055	< 0.0061	< 0.006	< 0.005	< 0.0077	< 0.0046	< 0.0058	< 0.0058		
Chlorobenzene	1,600	130	41,000	210	4,100	1.3	1.0	6.5	680	< 0.0055	< 0.0056	< 0.0045	< 0.0047	< 0.0056	< 0.0043	< 0.0056	< 0.0055	< 0.0061	< 0.006	< 0.005	< 0.0077	< 0.0046	< 0.0058	< 0.0058		
Dibromochloromethane	1,600	1,300	41,000	1,300	41,000	1,300	0.4	0.4	1,300	< 0.0055	< 0.0056	< 0.0045	< 0.0047	< 0.0056	< 0.0043	< 0.0056	< 0.0055	< 0.0061	< 0.006	< 0.005	< 0.0077	< 0.0046	< 0.0058	< 0.0058		
Chloroethane ^c	31,000	1,500	820,000	1,500	82,000	94	15	70	---	< 0.011	< 0.011	< 0.0091	< 0.0095	< 0.011	< 0.0085	< 0.011	< 0.011	< 0.012	< 0.012	< 0.01	< 0.015	< 0.0093	< 0.012	< 0.012		
Chloroform	100	0.3	940	0.54	2,000	0.76	0.6	2.9	2,900	< 0.0055	< 0.0056	< 0.0045	< 0.0047	< 0.0056	< 0.0043	< 0.0056	< 0.0055	< 0.0061	< 0.006	< 0.005	< 0.0077	< 0.0046	< 0.0058	< 0.0058		
Chloromethane ^c	310	110	8,200	170	820	1.1	0.14	0.68	---	< 0.011	< 0.011	< 0.0091	< 0.0095	< 0.011	< 0.0085	< 0.011	< 0.011	< 0.012	< 0.012	< 0.01	< 0.015	< 0.0093	< 0.012	< 0.012		
1,1-Dichloroethane	7,800	1,300	200,000	1,700	200,000	130	23	110	1,700	< 0.0055	< 0.0056	< 0.0045	< 0.0047	< 0.0056	< 0.0043	< 0.0056	< 0.0055	< 0.0061	< 0.006	< 0.005	< 0.0077	< 0.0046	< 0.0058	< 0.0058		
1,2-Dichloroethane	7	0.4	63	0.7	1,400	0.99	0.02	0.10	1,800	< 0.0055	< 0.0056	< 0.0045	< 0.0047	< 0.0056	< 0.0043	< 0.0056	< 0.0055	< 0.0061	< 0.006	< 0.005	< 0.0077	< 0.0046	< 0.0058	< 0.0058		
1,1-Dichloroethene	700	1,500	18,000	1,500	1,800	300	0.06	0.30	1,500	< 0.0055	< 0.0056	< 0.0045	< 0.0047	< 0.0056	< 0.0043	< 0.0056	< 0.0055	< 0.0061	< 0.006	< 0.005	< 0.0077	< 0.0046	< 0.0058	< 0.0058		
cis-1,2-Dichloroethene	780	1,200	20,000	1,200	20,000	1,200	0.4	1.1	1,200	< 0.0055	< 0.0056	< 0.0045	< 0.0047	< 0.0056	< 0.0043	< 0.0056	< 0.0055	< 0.0061	< 0.006	< 0.005	< 0.0077	< 0.0046	< 0.0058	< 0.0058		
trans-1,2-Dichloroethene	1,600	3,100	41,000	3,100	41,000	3,100	0.7	3.4	3,100	< 0.0055	< 0.0056	< 0.0045	< 0.0047	< 0.0056	< 0.0043	< 0.0056	< 0.0055	< 0.0061	< 0.006	< 0.005	< 0.0077	< 0.0046	< 0.0058	< 0.0058		
1,2-Dichloropropane	9	15	84	23	1,800	0.50	0.03	0.15	1,100	< 0.0055	< 0.0056	< 0.0045	< 0.0047	< 0.0056	< 0.0043	< 0.0056	< 0.0055	< 0.0061	< 0.006	< 0.005	< 0.0077	< 0.0046	< 0.0058	< 0.0058		
cis-1,3-Dichloropropene	6	1	57	2.1	1,200	0.39	0.004	0.02	1,400	< 0.0055	< 0.0056	< 0.0045	< 0.0047	< 0.0056	< 0.0043											

Table 1 (cont.)
VOCs Soil Analytical Summary
Sterling North Park
Downers Grove Park District
Downers Grove, Illinois

Analyte	Residential ^a		Industrial/Commercial ^a		Construction Worker ^a		Soil Component of Groundwater Ingestion ^a		Soil Saturation Limit ^b																
	Ingestion mg/kg	Inhalation mg/kg	Ingestion mg/kg	Inhalation mg/kg	Ingestion mg/kg	Inhalation mg/kg	Class I mg/kg	Class II mg/kg		WB-9 ^d	WB-9	WB-10	WB-10	WB-11	WB-11	WB-12	WB-12	WB-13	WB-13	WB-14	WB-14	WB-15	WB-15	WB-16	WB-16
							mg/kg	mg/kg		5 to 6 ^e	25	4 to 5	25	5 to 6	20	5 to 6	25	5 to 6	25	5 to 6	25	5 to 6	25	5 to 6	25
VOCs																									
Acetone	7,800	100,000	200,000	100,000	200,000	100,000	16	16	100,000	0.25	0.21	0.28	0.26	0.16	0.089	< 0.051	< 0.047	< 0.061	< 0.049	< 0.069	< 0.044	< 0.053	< 0.049	< 0.045	
Benzene	12	0.8	100	1.6	2,300	2.2	0.03	0.17	870	< 0.0077	< 0.0053	< 0.0072	< 0.0065	< 0.0069	< 0.0067	< 0.0051	< 0.0047	< 0.0061	< 0.0049	< 0.0069	< 0.0044	< 0.0053	< 0.0049	< 0.0045	
Bromodichloromethane	10	3,000	92	3,000	2,000	3,000	0.6	0.6	3,000	< 0.0077	< 0.0053	< 0.0072	< 0.0065	< 0.0069	< 0.0067	< 0.0051	< 0.0047	< 0.0061	< 0.0049	< 0.0069	< 0.0044	< 0.0053	< 0.0049	< 0.0045	
Bromoform	81	53	720	100	16,000	140	0.8	0.8	1,900	< 0.0077	< 0.0053	< 0.0072	< 0.0065	< 0.0069	< 0.0067	< 0.0051	< 0.0047	< 0.0061	< 0.0049	< 0.0069	< 0.0044	< 0.0053	< 0.0049	< 0.0045	
Bromomethane	110	10	2,900	15	1,000	3.9	0.2	1.2	3,200	< 0.015	< 0.011	< 0.014	< 0.013	< 0.014	< 0.013	< 0.013	< 0.01	< 0.0094	< 0.012	< 0.0098	< 0.014	< 0.0089	< 0.011	< 0.0099	< 0.0089
2-Butanon ^c	47,000	25,000	1,000,000	25,000	120,000	710	17	17	---	0.03	< 0.011	0.03	< 0.013	< 0.014	< 0.013	< 0.01	< 0.0094	< 0.012	< 0.0098	< 0.014	< 0.0089	< 0.011	< 0.0099	< 0.0089	
Carbon Disulfide	7,800	720	200,000	720	20,000	9.0	32	160	720	< 0.0077	< 0.0053	< 0.0072	< 0.0065	< 0.0069	< 0.0067	< 0.0051	< 0.0047	< 0.0061	< 0.0049	< 0.0069	< 0.0044	< 0.0053	< 0.0049	< 0.0045	
Carbon Tetrachloride	5	0.3	44	0.64	410	0.90	0.07	0.33	1,100	< 0.0077	< 0.0053	< 0.0072	< 0.0065	< 0.0069	< 0.0067	< 0.0051	< 0.0047	< 0.0061	< 0.0049	< 0.0069	< 0.0044	< 0.0053	< 0.0049	< 0.0045	
Chlorobenzene	1,600	130	41,000	210	4,100	1.3	1.0	6.5	680	< 0.0077	< 0.0053	< 0.0072	< 0.0065	< 0.0069	< 0.0067	< 0.0051	< 0.0047	< 0.0061	< 0.0049	< 0.0069	< 0.0044	< 0.0053	< 0.0049	< 0.0045	
Dibromochloromethane	1,600	1,300	41,000	1,300	41,000	1,300	0.4	0.4	1,300	< 0.0077	< 0.0053	< 0.0072	< 0.0065	< 0.0069	< 0.0067	< 0.0051	< 0.0047	< 0.0061	< 0.0049	< 0.0069	< 0.0044	< 0.0053	< 0.0049	< 0.0045	
Chloroethane ^c	31,000	1,500	820,000	1,500	82,000	94	15	70	---	< 0.015	< 0.011	< 0.014	< 0.013	< 0.014	< 0.013	< 0.01	< 0.0094	< 0.012	< 0.0098	< 0.014	< 0.0089	< 0.011	< 0.0099	< 0.0089	
Chloroform	100	0.3	940	0.54	2,000	0.76	0.6	2.9	2,900	< 0.0077	< 0.0053	< 0.0072	< 0.0065	< 0.0069	< 0.0067	< 0.0051	< 0.0047	< 0.0061	< 0.0049	< 0.0069	< 0.0044	< 0.0053	< 0.0049	< 0.0045	
Chloromethane ^c	310	110	8,200	170	820	1.1	0.14	0.68	---	< 0.015	< 0.011	< 0.014	< 0.013	< 0.014	< 0.013	< 0.01	< 0.0094	< 0.012	< 0.0098	< 0.014	< 0.0089	< 0.011	< 0.0099	< 0.0089	
1,1-Dichloroethane	7,800	1,300	200,000	1,700	200,000	130	23	110	1,700	< 0.0077	< 0.0053	< 0.0072	< 0.0065	< 0.0069	< 0.0067	< 0.0051	< 0.0047	< 0.0061	< 0.0049	< 0.0069	< 0.0044	< 0.0053	< 0.0049	< 0.0045	
1,2-Dichloroethane	7	0.4	63	0.7	1,400	0.99	0.02	0.10	1,800	< 0.0077	< 0.0053	< 0.0072	< 0.0065	< 0.0069	< 0.0067	< 0.0051	< 0.0047	< 0.0061	< 0.0049	< 0.0069	< 0.0044	< 0.0053	< 0.0049	< 0.0045	
1,1-Dichloroethene	700	1,500	18,000	1,500	1,800	300	0.06	0.30	1,500	< 0.0077	< 0.0053	< 0.0072	< 0.0065	< 0.0069	< 0.0067	< 0.0051	< 0.0047	< 0.0061	< 0.0049	< 0.0069	< 0.0044	< 0.0053	< 0.0049	< 0.0045	
cis-1,2-Dichloroethene	780	1,200	20,000	1,200	20,000	1,200	0.4	1.1	1,200	< 0.0077	< 0.0053	< 0.0072	< 0.0065	< 0.0069	< 0.0067	< 0.0051	< 0.0047	< 0.0061	< 0.0049	< 0.0069	< 0.0044	< 0.0053	< 0.0049	< 0.0045	
trans-1,2-Dichloroethene	1,600	3,100	41,000	3,100	41,000	3,100	0.7	3.4	3,100	< 0.0077	< 0.0053	< 0.0072	< 0.0065	< 0.0069	< 0.0067	< 0.0051	< 0.0047	< 0.0061	< 0.0049	< 0.0069	< 0.0044	< 0.0053	< 0.0049	< 0.0045	
1,2-Dichloropropane	9	15	84	23	1,800	0.50	0.03	0.15	1,100	< 0.0077	< 0.0053	< 0.0072	< 0.0065	< 0.0069	< 0.0067	< 0.0051	< 0.0047	< 0.0061	< 0.0049	< 0.0069	< 0.0044	< 0.0053	< 0.0049	< 0.0045	
cis-1,3-Dichloropropene	6	1	57	2.1	1,200	0.39	0.004	0.02	1,400	< 0.0077	< 0.0053	< 0.0072	< 0.0065	< 0.0069	< 0.0067	< 0.0051	< 0.0047</td								

Table 2
VOCs Groundwater Analytical Summary
Sterling North Park
Downers Grove Park District
Downers Grove, Illinois

Analyte	TACO Tier 1 Remediation Objectives ^a		Weaver Boos Site Assesment (March 30 and 31, 2006)							
	Grondwater Component of Groundwater Ingestion		WB-2 ^b	WB-3	WB-4	WB-8	WB-9	WB-10	WB-11	WB-12
	Class I mg/L	Class II mg/L								
VOCs										
Acetone	0.7	0.7	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	0.019	< 0.01
Benzene	0.005	0.025	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
Bromodichloromethane	0.0002	0.0002	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
Bromoform	0.001	0.001	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
Bromomethane	0.0098	0.049	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
2-Butanone	4.2	4.2	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Carbon Disulfide	0.7	3.5	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Tetrachloride	0.005	0.025	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
Chlorobenzene	0.1	0.5	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
Dibromochloromethane	0.14	0.14	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
Chloroethane ^c	2.8	14	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Chloroform	0.0002	0.001	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
Chloromethane ^c	0.028	0.14	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
1,1-Dichloroethane	0.7	3.5	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
1,2-Dichloroethane	0.005	0.025	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
1,1-Dichloroethene	0.007	0.035	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
cis-1,2-Dichloroethene	0.07	0.2	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.0056	< 0.005
trans-1,2-Dichloroethene	0.1	0.5	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
1,2-Dichloropropane	0.005	0.025	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
cis-1,3-Dichloropropene	0.001	0.005	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001
trans-1,3-Dichloropropene	0.001	0.005	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001
Ethylbenzene	0.7	1.0	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
2-Hexanone ^c	0.28	0.28	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
4-Methyl-2-pentanone	---	---	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Methylene Chloride	0.005	0.050	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
Methyl tertiary-butyl ether	0.07	0.07	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
Styrene	0.1	0.5	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
1,1,2,2-Tetrachloroethane ^c	0.42	0.42	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
Tetrachloroethene	0.005	0.025	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
Toluene	1.0	2.5	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.0078
1,1,1-Trichloroethane	0.2	1.0	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
1,1,2-Trichloroethane	0.005	0.050	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
Trichloroethene	0.005	0.025	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.014	0.047
Vinyl chloride	0.002	0.01	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002
Xylenes (total)	10.0	10.0	< 0.015	< 0.015	< 0.015	< 0.015	< 0.015	< 0.015	0.015	< 0.015

Notes:

^a Tier 1 Soil Remediation Objective from Tiered Approach to Corrective Action Objectives (TACO) 35 IAC 742.

^b Sample identification

^c Groundwater remediation objectives as listed in the document entitled *Groundwater Remediation Objectives for Chemical Not Listed in TACO* prepared by the Illinois Environmental Protection Agency Toxicity Assessment Unit dated October 1, 2004.

<0.001 Less than the reported laboratory detection limit

--- indicates not listed in TACO Tier 1 Groundwater Remediation Objectives Tables.

All units in mg/L except where otherwise noted.

0.019 Analyte detected above the laboratory detection limit

0.014 Concentration exceeds TACO Tier 1 Class I groundwater remediation objective

0.047 Concentration exceeds TACO Tier 1 Class I and Class II groundwater remediation objectives

Attachment A

GPS Survey Data

GPS Field Survey Summary		
Sterling North Park		
Downers Grove, Illinois		
Soil Probe ID	Easting	Northing
WB-1	324970.295	569035.212
WB-2	324968.56	569000.187
WB-3	324969.049	568977.886
WB-4	324926.064	568977.186
WB-5	324929.831	568996.296
WB-6	324935.08	569032.65
WB-7	324882.913	569016.776
WB-8	324880.314	568981.649
WB-9	324837.294	569013.642
WB-10	324838.425	568981.127
WB-11	324805.024	569006.462
WB-12	324803.132	568955.802
WB-13	324839.914	568934.972
WB-14	324888.008	568925.282
WB-15	324829.298	568908.223
WB-16	324796.354	568916.467

Note: All locations are approximate derived from GPS
field survey conducted on May 4, 2006

System: State Plane 1983
 Zone: Illinois East
 Datum: NAD 1983 (Conus)
 Coordinate Units Meters

Attachment B

DGPD Property Photographs

By: Jane Kaufmann
Project No. 1894300-03

Sterling North Park
Downers Grove, Illinois

Page 1 of 12
Date: March 30 & 31, 2006

Photograph #1



View of the north-west portions of the Lagoon facing south.

Photograph #2



View of the north side of the Lagoon facing west.

Photograph #3



View of drilling soil probe WB-2 facing south.

Photograph #4



View of drilling WB-2 soil probe.

Photograph #5



View of soil sampling material, equipment and soil from WB-2.

Photograph #6



View of sampling material, equipment, and soils from WB-3.

Photograph #7



View of drilling soil probes WB-4 (foreground) and truck-mounted geo-probe (background) facing north.

Photograph #8



View of photo-ionization detector, sampling material, and soils from WB-7.

Photograph #9



View of retrieving water sample from WB-7.

Photograph #10



View of drilling soil probe WB-8 (upper left) and sampling soil from WB-8.

Photograph #11



View of drilling soil probe WB-8 on east side of Lagoon facing east.

Photograph #12



View of obtaining the water sample from WB-9.

Photograph #13



View of sampling materials and soils from WB-9.

Photograph #14



View of the soils from WB-10.

Photograph #15



View of obtaining
the water sample
from WB-10.

Photograph #16



Soils from WB-11.

Photograph #17



View of soils from
WB-12.

Photograph #18



View of soils from
WB-13.

Photograph #19



View of soils from
WB-13.

Photograph #20



View of soils from
WB-14.

Photograph #21



View of soils from
WB-15.

Photograph #22



View of soils from
WB-16.

Attachment C

Soil Logs

WEAVER			Log of Soil Boring No.: WB-1				Page 1 of 2		
BOOS			Time Started:	1025	File No.:	1894300-03			
CONSULTANTS			Time Completed:		Client:	Muniz Joint Defense Group			
NORTH CENTRAL, LLC			Driller:	RW Collins Co.	Date:	3/30/2006			
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS			Helper:	NA	WATER LEVEL DATA				
			Location:	Sterling North Park	28	Ft WHILE DRILLING			
				Downers Grove, Illinois	NA	Ft AT COMPLETION			
			Logged By:	Jodi Slough					
			SAMPLE DATA						
BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS		
---	TP	Dark brown TOPSOIL organic	1	48	0	Dry	No Odor		
1.0	SC	Dark brown CLAYEY SAND							
---	SM	Brown SILTY SAND with gravel	2	48	0	Dry	No Odor		
2.0	SM	Dark brown SILTY SAND							
---	ML	Gray/brown hard CLAYEY SILT	3	48	1.6	Moist	No Odor		
3.0	ML	Brown hard CLAYEY SILT							
---	ML	Brown hard CLAYEY SILT	4	48	0	Moist	No Odor		
4.0	ML	Brown hard CLAYEY SILT							
---	ML	Brown hard CLAYEY SILT	5	48	3.2	Moist	No Odor		
5.0	ML	Brown hard CLAYEY SILT							
---	SM	Brown SILTY SAND with pebbles	4	48	6.4	Moist	No Odor		
6.0	SM	Sample collected at 16 feet							
---	SM	Brown SILTY SAND with trace pebbles	5	48	0	Moist	No Odor		
7.0	SM	Brown SILTY SAND with trace pebbles							
---	SM	Brown SILTY SAND with trace pebbles	5	48	0	Moist	No Odor		
8.0	SM	Brown SILTY SAND with trace pebbles							
---	SM	Brown SILTY SAND with trace pebbles	5	48	0	Moist	No Odor		
9.0	SM	Brown SILTY SAND with trace pebbles							
---	SM	Brown SILTY SAND with trace pebbles	5	48	0	Moist	No Odor		
10.0	SM	Brown SILTY SAND with trace pebbles							
---	SM	Brown SILTY SAND with trace pebbles	5	48	0	Moist	No Odor		
11.0	SM	Brown SILTY SAND with trace pebbles							
---	SM	Brown SILTY SAND with trace pebbles	5	48	0	Moist	No Odor		
12.0	SM	Brown SILTY SAND with trace pebbles							
---	SM	Brown SILTY SAND with trace pebbles	5	48	0	Moist	No Odor		
13.0	SM	Brown SILTY SAND with trace pebbles							
---	SM	Brown SILTY SAND with trace pebbles	5	48	0	Moist	No Odor		
14.0	SM	Brown SILTY SAND with trace pebbles							
---	SM	Brown SILTY SAND with trace pebbles	5	48	0	Moist	No Odor		
15.0	SM	Brown SILTY SAND with trace pebbles							
---	SM	Brown SILTY SAND with trace pebbles	5	48	0	Moist	No Odor		
16.0	SM	Brown SILTY SAND with trace pebbles							
---	SM	Brown SILTY SAND with trace pebbles	5	48	0	Moist	No Odor		
17.0	SM	Brown SILTY SAND with trace pebbles							
---	SM	Brown SILTY SAND with trace pebbles	5	48	0	Moist	No Odor		
18.0	SM	Brown SILTY SAND with trace pebbles							
---	SM	Brown SILTY SAND with trace pebbles	5	48	0	Moist	No Odor		
19.0	SM	Brown SILTY SAND with trace pebbles							
---	SM	Brown SILTY SAND with trace pebbles	5	48	0	Moist	No Odor		
20.0	SM	Brown SILTY SAND with trace pebbles							
NOTES:			Soil probe terminated at 30' bgs Soil probe abandoned by backfilling with bentonite						

WEAVER			Log of Soil Boring No.: WB-1				Page 2 of 2				
BOOS			Time Started:	1025	File No.:	1894300-03					
CONSULTANTS			Time Completed:		Client:	Muniz Joint Defense Group					
NORTH CENTRAL, LLC			Driller:	RW Collins Co.	Date:	3/30/2006					
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS			Helper:	NA	WATER LEVEL DATA						
			Location:	Sterling North Park	28	Ft WHILE DRILLING					
				Downers Grove, Illinois	NA	Ft AT COMPLETION					
			Logged By:	Jodi Slough							
SAMPLE DATA											
BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS			
--- ____ 21.0 ____	SM	Brown SILTY SAND with trace pebbles		6	48	0	Moist	No Odor			
--- ____ 22.0 ____	SM	Orangish brown SILTY SAND with trace gravel and trace pebbles									
--- ____ 23.0 ____		No Recovery									
--- ____ 24.0 ____				7	48	3.2	Moist	No Odor			
--- ____ 25.0 ____	SM	Orange brown SILTY SAND with trace gravel and trace pebbles Sample collected at 26 feet									
--- ____ 26.0 ____		Little Recovery									
--- ____ 27.0 ____	SM	Orangish brown SILTY SAND		8	24	1.6	Moist	No Odor			
--- ____ 28.0 ____	CL	Greyish brown hard CLAY									
--- ____ 29.0 ____											
--- ____ 30.0 ____											
--- ____ 31.0 ____											
--- ____ 32.0 ____											
--- ____ 33.0 ____											
--- ____ 34.0 ____											
--- ____ 35.0 ____											
--- ____ 36.0 ____											
--- ____ 37.0 ____											
--- ____ 38.0 ____											
--- ____ 39.0 ____											
--- ____ 40.0 ____											
NOTES:		Soil probe terminated at 30' bgs				Soil probe abandoned by backfilling with bentonite					

WEAVER			Log of Soil Boring No.: WB-2				Page 1 of 2		
BOOS			Time Started:	1137	File No.:	1894300-03			
CONSULTANTS			Time Completed:		Client:	Muniz Joint Defense Group			
NORTH CENTRAL, LLC			Driller:	RW Collins Co.	Date:	3/30/2006			
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS			Helper:	NA	WATER LEVEL DATA				
			Location:	Sterling North Park	22	Ft WHILE DRILLING			
				Downers Grove, Illinois	NA	Ft AT COMPLETION			
			Logged By:	Jodi Slough					
SAMPLE DATA									
BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS	
---	TP	Topsoil			1	24	1.6	Dry	No Odor
1.0	FL	FILL (gravel)							
2.0	SC	Brown CLAYEY SAND with pebbles			2	48	0	Dry	No Odor
3.0		No Recovery							
4.0									
5.0	SC	Brown CLAYEY SAND with pebbles			3	48	0	Moist	No Odor
6.0	SP	Brown coarse SAND							
7.0		Brown CLAYEY SILT			4	48	14.5	Moist	No Odor
8.0	ML	Brown CLAYEY SILT							
9.0	ML	Brown CLAYEY SILT			5	12	0	Moist	No Odor
10.0	SM	Brown SILTY SAND with trace gravel and trace pebbles							
11.0		Sample collected at 10 feet							
12.0									
13.0	SM	Brown SILTY SAND with trace gravel and trace pebbles			4	48	0	Moist	No Odor
14.0	SM	Orangish brown SILTY SAND with trace pebbles							
15.0	SM	Brown SILTY SAND with trace pebbles			5	12	0	Moist	No Odor
16.0		No Recovery							
17.0									
18.0									
19.0									
20.0									
NOTES:			Soil probe terminated at 30' bgs			Soil probe abandoned by backfilling with bentonite			

WEAVER			Log of Soil Boring No.: WB-2				Page 2 of 2			
BOOS			Time Started:	1137	File No.:	1894300-03				
CONSULTANTS			Time Completed:		Client:	Muniz Joint Defense Group				
NORTH CENTRAL, LLC			Driller:	RW Collins Co.	Date:	3/30/2006				
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS			Helper:	NA	WATER LEVEL DATA					
			Location:	Sterling North Park	22	Ft WHILE DRILLING				
				Downers Grove, Illinois	NA	Ft AT COMPLETION				
			Logged By:	Jodi Slough						
SAMPLE DATA										
BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS		
--- ____ 21.0 ____	SM	Orangish brown SILTY SAND with trace gravel and trace pebbles		6	24	0	Moist	No Odor		
--- ____ 22.0 ____		Little Recovery-No Sample Collected						3.2	Wet	No Odor
--- ____ 23.0 ____	SM	Orangish brown SILTY SAND with trace gravel and trace pebbles		7	36	1.6	Wet	No Odor		
--- ____ 24.0 ____		Little Recovery						1.6	Wet	No Odor
--- ____ 25.0 ____		Sample collected at 28 feet								
--- ____ 26.0 ____	SM	Brown SILTY SAND with pebbles		8	24	0	Wet	No Odor		
--- ____ 27.0 ____		Gray hard SILT						0	Wet	No Odor
--- ____ 28.0 ____										
--- ____ 29.0 ____										
--- ____ 30.0 ____										
--- ____ 31.0 ____										
--- ____ 32.0 ____										
--- ____ 33.0 ____										
--- ____ 34.0 ____										
--- ____ 35.0 ____										
--- ____ 36.0 ____										
--- ____ 37.0 ____										
--- ____ 38.0 ____										
--- ____ 39.0 ____										
--- ____ 40.0 ____										
NOTES: Water sample collected using one-inch diameter and 10-foot long PVC screen Soil probe abandoned by backfilling with bentonite Soil probe terminated at 30' bgs										

WEAVER			Log of Soil Boring No.: WB-3				Page 1 of 2		
BOOS			Time Started:	1322	File No.:	1894300-03			
CONSULTANTS			Time Completed:		Client:	Muniz Joint Defense Group			
NORTH CENTRAL, LLC			Driller:	RW Collins Co.	Date:	3/30/2006			
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS			Helper:	NA	WATER LEVEL DATA				
			Location:	Sterling North Park	24	Ft WHILE DRILLING			
				Downers Grove, Illinois	NA	Ft AT COMPLETION			
			Logged By:	Jodi Slough					
SAMPLE DATA									
BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS	
---	TP	Topsoil				1.6	Dry	No Odor	
1.0		Dark brown poorly graded SAND				1.6	Dry	No Odor	
2.0	SP			1	48				
3.0						1.6	Dry	No Odor	
4.0	SM	Brown SILTY SAND with pebbles							
5.0		Brown CLAYEY SAND with pebbles and trace gravel				1.6	Moist	No Odor	
6.0	SC					1.6	Moist	No Odor	
7.0						1.6	Moist	No Odor	
8.0									
9.0	SC	Brown CLAYEY SAND with pebbles and trace gravel Sample collected at 9 feet				19.3	Moist	No Odor	
10.0	SP	Brown poorly graded SAND with trace pebbles				6.4	Moist	No Odor	
11.0		Little Recovery							
12.0									
13.0	SP	Brown poorly graded SAND with trace pebbles				8.0	Moist	No Odor	
14.0						3.2	Moist	No Odor	
15.0		Little Recovery							
16.0									
17.0	SP	Brown poorly graded SAND with trace pebbles				4.8	Moist	No Odor	
18.0						1.6	Moist	No Odor	
19.0									
20.0									
NOTES: Soil probe terminated at 30' bgs Soil probe abandoned by backfilling with bentonite									

WEAVER BOOS CONSULTANTS NORTH CENTRAL, LLC GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS			Log of Soil Boring No.: WB-3				Page 2 of 2				
			Time Started:	1322	File No.:	1894300-03					
			Time Completed:		Client:	Muniz Joint Defense Group					
			Driller:	RW Collins Co.	Date:	3/30/2006					
			Helper:	NA	WATER LEVEL DATA						
			Location:	Sterling North Park	24	Ft WHILE DRILLING					
				Downers Grove, Illinois	NA	Ft AT COMPLETION					
			Logged By:	Jodi Slough							
SAMPLE DATA											
BELLOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS			
-- 21.0 --	SM	Brown SILTY SAND with pebbles		6	48	8	Moist	No Odor			
-- 22.0 --	ML	Orangish brown SILT with pebbles									
-- 23.0 --	SW	Brown well graded SAND with trace pebbles									
-- 24.0 --	ML	Gray CLAYEY SILT									
-- 25.0 --	SP	Brown poorly sorted SAND		7	48	4.8	Wet	No Odor			
-- 26.0 --	ML	Brown SILT wth trace pebbles									
-- 27.0 --	ML	Orangish brown CLAYEY SILT with gravel and pebbles Sample collected at 28 feet									
-- 28.0 --		Little Recovery		8	24	6.4	Wet	No Odor			
-- 29.0 --	ML	Gray hard SILT with trace pebbles									
-- 30.0 --											
-- 31.0 --											
-- 32.0 --											
-- 33.0 --											
-- 34.0 --											
-- 35.0 --											
-- 36.0 --											
-- 37.0 --											
-- 38.0 --											
-- 39.0 --											
-- 40.0 --											
NOTES: Water sample collected using one-inch diameter and 10-foot long PVC screen Soil probe abandoned by backfilling with bentonite					Soil probe terminated at 30' bgs						

WEAVER		Log of Soil Boring No.: WB-4				Page 1 of 2		
BOOS		Time Started:	1452	File No.:	1894300-03			
CONSULTANTS		Time Completed:		Client:	Muniz Joint Defense Group			
NORTH CENTRAL, LLC		Driller:	RW Collins Co.	Date:	3/30/2006			
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS		Helper:	NA	WATER LEVEL DATA				
		Location:	Sterling North Park	24	Ft WHILE DRILLING			
			Downers Grove, Illinois	NA	Ft AT COMPLETION			
		Logged By:	Jodi Slough					
SAMPLE DATA								
BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
--- ____ 1.0 ____	TP	Topsoil		1	42	0	Dry	No Odor
--- ____ 2.0 ____	SM	Brown SILTY SAND with trace gravel and trace pebbles						
--- ____ 3.0 ____		No Recovery		2	24	1.6	Dry	No Odor
--- ____ 4.0 ____	SM	Dark brown SILTY SAND						
--- ____ 5.0 ____	ML	Brown SILT		3	48	3.2	Moist	No Odor
--- ____ 6.0 ____		No Recovery						
--- ____ 7.0 ____		Little Recovery		4	48	0	Moist	No Odor
--- ____ 8.0 ____	SM	Brown SILTY SAND						
--- ____ 9.0 ____		Brown SILTY SAND with trace pebbles		5	24	3.2	Moist	No Odor
--- ____ 10.0 ____	SM	Brown SILTY SAND with trace pebbles						
--- ____ 11.0 ____		Brown SILTY SAND with trace pebbles		4	48	0	Moist	No Odor
--- ____ 12.0 ____	ML	Brown SILT						
--- ____ 13.0 ____		Brown coarse SILTY SAND with trace pebbles		5	24	3.2	Moist	No Odor
--- ____ 14.0 ____	SM	Brown CLAYEY SILT						
--- ____ 15.0 ____		Brown CLAYEY SILTY SAND w/ pebbles		4	48	0	Moist	No Odor
--- ____ 16.0 ____	ML	No Recovery						
--- ____ 17.0 ____		No Recovery		5	24	0	Moist	No Odor
--- ____ 18.0 ____	SC	No Recovery						
--- ____ 19.0 ____		No Recovery		4	48	3.2	Moist	No Odor
--- ____ 20.0 ____		No Recovery						

NOTES: Soil probe terminated at 30' bgs Soil probe abandoned by backfilling with bentonite

WEAVER**BOOS****CONSULTANTS****NORTH CENTRAL, LLC****GEO-ENVIRONMENTAL ENGINEERS
AND SCIENTISTS**Log of Soil Boring No.: **WB-4**

Page 2 of 2

Time Started:	1452	File No.:	1894300-03
Time Completed:		Client:	Muniz Joint Defense Group
Driller:	RW Collins Co.	Date:	3/30/2006
Helper:	NA		
Location:	Sterling North Park Downers Grove, Illinois	24 NA	WATER LEVEL DATA Ft WHILE DRILLING Ft AT COMPLETION

Logged By: Jodi Slough

SAMPLE DATA

BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
-- 21.0 --		No Recovery					
-- 22.0 --	SM	Brown SILTY SAND with trace pebbles					
-- 23.0 --							
-- 24.0 --		Little Recovery					
-- 25.0 --	ML	Grayish brown SILT					
-- 26.0 --	SM	SILTY SAND with gravel					
-- 27.0 --	SM	SILTY SAND with pebbles					
-- 28.0 --	ML	Gray CLAYEY SILT					
-- 29.0 --	ML	Gray CLAYEY SILT	8	24	4.8	Wet	No Odor
-- 30.0 --		Sample collected at 30 feet					
-- 31.0 --							
-- 32.0 --							
-- 33.0 --							
-- 34.0 --							
-- 35.0 --							
-- 36.0 --							
-- 37.0 --							
-- 38.0 --							
-- 39.0 --							
-- 40.0 --							

NOTES: Water sample collected using one-inch diameter and 10-foot long PVC Screen
Soil probe abandoned by backfilling with bentonite

Soil probe terminated at 30' bgs

WEAVER BOOS CONSULTANTS NORTH CENTRAL, LLC GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS			Log of Soil Boring No.: WB-5				Page 1 of 2		
			Time Started:	1530	File No.:	1894300-03			
			Time Completed:		Client:	Muniz Joint Defense Group			
			Driller:	Cabeno Environmental	Date:	3/30/2006			
			Helper:	NA	WATER LEVEL DATA				
			Location:	Sterling North Park	22	Ft WHILE DRILLING			
				Downers Grove, Illinois	NA	Ft AT COMPLETION			
			Logged By:	Jane Kaufmann					
SAMPLE DATA									
BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS	
--- ____ 1.0 ____	FL	Fill (sand)				0	Dry	No Odor	
--- ____ 2.0 ____	CL	Dark brown hard CLAY with gravel		1	48	0	Dry	No Odor	
--- ____ 3.0 ____									
--- ____ 4.0 ____	CL	Brown medium CLAY with trace gravel		2	60	0	Dry	No Odor	
--- ____ 5.0 ____		Sample collected at 5-7 feet							
--- ____ 6.0 ____	CL	Dark brown soft CLAY		3	48	0	Moist	No Odor	
--- ____ 7.0 ____		Gray/brown medium CLAY							
--- ____ 8.0 ____	CL	Brown medium CLAY with gravel		4	48	0	Moist	No Odor	
--- ____ 9.0 ____		Dark brown medium SILTY CLAY							
--- ____ 10.0 ____	CL	Light brown/red medium CLAY with gravel				0	Moist	No Odor	
--- ____ 11.0 ____		Gray medium CLAY							
--- ____ 12.0 ____	CL					0	Moist	No Odor	
--- ____ 13.0 ____									
--- ____ 14.0 ____	CL					0	Moist	No Odor	
--- ____ 15.0 ____									
--- ____ 16.0 ____	CL					0	Moist	No Odor	
--- ____ 17.0 ____									
--- ____ 18.0 ____	CL					0	Moist	No Odor	
--- ____ 19.0 ____									
--- ____ 20.0 ____	CL					0	Moist	No Odor	
NOTES:		Soil probe terminated at 30' bgs							Soil probe abandoned by backfilling with bentonite

WEAVER BOOS CONSULTANTS NORTH CENTRAL, LLC GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS			Log of Soil Boring No.: WB-5				Page 2 of 2		
			Time Started:	1530	File No.:	1894300-03			
			Time Completed:		Client:	Muniz Joint Defense Group			
			Driller:	Cabeno Environmental	Date:	3/30/2006			
			Helper:	NA	WATER LEVEL DATA				
			Location:	Sterling North Park	22	Ft WHILE DRILLING			
				Downers Grove, Illinois	NA	Ft AT COMPLETION			
			Logged By:	Jane Kaufmann					
SAMPLE DATA									
BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS	
--- ____ 21.0 ____	CL	Brown medium SILTY CLAY		5	48	0	Moist	No Odor	
--- ____ 22.0 ____	CL	Red/brown medium SILTY CLAY Sample collected at 25 feet							
--- ____ 23.0 ____	CL	Red/brown soft CLAY		6	36	0	Wet	No Odor	
--- ____ 24.0 ____	CL	Gray medium CLAY							
--- ____ 25.0 ____									
--- ____ 26.0 ____									
--- ____ 27.0 ____									
--- ____ 28.0 ____									
--- ____ 29.0 ____									
--- ____ 30.0 ____									
--- ____ 31.0 ____									
--- ____ 32.0 ____									
--- ____ 33.0 ____									
--- ____ 34.0 ____									
--- ____ 35.0 ____									
--- ____ 36.0 ____									
--- ____ 37.0 ____									
--- ____ 38.0 ____									
--- ____ 39.0 ____									
--- ____ 40.0 ____									
NOTES:				Soil probe terminated at 30' bgs					
				Soil probe abandoned by backfilling with bentonite					

WEAVER		Log of Soil Boring No.: WB-6				Page 1 of 2		
BOOS		Time Started:	0905	File No.:	1894300-03			
CONSULTANTS		Time Completed:		Client:	Muniz Joint Defense Group			
NORTH CENTRAL, LLC		Driller:	RW Collins Co.	Date:	3/30/2006			
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS		Helper:	NA	WATER LEVEL DATA				
		Location:	Sterling North Park	NA	Ft WHILE DRILLING			
			Downers Grove, Illinois	NA	Ft AT COMPLETION			
		Logged By:	Jodi Slough					
			SAMPLE DATA					
BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS	
---	TP	Topsoil			0	Moist	No Odor	
1.0	CL	Brown CLAY	1	48	8.4	Moist	No Odor	
2.0								
3.0	CL	Brown CLAY Sample collected at 5 feet	2	48	0	Moist	No Odor	
4.0								
5.0	CL	Brown SANDY CLAY with trace gravel and pebbles	2	48	0	Moist	No Odor	
6.0								
7.0	CL	Brown SANDY CLAY with trace gravel and pebbles	3	48	0	Moist	No Odor	
8.0								
9.0	CL	Brown SANDY CLAY with trace gravel and pebbles	3	48	0	Dry	No Odor	
10.0								
11.0	SM	Brown SILTY SAND with gravel	4	36	1.4	Moist	No Odor	
12.0								
13.0	SM	No Recovery	4	36	1.6	Moist	No Odor	
14.0								
15.0	CL	Little Recovery	5	36	4.8	Moist	No Odor	
16.0								
17.0	CL	Brown SILTY CLAY	5	36	3.2	Moist	No Odor	
18.0								
19.0	CL	No Recovery	5	36	3.2	Moist	No Odor	
20.0								
NOTES:			Soil probe terminated at 30' bgs					
			Soil probe abandoned by backfilling with bentonite					

WEAVER		Log of Soil Boring No.: WB-6				Page 2 of 2		
BOOS		Time Started:	0905	File No.:	1894300-03			
CONSULTANTS		Time Completed:		Client:	Muniz Joint Defense Group			
NORTH CENTRAL, LLC		Driller:	RW Collins Co.	Date:	3/30/2006			
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS		Helper:	NA	WATER LEVEL DATA				
		Location:	Sterling North Park	NA	Ft WHILE DRILLING			
			Downers Grove, Illinois	NA	Ft AT COMPLETION			
		Logged By:	Jodi Slough					
SAMPLE DATA								
BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
--- ____ 21.0 ____	SM	SILTY SAND with gravel		6	48	1.8	Moist	No Odor
--- ____ 22.0 ____	CL	Brown sandy CLAY w/ pebbles				1.6		No Odor
--- ____ 23.0 ____	SM	Brown SILTY SAND with gravel		7	36	1.6	Moist	No Odor
--- ____ 24.0 ____	CL	Brown sandy CLAY w/ pebbles				9.6		No Odor
--- ____ 25.0 ____	SM	SILTY SAND with gravel		8	24	1.6	Moist	No Odor
--- ____ 26.0 ____						1.6		No Odor
--- ____ 27.0 ____	CL	Brown SILTY CLAY with pebbles		8	24	9.6	Moist	No Odor
--- ____ 28.0 ____		Little Recovery - No Sample Collected				9.6		No Odor
--- ____ 29.0 ____	SM	Brown SILTY SAND with gravel		8	24	1.6	Moist	No Odor
--- ____ 30.0 ____	CL	Brown SILTY CLAY with gravel Sample collected at 29 feet				1.6		No Odor
--- ____ 31.0 ____								
--- ____ 32.0 ____								
--- ____ 33.0 ____								
--- ____ 34.0 ____								
--- ____ 35.0 ____								
--- ____ 36.0 ____								
--- ____ 37.0 ____								
--- ____ 38.0 ____								
--- ____ 39.0 ____								
--- ____ 40.0 ____								
NOTES:		Soil probe terminated at 30' bgs				Soil probe abandoned by backfilling with bentonite		

WEAVER BOOS CONSULTANTS NORTH CENTRAL, LLC GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS			Log of Soil Boring No.: WB-7				Page 1 of 2		
			Time Started:	1445	File No.:	1894300-03			
			Time Completed:		Client:	Muniz Joint Defense Group			
			Driller:	Cabeno Environmental	Date:	3/30/2006			
			Helper:	NA	WATER LEVEL DATA				
			Location:	Sterling North Park	25	Ft WHILE DRILLING			
				Downers Grove, Illinois	NA	Ft AT COMPLETION			
			Logged By:	Jane Kaufmann					
SAMPLE DATA									
BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS	
-- 1.0 --	CL	Black soft SILTY CLAY		1	48	0	Dry	No Odor	
-- 2.0 --	CL	Brown medium CLAY							
-- 3.0 --	CL								
-- 4.0 --	CL	Brown/black soft SILTY CLAY							
-- 5.0 --	CL	Brown medium CLAY							
-- 6.0 --	CL	Sample collected at 5-7 feet							
-- 7.0 --	CL								
-- 8.0 --	SM	Brown medium SILTY SAND with gravel							
-- 9.0 --	SM								
-- 10.0 --	CL	Brown medium SILTY CLAY							
-- 11.0 --	CL								
-- 12.0 --	SM	Brown soft SILTY SAND with gravel							
-- 13.0 --	SM								
-- 14.0 --	CL	Brown soft SILTY SAND with gravel							
-- 15.0 --	CL								
-- 16.0 --	CL	Brown medium CLAY							
-- 17.0 --	CL								
-- 18.0 --	CL	Brown medium SILTY CLAY with gravel							
-- 19.0 --	CL								
-- 20.0 --	CL								
NOTES: Soil probe terminated at 30' bgs Soil probe abandoned by backfilling with bentonite									

WEAVER			Log of Soil Boring No.: WB-7				Page 2 of 2		
BOOS			Time Started:	1445	File No.:	1894300-03			
CONSULTANTS			Time Completed:		Client:	Muniz Joint Defense Group			
NORTH CENTRAL, LLC			Driller:	Cabeno Environmental	Date:	3/30/2006			
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS			Helper:	NA	WATER LEVEL DATA				
			Location:	Sterling North Park	25	Ft WHILE DRILLING			
				Downers Grove, Illinois	NA	Ft AT COMPLETION			
			Logged By:	Jane Kaufmann					
SAMPLE DATA									
BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS	
-- 21.0 --	CL	Brown medium SILTY CLAY with gravel		5	60	0	Moist	No Odor	
-- 22.0 --									
-- 23.0 --	CL	Brown medium SILTY CLAY with gravel		6	60	0	Moist	No Odor	
-- 24.0 --		Sample collected at 25 feet							
-- 25.0 --	SM	Brown medium SILTY SAND				0	Wet	No Odor	
-- 26.0 --									
-- 27.0 --	CL	Red/brown soft CLAY				0	Wet	No Odor	
-- 28.0 --		Gray soft CLAY							
-- 29.0 --	SM	Brown soft SILTY SAND with gravel				0	Wet	No Odor	
-- 30.0 --									
-- 31.0 --									
-- 32.0 --									
-- 33.0 --									
-- 34.0 --									
-- 35.0 --									
-- 36.0 --									
-- 37.0 --									
-- 38.0 --									
-- 39.0 --									
-- 40.0 --									
NOTES:				Soil probe terminated at 30' bgs					
				Soil probe abandoned by backfilling with bentonite					

WEAVER BOOS CONSULTANTS NORTH CENTRAL, LLC GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS			Log of Soil Boring No.: WB-8				Page 1 of 2		
			Time Started:	0900	File No.:	1894300-03			
			Time Completed:		Client:	Muniz Joint Defense Group			
			Driller:	Cabeno Environmental	Date:	3/30/2006			
			Helper:	NA	WATER LEVEL DATA				
			Location:	Sterling North Park	25	Ft WHILE DRILLING			
				Downers Grove, Illinois	NA	Ft AT COMPLETION			
			Logged By:	Jane Kaufmann					
SAMPLE DATA									
BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS	
---		Dark black soft SILTY CLAY				0.3	Dry	No Odor	
1.0	CL			1	48	0.3	Moist	No Odor	
2.0									
3.0									
4.0	CL	Light brown soft SILTY CLAY Sample collected at 4-5 feet		2	60	0.3	Moist	No Odor	
5.0									
6.0	CL	Brown medium CLAY		3	60	0.3	Moist	No Odor	
7.0									
8.0		Dark brown/black soft SILTY CLAY		4	60	0	Moist	No Odor	
9.0	CL								
10.0									
11.0	CL	Light brown medium SILTY CLAY with gravel		3	60	0.3	Moist	No Odor	
12.0									
13.0									
14.0	CL	Brown soft CLAY with gravel		4	60	0	Moist	No Odor	
15.0									
16.0	CL	Brown soft SILTY CLAY with gravel		4	60	0	Moist	No Odor	
17.0									
18.0	GP	Poorly graded coarse gravel		4	60	0	Moist	No Odor	
19.0									
20.0	CL	Light brown soft SILTY CLAY							
NOTES: Soil probe terminated at 30' bgs					Soil probe abandoned by backfilling with bentonite				

WEAVER BOOS CONSULTANTS NORTH CENTRAL, LLC GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS			Log of Soil Boring No.: WB-8				Page 2 of 2		
			Time Started:	0900	File No.:	1894300-03			
			Time Completed:		Client:	Muniz Joint Defense Group			
			Driller:	Cabeno Environmental	Date:	3/30/2006			
			Helper:	NA	WATER LEVEL DATA				
			Location:	Sterling North Park	25	Ft WHILE DRILLING			
				Downers Grove, Illinois	NA	Ft AT COMPLETION			
			Logged By:	Jane Kaufmann					
SAMPLE DATA									
BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS	
-- 21.0 --	CL	Light brown soft SILTY CLAY		5	60	0	Moist	No Odor	
-- 22.0 --		Sample collected at 25 feet							
-- 23.0 --	CL	Brown soft SILTY CLAY		6	60	0	Moist	No Odor	
-- 24.0 --		Gray soft CLAY							
-- 25.0 --	CL					Wet	No Odor		
-- 26.0 --									
-- 27.0 --	CL					Wet	No Odor		
-- 28.0 --									
-- 29.0 --	CL					Wet	No Odor		
-- 30.0 --									
-- 31.0 --									
-- 32.0 --									
-- 33.0 --									
-- 34.0 --									
-- 35.0 --									
-- 36.0 --									
-- 37.0 --									
-- 38.0 --									
-- 39.0 --									
-- 40.0 --									
NOTES: Water sample collected using one-inch diameter and 10-foot long PVC screen Soil probe abandoned by backfilling with bentonite					Soil probe terminated at 30' bgs				

WEAVER BOOS CONSULTANTS NORTH CENTRAL, LLC GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS			Log of Soil Boring No.: WB-9				Page 1 of 2	
			Time Started:	1245	File No.:	1894300-03		
			Time Completed:		Client:	Muniz Joint Defense Group		
			Driller:	Cabeno Environmental	Date:	3/30/2006		
			Helper:	NA	WATER LEVEL DATA			
			Location:	Sterling North Park	24	Ft WHILE DRILLING		
				Downers Grove, Illinois	NA	Ft AT COMPLETION		
			Logged By:	Jane Kaufmann				
SAMPLE DATA								
BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
-- ____ 1.0 ____	CL	Black soft CLAY		1	36	0	Dry	No Odor
-- ____ 2.0 ____								
-- ____ 3.0 ____	CL	Light brown medium SILTY CLAY with gravel				0	Moist	No Odor
-- ____ 4.0 ____								
-- ____ 5.0 ____	CL	Black soft CLAY Sample collected at 5-6 feet		2	36	0	Moist	No Odor
-- ____ 6.0 ____								
-- ____ 7.0 ____	CL	Brown medium CLAY with trace gravel				0	Moist	No Odor
-- ____ 8.0 ____								
-- ____ 9.0 ____	CL					0	Moist	No Odor
-- ____ 10.0 ____								
-- ____ 11.0 ____	CL	Brown medium SILTY CLAY with gravel		3	36	0	Moist	No Odor
-- ____ 12.0 ____								
-- ____ 13.0 ____	CL					0	Moist	No Odor
-- ____ 14.0 ____								
-- ____ 15.0 ____	CL	Brown/black medium CLAY		4	60	0	Moist	No Odor
-- ____ 16.0 ____								
-- ____ 17.0 ____	GP	Brown/red soft SILTY CLAY with gravel				0	Moist	No Odor
-- ____ 18.0 ____								
-- ____ 19.0 ____	CL	Poorly graded coarse gravel				0	Moist	No Odor
-- ____ 20.0 ____								
NOTES: Soil probe terminated at 30' bgs					Soil probe abandoned by backfilling with bentonite			

WEAVER BOOS CONSULTANTS NORTH CENTRAL, LLC GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS			Log of Soil Boring No.: WB-9				Page 2 of 2		
			Time Started:	1245	File No.:	1894300-03			
			Time Completed:		Client:	Muniz Joint Defense Group			
			Driller:	Cabeno Environmental	Date:	3/30/2006			
			Helper:	NA	WATER LEVEL DATA				
			Location:	Sterling North Park	24	Ft WHILE DRILLING			
				Downers Grove, Illinois	NA	Ft AT COMPLETION			
			Logged By:	Jane Kaufmann					
SAMPLE DATA									
BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS	
-- ____ 21.0 ____	CL	Red/brown medium SILTY CLAY with gravel		5	60	0	Moist	No Odor	
-- ____ 22.0 ____									
-- ____ 23.0 ____	CL	Gray medium CLAY Sample collected at 25 feet		6	60	0	Wet	No Odor	
-- ____ 24.0 ____									
-- ____ 25.0 ____	CL	Gray medium to soft CLAY		6	60	0	Moist	No Odor	
-- ____ 26.0 ____									
-- ____ 27.0 ____	CL			6	60	0	Moist	No Odor	
-- ____ 28.0 ____									
-- ____ 29.0 ____	CL			6	60	0	Moist	No Odor	
-- ____ 30.0 ____									
-- ____ 31.0 ____	CL			6	60	0	Moist	No Odor	
-- ____ 32.0 ____									
-- ____ 33.0 ____									
-- ____ 34.0 ____									
-- ____ 35.0 ____									
-- ____ 36.0 ____									
-- ____ 37.0 ____									
-- ____ 38.0 ____									
-- ____ 39.0 ____									
-- ____ 40.0 ____									
NOTES: Water sample collected using one-inch diameter and 10-foot long PVC screen Soil probe abandoned by backfilling with bentonite					Soil probe terminated at 30' bgs				

WEAVER			Log of Soil Boring No.: WB-10				Page 1 of 2		
BOOS			Time Started:	1010	File No.:	1894300-03			
CONSULTANTS			Time Completed:		Client:	Muniz Joint Defense Group			
NORTH CENTRAL, LLC			Driller:	Cabeno Environmental	Date:	3/30/2006			
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS			Helper:	NA	WATER LEVEL DATA				
			Location:	Sterling North Park	25	Ft WHILE DRILLING			
				Downers Grove, Illinois	NA	Ft AT COMPLETION			
			Logged By:	Jane Kaufmann					
SAMPLE DATA									
BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS	
-- ____ 1.0 ____	CL	Black medium SILTY CLAY		1	48	1.5 0.5	Dry Moist	No Odor	
-- ____ 2.0 ____		Sample collected at 4-5 feet							
-- ____ 3.0 ____	CL	Gray/black/green medium SILTY CLAY		2	60	0	Moist	No Odor	
-- ____ 4.0 ____		Brown medium CLAY							
-- ____ 5.0 ____	CL	Black soft SILTY CLAY		3	60	0	Moist	No Odor	
-- ____ 6.0 ____		Gray/brown medium CLAY							
-- ____ 7.0 ____	CL	Brown medium CLAY		4	36	0	Moist	No Odor	
-- ____ 8.0 ____		Brown/black medium SILTY CLAY							
-- ____ 9.0 ____	CL	Black medium CLAY		3	60	0	Moist	No Odor	
-- ____ 10.0 ____		Gray/brown medium CLAY							
-- ____ 11.0 ____	CL	Brown medium CLAY		4	36	0	Moist	No Odor	
-- ____ 12.0 ____		Black soft SILTY CLAY							
-- ____ 13.0 ____	CL	Gray/black medium SILTY CLAY		3	60	0	Moist	No Odor	
-- ____ 14.0 ____		Brown medium CLAY							
-- ____ 15.0 ____	CL	Black medium CLAY		4	36	0	Moist	No Odor	
-- ____ 16.0 ____		Gray/brown medium CLAY							
-- ____ 17.0 ____	CL	Brown/black medium SILTY CLAY		3	60	0	Moist	No Odor	
-- ____ 18.0 ____		Black soft SILTY CLAY							
-- ____ 19.0 ____	CL	Gray/black medium CLAY		4	36	0	Moist	No Odor	
-- ____ 20.0 ____		Brown medium CLAY							

NOTES:

Soil probe terminated at 30' bgs

Soil probe abandoned by backfilling with bentonite

WEAVER			Log of Soil Boring No.: WB-10				Page 2 of 2		
BOOS			Time Started:	1010	File No.:	1894300-03			
CONSULTANTS			Time Completed:		Client:	Muniz Joint Defense Group			
NORTH CENTRAL, LLC			Driller:	Cabeno Environmental	Date:	3/30/2006			
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS			Helper:	NA	WATER LEVEL DATA				
			Location:	Sterling North Park	25	Ft WHILE DRILLING			
				Downers Grove, Illinois	NA	Ft AT COMPLETION			
			Logged By:	Jane Kaufmann					
SAMPLE DATA									
BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS	
-- ____ 21.0 ____	CL	Brown medium CLAY		5	60	0	Moist	No Odor	
-- ____ 22.0 ____		Brown medium CLAY with trace gravel. Sample collected at 25 feet						0	Moist
-- ____ 23.0 ____	CL	Brown soft CLAY		6	48	0	Wet		
-- ____ 24.0 ____		Brown soft CLAY						0	Wet
-- ____ 25.0 ____	CL	Brown soft CLAY		6	48	0	Wet		
-- ____ 26.0 ____		Brown soft CLAY						0	Wet
-- ____ 27.0 ____	CL	Brown soft CLAY		6	48	0	Wet		
-- ____ 28.0 ____		Brown soft CLAY						0	Wet
-- ____ 29.0 ____	CL	Brown soft CLAY		6	48	0	Wet		
-- ____ 30.0 ____		Brown soft CLAY						0	Wet
-- ____ 31.0 ____	CL	Brown soft CLAY		6	48	0	Wet		
-- ____ 32.0 ____		Brown soft CLAY						0	Wet
-- ____ 33.0 ____	CL	Brown soft CLAY		6	48	0	Wet		
-- ____ 34.0 ____		Brown soft CLAY						0	Wet
-- ____ 35.0 ____	CL	Brown soft CLAY		6	48	0	Wet		
-- ____ 36.0 ____		Brown soft CLAY						0	Wet
-- ____ 37.0 ____	CL	Brown soft CLAY		6	48	0	Wet		
-- ____ 38.0 ____		Brown soft CLAY						0	Wet
-- ____ 39.0 ____	CL	Brown soft CLAY		6	48	0	Wet		
-- ____ 40.0 ____		Brown soft CLAY						0	Wet
NOTES: Water sample collected using one-inch diameter and 10-foot long PVC screen Soil probe abandoned by backfilling with bentonite					Soil probe terminated at 30' bgs				

WEAVER BOOS CONSULTANTS NORTH CENTRAL, LLC GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS			Log of Soil Boring No.: WB-11				Page 1 of 2		
			Time Started:	1345	File No.:	1894300-03			
			Time Completed:		Client:	Muniz Joint Defense Group			
			Driller:	Cabeno Environmental	Date:	3/30/2006			
			Helper:	NA	WATER LEVEL DATA				
			Location:	Sterling North Park	20	Ft WHILE DRILLING			
				Downers Grove, Illinois	NA	Ft AT COMPLETION			
			Logged By:	Jane Kaufmann					
SAMPLE DATA									
BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS	
--- ____ 1.0 ____	CL	Black medium SILTY CLAY with gravel		1	60	0	Dry	No Odor	
--- ____ 2.0 ____									
--- ____ 3.0 ____	CL	Brown hard CLAY				0	Moist	No Odor	
--- ____ 4.0 ____									
--- ____ 5.0 ____		Brown soft SILTY CLAY							
--- ____ 6.0 ____	CL	Black medium CLAY Sample collected at 5-6 feet		2	48	0	Moist	No Odor	
--- ____ 7.0 ____		Brown/gray soft SILTY CLAY							
--- ____ 8.0 ____	CL					0	Moist	No Odor	
--- ____ 9.0 ____									
--- ____ 10.0 ____	CL	Brown soft SILTY CLAY		3	36	0	Moist	No Odor	
--- ____ 11.0 ____									
--- ____ 12.0 ____									
--- ____ 13.0 ____	CL	Green/gray medium CLAY				0	Moist	No Odor	
--- ____ 14.0 ____									
--- ____ 15.0 ____	CL	Gray soft SILTY CLAY with gravel		4	50	0	Moist	No Odor	
--- ____ 16.0 ____									
--- ____ 17.0 ____									
--- ____ 18.0 ____	SM	Brown soft SILTY SAND with gravel				0	Moist	No Odor	
--- ____ 19.0 ____		Sample collected at 20 feet							
--- ____ 20.0 ____									
NOTES: Soil probe terminated at 30' bgs				Soil probe abandoned by backfilling with bentonite					

WEAVER BOOS CONSULTANTS NORTH CENTRAL, LLC GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS			Log of Soil Boring No.: WB-11				Page 2 of 2		
			Time Started:	1345	File No.:	1894300-03			
			Time Completed:		Client:	Muniz Joint Defense Group			
			Driller:	Cabeno Environmental	Date:	3/30/2006			
			Helper:	NA	WATER LEVEL DATA				
			Location:	Sterling North Park	20	Ft WHILE DRILLING			
				Downers Grove, Illinois	NA	Ft AT COMPLETION			
			Logged By:	Jane Kaufmann					
SAMPLE DATA									
BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS	
-- 21.0 --	CL	Gray soft SILTY CLAY with gravel		5	36	0	Wet	No Odor	
-- 22.0 --									
-- 23.0 --	CL	Brown medium CLAY		6	60	0	Wet	No Odor	
-- 24.0 --									
-- 25.0 --	CL	Gray soft SILTY CLAY				0	Wet	No Odor	
-- 26.0 --									
-- 27.0 --	CL	Light brown soft CLAY				0	Wet	No Odor	
-- 28.0 --									
-- 29.0 --									
-- 30.0 --									
-- 31.0 --									
-- 32.0 --									
-- 33.0 --									
-- 34.0 --									
-- 35.0 --									
-- 36.0 --									
-- 37.0 --									
-- 38.0 --									
-- 39.0 --									
-- 40.0 --									
NOTES: Water sample collected using one-inch diameter and 10-foot long PVC screen Soil probe abandoned by backfilling with bentonite					Soil probe terminated at 30' bgs				

WEAVER			Log of Soil Boring No.: WB-12				Page 1 of 2		
BOOS			Time Started:	1005	File No.:	1894300-03			
CONSULTANTS			Time Completed:		Client:	Muniz Joint Defense Group			
NORTH CENTRAL, LLC			Driller:	Cabeno Environmental	Date:	3/31/2006			
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS			Helper:	NA	WATER LEVEL DATA				
			Location:	Sterling North Park	20	Ft WHILE DRILLING			
				Downers Grove, Illinois	NA	Ft AT COMPLETION			
			Logged By:	Jane Kaufmann					
SAMPLE DATA									
BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS	
--- 1.0 ---	FL	Fill (sand)		1	48	0	Dry	No Odor	
--- 2.0 ---	CL	Dark brown medium CLAY							
--- 3.0 ---	CL	Light brown hard CLAY		2	48	0	Moist	No Odor	
--- 4.0 ---	CL	Brown hard CLAY							
--- 5.0 ---	CL	Sample collected at 5-6 feet		3	36	0	Moist	No Odor	
--- 6.0 ---	CL	Dark brown/orange/red hard CLAY							
--- 7.0 ---	CL	Brown hard CLAY		4	50	0	Moist	No Odor	
--- 8.0 ---	CL	Brown medium SILTY CLAY							
--- 9.0 ---	GP	Poorly graded coarse gravel		3	36	0	Moist	No Odor	
--- 10.0 ---	CL	Brown medium CLAY							
--- 11.0 ---	CL	Brown medium CLAY		4	50	0	Moist	No Odor	
--- 12.0 ---	CL	Poorly graded coarse gravel							
--- 13.0 ---	CL	Brown medium CLAY		3	36	0	Moist	No Odor	
--- 14.0 ---	GP	Brown medium CLAY							
--- 15.0 ---	CL	Brown medium CLAY		4	50	0	Moist	No Odor	
--- 16.0 ---	CL	Poorly graded coarse gravel							
--- 17.0 ---	CL	Brown medium CLAY		3	36	0	Moist	No Odor	
--- 18.0 ---	GP	Brown medium CLAY							
--- 19.0 ---	CL	Poorly graded coarse gravel		4	50	0	Moist	No Odor	
--- 20.0 ---	CL	Brown medium CLAY							

NOTES: Soil probe terminated at 30' bgs Soil probe abandoned by backfilling with bentonite

WEAVER BOOS CONSULTANTS NORTH CENTRAL, LLC GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS			Log of Soil Boring No.: WB-12				Page 2 of 2		
			Time Started:	1005	File No.:	1894300-03			
			Time Completed:		Client:	Muniz Joint Defense Group			
			Driller:	Cabeno Environmental	Date:	3/31/2006			
			Helper:	NA	WATER LEVEL DATA				
			Location:	Sterling North Park	20	Ft WHILE DRILLING			
				Downers Grove, Illinois	NA	Ft AT COMPLETION			
			Logged By:	Jane Kaufmann					
SAMPLE DATA									
BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS	
-- 21.0 --	CL	Light brown soft CLAY		5	60	0	Wet	No Odor	
-- 22.0 --									
-- 23.0 --	CL	Gray medium CLAY Sample collected at 25 feet		6	60	0	Wet	No Odor	
-- 24.0 --									
-- 25.0 --	CL	Gray soft CLAY		6	60	0	Wet	No Odor	
-- 26.0 --									
-- 27.0 --	CL	Gray soft CLAY		6	60	0	Wet	No Odor	
-- 28.0 --									
-- 29.0 --	GP	Poorly graded gravel		6	60	0	Wet	No Odor	
-- 30.0 --									
-- 31.0 --									
-- 32.0 --									
-- 33.0 --									
-- 34.0 --									
-- 35.0 --									
-- 36.0 --									
-- 37.0 --									
-- 38.0 --									
-- 39.0 --									
-- 40.0 --									
NOTES: Water sample collected using one-inch diameter and 10-foot long PVC screen Soil probe abandoned by backfilling with bentonite					Soil probe terminated at 30' bgs				

WEAVER			Log of Soil Boring No.: WB-13				Page 1 of 2	
BOOS			Time Started:	1110	File No.:	1894300-03		
CONSULTANTS			Time Completed:		Client:	Muniz Joint Defense Group		
NORTH CENTRAL, LLC			Driller:	Cabeno Environmental	Date:	3/31/2006		
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS			Helper:	NA	WATER LEVEL DATA			
			Location:	Sterling North Park	NA	Ft WHILE DRILLING		
				Downers Grove, Illinois	NA	Ft AT COMPLETION		
			Logged By:	Jane Kaufmann				
SAMPLE DATA								
BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
-- 1.0 --	FL	Fill (sand)		1	48	0	Dry	No Odor
-- 2.0 --	CL	Brown hard CLAY with trace gravel						
-- 3.0 --				2	60	0	Dry	No Odor
-- 4.0 --	CL	Black/brown hard CLAY Sample collected at 5-6 feet						
-- 5.0 --		Brown hard CLAY						
-- 6.0 --	CL			3	60	0	Dry	No Odor
-- 7.0 --								
-- 8.0 --	CL							
-- 9.0 --								
-- 10.0 --	CL	Brown hard CLAY						
-- 11.0 --								
-- 12.0 --	CL							
-- 13.0 --								
-- 14.0 --	CL							
-- 15.0 --	GP	Poorly graded coarse gravel						
-- 16.0 --	CL	Brown medium CLAY with trace gravel						
-- 17.0 --								
-- 18.0 --	CL	Gray medium CLAY						
-- 19.0 --								
-- 20.0 --								
NOTES: Soil probe terminated at 30' bgs Soil probe abandoned by backfilling with bentonite								

WEAVER**BOOS****CONSULTANTS****NORTH CENTRAL, LLC****GEO-ENVIRONMENTAL ENGINEERS
AND SCIENTISTS**Log of Soil Boring No.: **WB-13**

Page 2 of 2

Time Started:	1110	File No.:	1894300-03
Time Completed:		Client:	Muniz Joint Defense Group
Driller:	Cabeno Environmental	Date:	3/31/2006
Helper:	NA		WATER LEVEL DATA
Location:	Sterling North Park	NA	Ft WHILE DRILLING
	Downers Grove, Illinois	NA	Ft AT COMPLETION

Logged By: Jane Kaufmann

SAMPLE DATA

BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
-- 21.0 --		Brown medium CLAY			0	Moist	No Odor
-- 22.0 --	CL		5	60	0	Moist	No Odor
-- 23.0 --							
-- 24.0 --							
-- 25.0 --	CL	Gray medium CLAY Sample collected at 25 feet					
-- 26.0 --	CL	Gray medium CLAY			0	Moist	No Odor
-- 27.0 --							
-- 28.0 --	CL	Brown medium CLAY	6	60	0	Moist	No Odor
-- 29.0 --	CL	Gray medium CLAY					
-- 30.0 --	GP	Poorly graded coarse gravel					
-- 31.0 --		Refusal at 30 feet					
-- 32.0 --							
-- 33.0 --							
-- 34.0 --							
-- 35.0 --							
-- 36.0 --							
-- 37.0 --							
-- 38.0 --							
-- 39.0 --							
-- 40.0 --							

NOTES:

Soil probe terminated at 30' bgs

Soil probe abandoned by backfilling with bentonite

WEAVER		Log of Soil Boring No.: WB-14				Page 1 of 2		
BOOS		Time Started:	1215	File No.:	1894300-03			
CONSULTANTS		Time Completed:		Client:	Muniz Joint Defense Group			
NORTH CENTRAL, LLC		Driller:	Cabeno Environmental	Date:	3/31/2006			
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS		Helper:	NA	WATER LEVEL DATA				
		Location:	Sterling North Park	NA	Ft WHILE DRILLING			
			Downers Grove, Illinois	NA	Ft AT COMPLETION			
		Logged By:	Jane Kaufmann					
SAMPLE DATA								
BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS	
-- ____ 1.0 ____	CL	Brown medium CLAY	1	48	0	Dry	No Odor	
-- ____ 2.0 ____								
-- ____ 3.0 ____	CL	Gray hard CLAY			0	Dry	No Odor	
-- ____ 4.0 ____								
-- ____ 5.0 ____	CL	Gray medium CLAY	2	60	0	Dry	No Odor	
-- ____ 6.0 ____								
-- ____ 7.0 ____	CL	Sample collected at 5-6 feet			0	Dry	No Odor	
-- ____ 8.0 ____								
-- ____ 9.0 ____	CL	Gray hard CLAY	3	60	0	Moist	No Odor	
-- ____ 10.0 ____								
-- ____ 11.0 ____	CL	Gray medium CLAY	4	60	0	Moist	No Odor	
-- ____ 12.0 ____								
-- ____ 13.0 ____	CL				0	Moist	No Odor	
-- ____ 14.0 ____								
-- ____ 15.0 ____	CL				0	Moist	No Odor	
-- ____ 16.0 ____								
-- ____ 17.0 ____	CL				0	Moist	No Odor	
-- ____ 18.0 ____								
-- ____ 19.0 ____	CL				0	Moist	No Odor	
-- ____ 20.0 ____								

NOTES: Soil probe terminated at 25' bgs Soil probe abandoned by backfilling with bentonite

WEAVER			Log of Soil Boring No.: WB-14				Page 2 of 2		
BOOS			Time Started:	1215	File No.:	1894300-03			
CONSULTANTS			Time Completed:		Client:	Muniz Joint Defense Group			
NORTH CENTRAL, LLC			Driller:	Cabeno Environmental	Date:	3/31/2006			
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS			Helper:	NA	WATER LEVEL DATA				
			Location:	Sterling North Park	NA	Ft WHILE DRILLING			
				Downers Grove, Illinois	NA	Ft AT COMPLETION			
			Logged By:	Jane Kaufmann					
SAMPLE DATA									
BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS	
-- 21.0 --	CL	Gray medium CLAY		5	60	0	Moist	No Odor	
-- 22.0 --	GP	Poorly graded coarse gravel							
-- 23.0 --	CL	Gray medium CLAY							
-- 24.0 --	CL	Brown medium SILTY CLAY Sample collected at 25 feet							
-- 25.0 --		Refusal at 25 feet							
-- 26.0 --									
-- 27.0 --									
-- 28.0 --									
-- 29.0 --									
-- 30.0 --									
-- 31.0 --									
-- 32.0 --									
-- 33.0 --									
-- 34.0 --									
-- 35.0 --									
-- 36.0 --									
-- 37.0 --									
-- 38.0 --									
-- 39.0 --									
-- 40.0 --									

NOTES:

Soil probe terminated at 25' bgs

Soil probe abandoned by backfilling with bentonite

WEAVER			Log of Soil Boring No.: WB-15				Page 1 of 1		
BOOS			Time Started:	0900	File No.:	1894300-03			
CONSULTANTS			Time Completed:		Client:	Muniz Joint Defense Group			
NORTH CENTRAL, LLC			Driller:	Cabeno Environmental	Date:	3/31/2006			
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS			Helper:	NA	WATER LEVEL DATA				
			Location:	Sterling North Park	NA	Ft WHILE DRILLING			
				Downers Grove, Illinois	NA	Ft AT COMPLETION			
			Logged By:	Jane Kaufmann					
SAMPLE DATA									
BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS	
-- 1.0 --	FL	Fill (sand and gravel)		1	48	0.3	Dry	No Odor	
-- 2.0 --	CL	Brown hard CLAY							
-- 3.0 --									
-- 4.0 --	CL	Brown hard CLAY Sample collected at 5-6 feet							
-- 5.0 --									
-- 6.0 --	GP	Poorly graded coarse gravel							
-- 7.0 --		Gray/brown hard CLAY							
-- 8.0 --	CL								
-- 9.0 --									
-- 10.0 --	CL	Brown hard CLAY							
-- 11.0 --									
-- 12.0 --	CL	Gray medium CLAY with gravel							
-- 13.0 --									
-- 14.0 --	GP	Poorly graded coarse gravel							
-- 15.0 --									
-- 16.0 --		Dark gray hard CLAY							
-- 17.0 --									
-- 18.0 --		Refusal at 15 feet							
-- 19.0 --									
-- 20.0 --									

NOTES: Soil probe terminated at 15' bgs Soil probe abandoned by backfilling with bentonite

WEAVER BOOS CONSULTANTS NORTH CENTRAL, LLC GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS			Log of Soil Boring No.: WB-16				Page 1 of 2	
			Time Started:	0745	File No.:	1894300-03		
			Time Completed:		Client:	Muniz Joint Defense Group		
			Driller:	Cabeno Environmental	Date:	3/31/2006		
			Helper:	NA	WATER LEVEL DATA			
			Location:	Sterling North Park	NA	Ft WHILE DRILLING		
				Downers Grove, Illinois	NA	Ft AT COMPLETION		
			Logged By:	Jane Kaufmann				
SAMPLE DATA								
BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
-- 1.0 --	FL	Fill (sand and gravel)		1	48	0.3	Dry	No Odor
-- 2.0 --	CL	Dark brown hard CLAY						
-- 3.0 --	CL	Light brown hard CLAY		2	60	0.3	Dry	No Odor
-- 4.0 --	CL	Brown hard CLAY Sample collected at 5-6 feet						
-- 5.0 --	CL	Brown medium SILTY CLAY with gravel		3	60	0.3	Moist	No Odor
-- 6.0 --	CL	Brown medium SILTY CLAY						
-- 7.0 --	CL	Brown medium SILTY CLAY with gravel		4	60	0	Moist	No Odor
-- 8.0 --	CL	Gray hard CLAY						
-- 9.0 --	CL	Black hard CLAY		3	60	0	Moist	No Odor
-- 10.0 --	CL	Light brown medium SILTY CLAY						
-- 11.0 --	CL	Brown medium CLAY		4	60	0	Moist	No Odor
-- 12.0 --	CL	Gray medium CLAY						
-- 13.0 --								
-- 14.0 --								
-- 15.0 --								
-- 16.0 --								
-- 17.0 --								
-- 18.0 --								
-- 19.0 --								
-- 20.0 --								

NOTES: Soil probe terminated at 40' bgs Soil probe abandoned by backfilling with bentonite

WEAVER**BOOS****CONSULTANTS****NORTH CENTRAL, LLC****GEO-ENVIRONMENTAL ENGINEERS
AND SCIENTISTS****Log of Soil Boring No.: WB-16**

Page 2 of 2

Time Started:	0745	File No.:	1894300-03
Time Completed:		Client:	Muniz Joint Defense Group
Driller:	Cabeno Environmental	Date:	3/31/2006
Helper:	NA		WATER LEVEL DATA
Location:	Sterling North Park	NA	Ft WHILE DRILLING
	Downers Grove, Illinois	NA	Ft AT COMPLETION

Logged By: Jane Kaufmann

SAMPLE DATA

BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
--- 21.0 ---		Gray medium CLAY			0	Moist	No Odor
--- 22.0 ---			5	36			
--- 23.0 ---	CL	Sample collected at 25 feet			0	Moist	No Odor
--- 24.0 ---							
--- 25.0 ---							
--- 26.0 ---	CL	Gray medium CLAY			0	Moist	No Odor
--- 27.0 ---			6	60			
--- 28.0 ---					0	Moist	No Odor
--- 29.0 ---							
--- 30.0 ---							
--- 31.0 ---	CL	Gray medium CLAY			0	Moist	No Odor
--- 32.0 ---			7	60			
--- 33.0 ---					0	Moist	No Odor
--- 34.0 ---							
--- 35.0 ---							
--- 36.0 ---	CL	Gray medium CLAY			0	Moist	No Odor
--- 37.0 ---			8	48			
--- 38.0 ---					0	Moist	No Odor
--- 39.0 ---							
--- 40.0 ---		Bedrock					

NOTES:

Soil probe terminated at 40' bgs

Soil probe abandoned by backfilling with bentonite

Attachment D

Field Notes/Logs

3/30/00

WB-1
@ 10:25

PID

- 0-1 DK brown topsoil organic
10% 1-1.5 DK brown ~~silt~~ clayey sand
1.5-3 silty sand brown w/gravel
3-4 DK brown silty sand
100% 4-5 graybrown clayey silt tight
5-8 brown clayey silt tight
8-11 brown clayey silt light
11-12 brown silty ~~sand~~ w/gravel
12-13 SAA ~~very~~ ~~as above~~
13-16 brown silty sand w/p w/pebbles
- 100% 16-20 brown silty sandy TP. ^{THICK pebbles}
- 75% 20-21.5 SAA
21.5-23 orangish brown silty sand TP TG ^{thin shank}
23-24 NR
24-26 orange brown TG TP silty sand
20% 26-28 NR water @ 28'
- 5% 28-29.5 orangish brown silty sand
29.5-30 grayish brown clay stiff/moist

EOB

WB-2

11:37

3/30/04

P/D

	0-5	topsoil	
50%	5-1	gravel / crushed limestone	16 @ 2'
	1-2	clay sand w/pebbles	brown
	2-4	NR	
100%	4-5	brown clayey sand w/pebbles	0 @ 5.5
	5-5.5	p.s. coarse sand brown	0 @ 8'
	5.5-8	brown clay clayey silt	11.5 @ 10'
100%	8-9	SAA	0 @ 12'
	9-12	brown silty sand TG TP	0 @ 14'
100%	12-14	SAA	0 @ 16'
	14.5-16	orangish brown silty sand TP	0 @ 17'
25%	16-17	salty sand TG TP	0 @ 20'
	17-20	NR	
wet	20-22	- orangish brown silty sand TG TP	0 @ 22'
50%	22-24	NR	
75%	24-27	orangish brown silty sand TP TG	0 @ 27'
	27-28	NR	1.4 @ 28
5	28-29.5	salty sand pebbles (50%)	0 @ 29
	29.5-30	gray tight silt	0 @ 30'

EOB

WB-3
1.22

3/30/04

P/D

10%	0-5 Topsoil / agaves	1.6 @ 2'
10%	5-3.5 DL brown sand (Topsoil)	1.6 @ 4'
10%	3.5-4 brown silty sand w/pebbles	
10%	4-8 SAA & TG	1.6 @ 6'
10%	8-9.5 SAA	1.6 @ 8'
75%	9.5-11 brown sand TP	19.3 @ 9'
75%	11-12 NR	6.4 @ 11'
75%	12-15 brown sand ps TG TP	8.0 @ 13'
75%	15-16 NR	3.2 @ 15'
75%	16-20 brown sand ps TP, pebbles	4.8 @ 18'
100%	20-21.5 silty sand w/pebbles brown	
100%	21.5-23 orangish brown silt w/pebbles TG	8 @ 22'
wet 2"	23-23.5 brown ps. sand TP.	4.8 @ 24'
100%	23.5-24 grey clayey silt <small>poorly drained</small>	
100%	24-25 brown ps sand	4.8 @ 26'
100%	25-26 grey brown silt TP	4.4 @ 28'
25%	26-28 orangish brown ^{dense} silt Gravel & pebbles	^{very} _{little} moist VC
25%	28-29.5 NR (refusal)	
100%	29.5-30 grey silt w/TP. tight moist	4.8 @ 30'
	EOF	

NB-4
7.52

3/30/04

PID

80%	0-1.5	Topsoil	
	1.5-3.5	brown silty sand w/ TG TP	0 @ 2'
	3.5-4	DK brown silty sand w/	1.6 @ 3.5'
50%	4-5	DK brow silty sand	3.2 @ 4'
	5-6	brown silt tight (slightly moist)	0 @ 6'
	6-8	NR	
	8-9	SAA	3.2 @ 10'
10%	9-11	brown silty sand	0.0 @ 12'
	11-12	brown silty sand TP	
	12-12.5	SAA	0 @ 14'
100%	12.5-13.5	brown silt tight	0 @ 16'
	13.5-14	coarse ps silty sand TP brown	
50%	14-17.5	moist brown clayey silt	0 @ 16'
	17.5-18	↑	3.2 @ 18'
	18-20 NR	degsilthy sand w/pebbles brown	
	20-20.5	SAA	0 @ 21'
75	20.5-23	silty sand brown TG, TP	1.6 @ 23'
	23-24	NR	
100%	24-25	greyish brown tight silt	1.6 @ 26'
	25-26.25	pebbles (some silty sand)	0 @ 28'
	26.25-27	silty sand w/pebbles	
	27-28	grey clayey silt tight	
	28-30	SAA	0 @ 29'
	-30.5	(small) sand Dk brown	4.8 @ 30'

Sample Recovery


1 48"
2 40"
3 48"
4 48"
5 48"
6 36"

depth PIP



Sample 5-7' c 1600

25' c 1605



WB-5

300160

18

0-1 Full ^{water} clay

1-5 dk brown clay w/ silt, dry, hard

5-10 brown clay w/ silt ^{matrix} dry, hard

10-12 dk brown soft clay, moist

12-14 gray/brown medium moist clay

14-15 brown clay w/ silt, moist, medium

15-17 ^{Ac} brown moist silty clay, medium

17-18 light brown/red wet clay w/ silt

18-20 gray clay, moist, medium

20-22 brown silty clay, moist, medium

22-25 red/brown silt/clay, wet, medium

25-28 red/brown wet clay

28-30 Gray clay wet medium-

3/30/66

JB-4

9:05

P1D

100%	0-5	loosil	4	
	5-4	most brown clay	1.5	P1D
100%	4-5.5	SAA	8.4 @ 5'	* 8.4 @ 5
	5-8	moist sandy brachly TG, w/pebbles		
80%	8-11.5	sandy clay dry brown TG w/pebbles		0
75%	12-15	silt, sand, & gravel brown dry		1.4 @ 14
	15-16	NR		1.4 @ 17
75%	16-18	SAA		4.8 @ 18
	18-19	brown silty clay		
	19-20	NR		3.2 @ 21
	20-22	silt sand w/gravel		1.8 @ 23
100%	22-22.5	brown sandy clay w/pebbles		
100%	22.5-23.5	silty sand w/gravel brown		
	23.5-24	brown sandy clay w/p		
75%	24-26.5	silty sand w/g		1.6 @ 25
	26.5-27	brown light silty clay w/p		* 9.4 @ 21
	27-28	NR		1.4 @ 5
	28-29	silty sand w/g brown		
	29-30	brown silty clay w/gravel		

E0B

Sample No. 2

McAfee

Pip

1 38"

0

2 48"

1

3 60"

.

4 48"

2

5 48"

3

6 48"

4

Sample J-7 e 1520

c 25' e 1525

Not
water sample.

WB-7

3/30/04

0-1 black soft moist silt/clay

1-5 brown moist wet clay

5-5 brown/black silty clay, moist, soft

6-8 brown clay, moist, medium

8-10 brown silty sand w/gravel, moist

10-14 brown silty clay, moist, medium

14-15 brown moist silty sand w/gravel

15-17 brown silty sand w/gravel

17-18 brown clay, moist, moist/dry

18-20 brown sandy sand w/gravel

20-23 brown silty clay w/gravel dry

23-25 brown silty sand w/gravel

25-27 brown silty sand

27-28 - yellowish wet clay

68-29 gray clay

29-30 green with sand & shale

	Heavy	PIP	SD-8	3/30/06
1	36"	4 .5	0 - 3.5 dark black soft silty clay moist	
2	40"	6 .3	3.5 - 4.5 light brown soft silty clay moist	
3	40"	8 .3	4 - 8 moist brown medium clay	
4	48"	10 .3	6 - 8 dark brown/black wet clay soft	
5		12 .3	8 - 10 dark brown/black wet silty clay soft	
		14 0	10 - 12 light brown moist silty clay w/ gravel	
		18 0	12 - 14 brown soft clay w/ gravel	
		20	14 - 16 gray moist medium clay	
	Sample collected e 4-5' e 0930 C 25' e 0935		16 - 17.5 wet brown silty clay w/ gravel	
	H2O collected e 0950		17.5 - 18 stone	
	water e 25'		18 - 25 light brown clay silty clay, moist, soft	
			25 - 27 brown w/ silt clay, wet, soft	
			27 - 30 gray soft wet clay	

<u>Sample</u>	<u>Recovery</u>	<u>Depth</u>	<u>P.I.D.</u>
1	36"	4	0
2	36"	6	0
3	36"	8	0
4	40"	10	0
5	40"	12	+
6	40"		

SAMPLE 2 5.6' e 1320

25' C 1325

H2O e 1335

WB-9	3/30/04 14
0-4 moist soft black clay	
4-5 light brown silty clay w/ gravel	
5-6 moist soft black clay	
6-10 brown medium moist clay w/ trace	
10-14 brown w/ clay w/ ^{medium} shale, moist	
14-15 brown black clay moist medium	
15-17 brown/red soft w/ silty clay w/ gravel	
17-19 red	
18-19 light brown w/ clay w/ gravel, moist soft	
19-20 dk gray clay moist, medium	
20-24 red/brown moist w/ gravel	
24-25 gray medium clay moist	
25-30 smt medium to soft moist clay.	

S1 Shale

Sample	Recovery	Depth	Per cent
1	48"	4	1.5
		4	1.5
2	40"	8	0
		10	0
		12	0
3	60"	14	0
		16	0
4	36"	18	0
		20	0
5	40"	21	
6	48"		

Sample 4-5' e 1055
~ 25' e 1100

H2O e 1115

NATR e 25'

3/30/04

13

WB-10

- 0-5 black silt/clay clay (friable)
- 5-7 gray/black (green with clay) wet
- 7-9 brown clay medium moist
- 9-10 black with clay moist, soft.
- 10-14 gray/brown medium moist clay
- 14-15 brown medium moist clay
- 15-20 green/black wet clay
- 20-23⁴ brown moist medium clay
- 23-28 brown wet clay w/ trace fossils
- 25-30 brown wet clay.

Sample Name

PMAN

PZO

1	60"	8	0
2	48"	6	
3	36"	8	
4	36"	10	
5	50"	12	
		14	
		16	
		18	
6	36"	20	-

Sample C5-6'
0 20' e 1415
e 1420H₂O e 1425

WB-11

3130104

15

1-3 black silt & clay w/ sand, moist, med.

3-4.5 brown moist clay, hard

4.5-5 brown silty clay w/ silt, soft

5-6 black moist med. clay

6-10 brown/grey moist silty clay w/ silt

10-12 brown silty clay, moist, soft

12-15 green/grey clay, moist, medium

15-17 wet grey silt & clay w/ gravel, soft

17-20 brown silt & clay w/ gravel

20-23 gray wet soft silt & clay w/ gravel

23-25 brown ^{wet} clay, medium.

25-27 gray silt, clay, wet, soft

27-30 brown clay, wet, soft.

Sample recovery

1	48"
2	49"
3	56"

depth P10

t	0
6	0
8	0
10	0
12	0



Sample collected 5-6' c 1100
25' e 1105

Site collected

WB-12

3/15/10

22

0-1 FCI

1-3 dark brown medium clay

3-5 light brown ^{hard} ~~wet~~ clay

5-9 brown hard moist clay

9-10 unknown, angular red clay

10-12 brown clay ^{dry hard} ~~wet~~

12-13 white clay, brown

13-13.5 wet

15-17 brown moist medium clay

17-18 wet

18-20 brown wet medium clay

20-23 light brown wet clay, soft

23-25 gray moist medi. clay

25 - 27 gray moist clay

27 - 28 wet

28 - 30 gray clay, moist, medium

30 - 35 gray moist soft clay.



mol

~~everything~~
everything up 5 feet

Sample No. Recovery

1 48"

27m PLO

84 9

6

2 66"

8

10

3 66"

12

14

4

5

6

Sample collected 5-6' c 1200

28' e 1205

WB-13

3/3/10

6-7 Fill (black trash)

7-8 brown hard dry clay w/ limes.

8-9 black / brown clay, hard, dry.

9-10 brown clay, hard, dry

10-14 brown clay, hard, moist

14-15 peat

15 - 18 brown clay w/ fine cinders

18-20 gray moist med. clay.

20-24 brown moist med. clay

24-25 gray moist medium clay.

25-27 gray moist medium clay

27-28 brown moist clay, medium.

28-29 gray moist medium clay

29-30 rock

sample

successive

1 48"
2 100'
3 100'
4 100'
5 100'

depth

pro

0

1

sample collected 5-6' e 1300
25' e 1005

WB-14

3/3/04

26

0-3 brown clay dry, medium

3-5 gray hard dry clay.

5-10 gray moist medium clay

10-15 gray hard moist clay

15-20 gray medium moist clay

20-22 moist gray med. clay

22-23 rock 0

23-24 gray

24-25 brown silty sand + heath.

<u>Sample</u>	<u>Class</u>	<u>with P.D.</u>
1	36"	4 .3
		6 .3
2	66"	0 .3
		10 0
3	48"	12 0
		14 0
4		

Retractile 14'

Sample 2 1000 e 5-6'

<u>WB - 15</u>	<u>3/31/06</u>	<u>21</u>
0-1 Fill		
i-5 brown hard clay, dry		
5-6 brown dry hard clay		
6-7 6-6.5 gravel		
6.5-10 Gray/brown hard dry clay		
10-11 brown clay, dry, hard		
12-13 gray clay w/ gravel		
13-14 gravel		
14-15 dk gray dry clay		
retractile 14.5'		

Jampol

records

		Depth	Per cent
1	48"	4	.3
		6	.3
2	60"	8	.3
		10	.3
3	66"	12	.3
		14	0
4	66"	16	0
		18	0
5	66"	20	0
		35'	0
6	60"		

Jampol excavated 5-6 e 0870
c 25' e 0835

WB-16

J33100
3/31/00

19

0-1 full

1-3 dk brown dry hard clay

3-5 light brown dry hard clay

5-7 brown hard clay, moist

7-8 dry duty clay w/ gravel

8-10 dr y brown & lty clay

10-11 dry streaked w/ gravel

11-15 gray hard clay, moist

15-16 black clay, moist, hard

16-17 s/t hr clay, l/smt brown.

17-18 brown clay, moist

19-20 Gray medium w/ mica clay

20-25 Mott medium Gray clay

25-30 Mott medium Gray clay

30-35 " "

35-39 " "

39-40 bedrock.

Attachment E

Laboratory Analytical Reports

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001;AIHA 101160;NVLAP LabCode 101202-0

April 11, 2006

Weaver Boos
70 W. Madison, Suite 4250
Chicago, IL 60602
Telephone: (877) 654-5241
Fax: (312) 922-0201

RE: 1894300-03, Sterling North Park, Downers Grove, IL

STAT Project No: 06030767

Dear Carl Dawes:

STAT Analysis received 28 samples for the referenced project on 3/30/2006. The analytical results are presented in the following report.

All analyses were performed in accordance with the requirements of 35 IAC Part 186 / NELAC standards. Analyses were performed in accordance with methods as referenced on the analytical report. Those analytical results expressed on a dry weight basis are also noted on the analytical report.

All analyses were performed within established holding time criteria, and all Quality Control criteria met EPA or laboratory specifications except when noted in the Case Narrative or Analytical Report. If required, an estimate of uncertainty for the analyses can be provided. A listing of accredited methods/parameters can also be provided.

Thank you for the opportunity to serve you and I look forward to working with you in the future. If you have any questions regarding the enclosed materials, please contact me at (312) 563-0371.

Sincerely,



Jennifer Hass

Project Manager

The information contained in this report and any attachments is confidential information intended only for the use of the individual or entities named above. The results of this report relate only to the samples tested. If you have received this report in error, please notify us immediately by phone. This report shall not be reproduced, except in its entirety, unless written approval has been obtained from the laboratory.

STAT Analysis Corporation**Date:** April 11, 2006

Client: Weaver Boos
Project: 1894300-03, Sterling North Park, Downers Grove, IL
Lab Order: 06030767

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
06030767-001A	WB-1@16'		3/30/2006 11:17:00 AM	3/30/2006
06030767-001B	WB-1@16'		3/30/2006 11:17:00 AM	3/30/2006
06030767-002A	WB-1@26'		3/30/2006 11:25:00 AM	3/30/2006
06030767-002B	WB-1@26'		3/30/2006 11:25:00 AM	3/30/2006
06030767-003A	WB-2@10'		3/30/2006 12:07:00 PM	3/30/2006
06030767-003B	WB-2@10'		3/30/2006 12:07:00 PM	3/30/2006
06030767-004A	WB-2@28'		3/30/2006 12:30:00 PM	3/30/2006
06030767-004B	WB-2@28'		3/30/2006 12:30:00 PM	3/30/2006
06030767-005A	WB-3@9'		3/30/2006 2:15:00 PM	3/30/2006
06030767-005B	WB-3@9'		3/30/2006 2:15:00 PM	3/30/2006
06030767-006A	WB-3@28'		3/30/2006 2:20:00 PM	3/30/2006
06030767-006B	WB-3@28'		3/30/2006 2:20:00 PM	3/30/2006
06030767-007A	WB-4@30'		3/30/2006 3:45:00 PM	3/30/2006
06030767-007B	WB-4@30'		3/30/2006 3:45:00 PM	3/30/2006
06030767-008A	WB-6@5'		3/30/2006 9:20:00 AM	3/30/2006
06030767-008B	WB-6@5'		3/30/2006 9:20:00 AM	3/30/2006
06030767-009A	WB-6@29'		3/30/2006 10:07:00 AM	3/30/2006
06030767-009B	WB-6@29'		3/30/2006 10:07:00 AM	3/30/2006
06030767-010A	WB-2		3/30/2006 12:36:00 PM	3/30/2006
06030767-011A	WB-3		3/30/2006 2:30:00 PM	3/30/2006
06030767-012A	WB-4		3/30/2006 4:00:00 PM	3/30/2006
06030767-013A	WB-8 (4-5')		3/30/2006 9:30:00 AM	3/30/2006
06030767-013B	WB-8 (4-5')		3/30/2006 9:30:00 AM	3/30/2006
06030767-014A	WB-8 (25')		3/30/2006 9:35:00 AM	3/30/2006
06030767-014B	WB-8 (25')		3/30/2006 9:35:00 AM	3/30/2006
06030767-015A	WB-8		3/30/2006 9:50:00 AM	3/30/2006
06030767-016A	WB-10 (4-5')		3/30/2006 10:55:00 AM	3/30/2006
06030767-016B	WB-10 (4-5')		3/30/2006 10:55:00 AM	3/30/2006
06030767-017A	WB-10 (25')		3/30/2006 11:00:00 AM	3/30/2006
06030767-017B	WB-10 (25')		3/30/2006 11:00:00 AM	3/30/2006
06030767-018A	WB-10		3/30/2006 11:15:00 AM	3/30/2006
06030767-019A	WB-9 (5-6')		3/30/2006 1:20:00 PM	3/30/2006
06030767-019B	WB-9 (5-6')		3/30/2006 1:20:00 PM	3/30/2006
06030767-020A	WB-9 (25')		3/30/2006 1:25:00 PM	3/30/2006
06030767-020B	WB-9 (25')		3/30/2006 1:25:00 PM	3/30/2006
06030767-021A	WB-9		3/30/2006 1:35:00 PM	3/30/2006
06030767-022A	WB-11 (5-6')		3/30/2006 2:15:00 PM	3/30/2006
06030767-022B	WB-11 (5-6')		3/30/2006 2:15:00 PM	3/30/2006

Client: Weaver Boos
Project: 1894300-03, Sterling North Park, Downers Grove, IL
Lab Order: 06030767

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
06030767-023A	WB-11 (20')		3/30/2006 2:20:00 PM	3/30/2006
06030767-023B	WB-11 (20')		3/30/2006 2:20:00 PM	3/30/2006
06030767-024A	WB-11		3/30/2006 2:25:00 PM	3/30/2006
06030767-025A	WB-7 (5-7')		3/30/2006 3:20:00 PM	3/30/2006
06030767-025B	WB-7 (5-7')		3/30/2006 3:20:00 PM	3/30/2006
06030767-026A	WB-7 (25')		3/30/2006 3:25:00 PM	3/30/2006
06030767-026B	WB-7 (25')		3/30/2006 3:25:00 PM	3/30/2006
06030767-027A	WB-5 (5-7')		3/30/2006 4:00:00 PM	3/30/2006
06030767-027B	WB-5 (5-7')		3/30/2006 4:00:00 PM	3/30/2006
06030767-028A	WB-5 (25')		3/30/2006 4:05:00 PM	3/30/2006
06030767-028B	WB-5 (25')		3/30/2006 4:05:00 PM	3/30/2006

CLIENT: Weaver Boos
Project: 1894300-03, Sterling North Park, Downers Grov
Lab Order: 06030767

CASE NARRATIVE

Sample WB-6@5' (06030767-008) has Acetone reported with an "E" flag, exceeded the calibration curve range. The medium level dilution was below the reporting level, "J". The more conservative value is reported.

Sample WB-8 (25') (06030767-014) has Acetone reported with an "E" flag, exceeded the calibration curve range. The medium level dilution was below the reporting level, "J". The more conservative value is reported.

In VOC soil LCS/LCSD analyzed 04/07/06, Bromomethane had low recovery (49%/54% recovery, QC Limits 70-130%).

In VOC soil LCS/LCSD analyzed 04/08/06, Bromomethane had low recovery in LCS (62% recovery, QC Limits 70-130%). This LCS/LCSD is associated with the following samples WB-10 (25') (06030767-017), WB-11 (5-6') (06030767-022) and WB-11 (25') (06030767-023).

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 11, 2006

Date Printed: April 11, 2006

Client: Weaver Boos
Lab Order: 06030767
Project: 1894300-03, Sterling North Park, Downers Grove, I
Lab ID: 06030767-001

Client Sample ID: WB-1@16'
Collection Date: 3/30/2006 11:17:00 AM
Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 4/1/2006		Analyst: MP
Acetone	ND	0.055		mg/Kg-dry	1	4/7/2006
Benzene	ND	0.0055		mg/Kg-dry	1	4/7/2006
Bromodichloromethane	ND	0.0055		mg/Kg-dry	1	4/7/2006
Bromoform	ND	0.0055		mg/Kg-dry	1	4/7/2006
Bromomethane	ND	0.011		mg/Kg-dry	1	4/7/2006
2-Butanone	ND	0.011		mg/Kg-dry	1	4/7/2006
Carbon disulfide	ND	0.0055		mg/Kg-dry	1	4/7/2006
Carbon tetrachloride	ND	0.0055		mg/Kg-dry	1	4/7/2006
Chlorobenzene	ND	0.0055		mg/Kg-dry	1	4/7/2006
Dibromochloromethane	ND	0.0055		mg/Kg-dry	1	4/7/2006
Chloroethane	ND	0.011		mg/Kg-dry	1	4/7/2006
Chloroform	ND	0.0055		mg/Kg-dry	1	4/7/2006
Chloromethane	ND	0.011		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethane	ND	0.0055		mg/Kg-dry	1	4/7/2006
1,2-Dichloroethane	ND	0.0055		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethene	ND	0.0055		mg/Kg-dry	1	4/7/2006
cis-1,2-Dichloroethene	ND	0.0055		mg/Kg-dry	1	4/7/2006
trans-1,2-Dichloroethene	ND	0.0055		mg/Kg-dry	1	4/7/2006
1,2-Dichloropropane	ND	0.0055		mg/Kg-dry	1	4/7/2006
cis-1,3-Dichloropropene	ND	0.0055		mg/Kg-dry	1	4/7/2006
trans-1,3-Dichloropropene	ND	0.0055		mg/Kg-dry	1	4/7/2006
Ethylbenzene	ND	0.0055		mg/Kg-dry	1	4/7/2006
2-Hexanone	ND	0.011		mg/Kg-dry	1	4/7/2006
4-Methyl-2-pentanone	ND	0.011		mg/Kg-dry	1	4/7/2006
Methylene chloride	ND	0.011		mg/Kg-dry	1	4/7/2006
Methyl tert-butyl ether	ND	0.0055		mg/Kg-dry	1	4/7/2006
Styrene	ND	0.0055		mg/Kg-dry	1	4/7/2006
1,1,2,2-Tetrachloroethane	ND	0.0055		mg/Kg-dry	1	4/7/2006
Tetrachloroethene	ND	0.0055		mg/Kg-dry	1	4/7/2006
Toluene	0.006	0.0055		mg/Kg-dry	1	4/7/2006
1,1,1-Trichloroethane	ND	0.0055		mg/Kg-dry	1	4/7/2006
1,1,2-Trichloroethane	ND	0.0055		mg/Kg-dry	1	4/7/2006
Trichloroethene	ND	0.0055		mg/Kg-dry	1	4/7/2006
Vinyl chloride	ND	0.0055		mg/Kg-dry	1	4/7/2006
Xylenes, Total	ND	0.017		mg/Kg-dry	1	4/7/2006
Percent Moisture		D2974		Prep Date: 4/7/2006		Analyst: ICD
Percent Moisture		10.5	0.01	*	wt%	4/10/2006

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 11, 2006

Date Printed: April 11, 2006

Client: Weaver Boos
Lab Order: 06030767
Project: 1894300-03, Sterling North Park, Downers Grove, I
Lab ID: 06030767-002

Client Sample ID: WB-1@26'
Collection Date: 3/30/2006 11:25:00 AM
Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 4/1/2006		Analyst: MP
Acetone	ND	0.056		mg/Kg-dry	1	4/7/2006
Benzene	ND	0.0056		mg/Kg-dry	1	4/7/2006
Bromodichloromethane	ND	0.0056		mg/Kg-dry	1	4/7/2006
Bromoform	ND	0.0056		mg/Kg-dry	1	4/7/2006
Bromomethane	ND	0.011		mg/Kg-dry	1	4/7/2006
2-Butanone	ND	0.011		mg/Kg-dry	1	4/7/2006
Carbon disulfide	ND	0.0056		mg/Kg-dry	1	4/7/2006
Carbon tetrachloride	ND	0.0056		mg/Kg-dry	1	4/7/2006
Chlorobenzene	ND	0.0056		mg/Kg-dry	1	4/7/2006
Dibromochloromethane	ND	0.0056		mg/Kg-dry	1	4/7/2006
Chloroethane	ND	0.011		mg/Kg-dry	1	4/7/2006
Chloroform	ND	0.0056		mg/Kg-dry	1	4/7/2006
Chloromethane	ND	0.011		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethane	ND	0.0056		mg/Kg-dry	1	4/7/2006
1,2-Dichloroethane	ND	0.0056		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethene	ND	0.0056		mg/Kg-dry	1	4/7/2006
cis-1,2-Dichloroethene	ND	0.0056		mg/Kg-dry	1	4/7/2006
trans-1,2-Dichloroethene	ND	0.0056		mg/Kg-dry	1	4/7/2006
1,2-Dichloropropane	ND	0.0056		mg/Kg-dry	1	4/7/2006
cis-1,3-Dichloropropene	ND	0.0056		mg/Kg-dry	1	4/7/2006
trans-1,3-Dichloropropene	ND	0.0056		mg/Kg-dry	1	4/7/2006
Ethylbenzene	ND	0.0056		mg/Kg-dry	1	4/7/2006
2-Hexanone	ND	0.011		mg/Kg-dry	1	4/7/2006
4-Methyl-2-pentanone	ND	0.011		mg/Kg-dry	1	4/7/2006
Methylene chloride	ND	0.011		mg/Kg-dry	1	4/7/2006
Methyl tert-butyl ether	ND	0.0056		mg/Kg-dry	1	4/7/2006
Styrene	ND	0.0056		mg/Kg-dry	1	4/7/2006
1,1,2,2-Tetrachloroethane	ND	0.0056		mg/Kg-dry	1	4/7/2006
Tetrachloroethene	ND	0.0056		mg/Kg-dry	1	4/7/2006
Toluene	ND	0.0056		mg/Kg-dry	1	4/7/2006
1,1,1-Trichloroethane	ND	0.0056		mg/Kg-dry	1	4/7/2006
1,1,2-Trichloroethane	ND	0.0056		mg/Kg-dry	1	4/7/2006
Trichloroethene	ND	0.0056		mg/Kg-dry	1	4/7/2006
Vinyl chloride	ND	0.0056		mg/Kg-dry	1	4/7/2006
Xylenes, Total	ND	0.017		mg/Kg-dry	1	4/7/2006
Percent Moisture		D2974		Prep Date: 4/7/2006		Analyst: ICD
Percent Moisture		19.4	0.01	*	wt%	4/10/2006

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 11, 2006

Date Printed: April 11, 2006

Client: Weaver Boos
Lab Order: 06030767
Project: 1894300-03, Sterling North Park, Downers Grove, I
Lab ID: 06030767-003

Client Sample ID: WB-2@10'
Collection Date: 3/30/2006 12:07:00 PM
Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
		SW5035/8260B			Prep Date: 4/1/2006	Analyst: MP
Acetone	0.22	0.045		mg/Kg-dry	1	4/7/2006
Benzene	ND	0.0045		mg/Kg-dry	1	4/7/2006
Bromodichloromethane	ND	0.0045		mg/Kg-dry	1	4/7/2006
Bromoform	ND	0.0045		mg/Kg-dry	1	4/7/2006
Bromomethane	ND	0.0091		mg/Kg-dry	1	4/7/2006
2-Butanone	0.036	0.0091		mg/Kg-dry	1	4/7/2006
Carbon disulfide	ND	0.0045		mg/Kg-dry	1	4/7/2006
Carbon tetrachloride	ND	0.0045		mg/Kg-dry	1	4/7/2006
Chlorobenzene	ND	0.0045		mg/Kg-dry	1	4/7/2006
Dibromochloromethane	ND	0.0045		mg/Kg-dry	1	4/7/2006
Chloroethane	ND	0.0091		mg/Kg-dry	1	4/7/2006
Chloroform	ND	0.0045		mg/Kg-dry	1	4/7/2006
Chloromethane	ND	0.0091		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethane	ND	0.0045		mg/Kg-dry	1	4/7/2006
1,2-Dichloroethane	ND	0.0045		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethene	ND	0.0045		mg/Kg-dry	1	4/7/2006
cis-1,2-Dichloroethene	ND	0.0045		mg/Kg-dry	1	4/7/2006
trans-1,2-Dichloroethene	ND	0.0045		mg/Kg-dry	1	4/7/2006
1,2-Dichloropropane	ND	0.0045		mg/Kg-dry	1	4/7/2006
cis-1,3-Dichloropropene	ND	0.0045		mg/Kg-dry	1	4/7/2006
trans-1,3-Dichloropropene	ND	0.0045		mg/Kg-dry	1	4/7/2006
Ethylbenzene	ND	0.0045		mg/Kg-dry	1	4/7/2006
2-Hexanone	ND	0.0091		mg/Kg-dry	1	4/7/2006
4-Methyl-2-pentanone	ND	0.0091		mg/Kg-dry	1	4/7/2006
Methylene chloride	ND	0.0091		mg/Kg-dry	1	4/7/2006
Methyl tert-butyl ether	ND	0.0045		mg/Kg-dry	1	4/7/2006
Styrene	ND	0.0045		mg/Kg-dry	1	4/7/2006
1,1,2,2-Tetrachloroethane	ND	0.0045		mg/Kg-dry	1	4/7/2006
Tetrachloroethene	ND	0.0045		mg/Kg-dry	1	4/7/2006
Toluene	ND	0.0045		mg/Kg-dry	1	4/7/2006
1,1,1-Trichloroethane	ND	0.0045		mg/Kg-dry	1	4/7/2006
1,1,2-Trichloroethane	ND	0.0045		mg/Kg-dry	1	4/7/2006
Trichloroethene	ND	0.0045		mg/Kg-dry	1	4/7/2006
Vinyl chloride	ND	0.0045		mg/Kg-dry	1	4/7/2006
Xylenes, Total	ND	0.014		mg/Kg-dry	1	4/7/2006
Percent Moisture		D2974			Prep Date: 4/7/2006	Analyst: ICD
Percent Moisture		13.6	0.01	*	wt%	4/10/2006

ND - Not Detected at the Reporting Limit

RL - Reporting / Quantitation Limit for the analysis

Qualifiers: J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

HT - Sample received past holding time

E - Value above quantitation range

* - Non-accredited parameter

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 11, 2006

Date Printed: April 11, 2006

Client: Weaver Boos
Lab Order: 06030767
Project: 1894300-03, Sterling North Park, Downers Grove, I
Lab ID: 06030767-004

Client Sample ID: WB-2@28'
Collection Date: 3/30/2006 12:30:00 PM
Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 4/1/2006		Analyst: MP
Acetone	ND	0.047		mg/Kg-dry	1	4/7/2006
Benzene	ND	0.0047		mg/Kg-dry	1	4/7/2006
Bromodichloromethane	ND	0.0047		mg/Kg-dry	1	4/7/2006
Bromoform	ND	0.0047		mg/Kg-dry	1	4/7/2006
Bromomethane	ND	0.0095		mg/Kg-dry	1	4/7/2006
2-Butanone	ND	0.0095		mg/Kg-dry	1	4/7/2006
Carbon disulfide	ND	0.0047		mg/Kg-dry	1	4/7/2006
Carbon tetrachloride	ND	0.0047		mg/Kg-dry	1	4/7/2006
Chlorobenzene	ND	0.0047		mg/Kg-dry	1	4/7/2006
Dibromochloromethane	ND	0.0047		mg/Kg-dry	1	4/7/2006
Chloroethane	ND	0.0095		mg/Kg-dry	1	4/7/2006
Chloroform	ND	0.0047		mg/Kg-dry	1	4/7/2006
Chloromethane	ND	0.0095		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethane	ND	0.0047		mg/Kg-dry	1	4/7/2006
1,2-Dichloroethane	ND	0.0047		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethene	ND	0.0047		mg/Kg-dry	1	4/7/2006
cis-1,2-Dichloroethene	ND	0.0047		mg/Kg-dry	1	4/7/2006
trans-1,2-Dichloroethene	ND	0.0047		mg/Kg-dry	1	4/7/2006
1,2-Dichloropropane	ND	0.0047		mg/Kg-dry	1	4/7/2006
cis-1,3-Dichloropropene	ND	0.0047		mg/Kg-dry	1	4/7/2006
trans-1,3-Dichloropropene	ND	0.0047		mg/Kg-dry	1	4/7/2006
Ethylbenzene	ND	0.0047		mg/Kg-dry	1	4/7/2006
2-Hexanone	ND	0.0095		mg/Kg-dry	1	4/7/2006
4-Methyl-2-pentanone	ND	0.0095		mg/Kg-dry	1	4/7/2006
Methylene chloride	ND	0.0095		mg/Kg-dry	1	4/7/2006
Methyl tert-butyl ether	ND	0.0047		mg/Kg-dry	1	4/7/2006
Styrene	ND	0.0047		mg/Kg-dry	1	4/7/2006
1,1,2,2-Tetrachloroethane	ND	0.0047		mg/Kg-dry	1	4/7/2006
Tetrachloroethene	ND	0.0047		mg/Kg-dry	1	4/7/2006
Toluene	ND	0.0047		mg/Kg-dry	1	4/7/2006
1,1,1-Trichloroethane	ND	0.0047		mg/Kg-dry	1	4/7/2006
1,1,2-Trichloroethane	ND	0.0047		mg/Kg-dry	1	4/7/2006
Trichloroethene	ND	0.0047		mg/Kg-dry	1	4/7/2006
Vinyl chloride	ND	0.0047		mg/Kg-dry	1	4/7/2006
Xylenes, Total	ND	0.014		mg/Kg-dry	1	4/7/2006
Percent Moisture						
Percent Moisture	D2974			Prep Date: 4/7/2006		Analyst: ICD
		17.0	0.01	*	wt%	4/10/2006

ND - Not Detected at the Reporting Limit

RL - Reporting / Quantitation Limit for the analysis

Qualifiers: J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

HT - Sample received past holding time

E - Value above quantitation range

* - Non-accredited parameter

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 11, 2006

Date Printed: April 11, 2006

Client: Weaver Boos
Lab Order: 06030767
Project: 1894300-03, Sterling North Park, Downers Grove, I
Lab ID: 06030767-005

Client Sample ID: WB-3@9'
Collection Date: 3/30/2006 2:15:00 PM
Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 4/1/2006		Analyst: MP
Acetone	ND	0.056		mg/Kg-dry	1	4/7/2006
Benzene	ND	0.0056		mg/Kg-dry	1	4/7/2006
Bromodichloromethane	ND	0.0056		mg/Kg-dry	1	4/7/2006
Bromoform	ND	0.0056		mg/Kg-dry	1	4/7/2006
Bromomethane	ND	0.011		mg/Kg-dry	1	4/7/2006
2-Butanone	ND	0.011		mg/Kg-dry	1	4/7/2006
Carbon disulfide	ND	0.0056		mg/Kg-dry	1	4/7/2006
Carbon tetrachloride	ND	0.0056		mg/Kg-dry	1	4/7/2006
Chlorobenzene	ND	0.0056		mg/Kg-dry	1	4/7/2006
Dibromochloromethane	ND	0.0056		mg/Kg-dry	1	4/7/2006
Chloroethane	ND	0.011		mg/Kg-dry	1	4/7/2006
Chloroform	ND	0.0056		mg/Kg-dry	1	4/7/2006
Chloromethane	ND	0.011		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethane	ND	0.0056		mg/Kg-dry	1	4/7/2006
1,2-Dichloroethane	ND	0.0056		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethene	ND	0.0056		mg/Kg-dry	1	4/7/2006
cis-1,2-Dichloroethene	ND	0.0056		mg/Kg-dry	1	4/7/2006
trans-1,2-Dichloroethene	ND	0.0056		mg/Kg-dry	1	4/7/2006
1,2-Dichloropropane	ND	0.0056		mg/Kg-dry	1	4/7/2006
cis-1,3-Dichloropropene	ND	0.0056		mg/Kg-dry	1	4/7/2006
trans-1,3-Dichloropropene	ND	0.0056		mg/Kg-dry	1	4/7/2006
Ethylbenzene	ND	0.0056		mg/Kg-dry	1	4/7/2006
2-Hexanone	ND	0.011		mg/Kg-dry	1	4/7/2006
4-Methyl-2-pentanone	ND	0.011		mg/Kg-dry	1	4/7/2006
Methylene chloride	ND	0.011		mg/Kg-dry	1	4/7/2006
Methyl tert-butyl ether	ND	0.0056		mg/Kg-dry	1	4/7/2006
Styrene	ND	0.0056		mg/Kg-dry	1	4/7/2006
1,1,2,2-Tetrachloroethane	ND	0.0056		mg/Kg-dry	1	4/7/2006
Tetrachloroethene	ND	0.0056		mg/Kg-dry	1	4/7/2006
Toluene	0.0091	0.0056		mg/Kg-dry	1	4/7/2006
1,1,1-Trichloroethane	ND	0.0056		mg/Kg-dry	1	4/7/2006
1,1,2-Trichloroethane	ND	0.0056		mg/Kg-dry	1	4/7/2006
Trichloroethene	ND	0.0056		mg/Kg-dry	1	4/7/2006
Vinyl chloride	ND	0.0056		mg/Kg-dry	1	4/7/2006
Xylenes, Total	ND	0.017		mg/Kg-dry	1	4/7/2006
Percent Moisture		D2974		Prep Date: 4/7/2006		Analyst: ICD
Percent Moisture		14.7	0.01	*	wt%	4/10/2006

ND - Not Detected at the Reporting Limit

RL - Reporting / Quantitation Limit for the analysis

Qualifiers: J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

HT - Sample received past holding time

E - Value above quantitation range

* - Non-accredited parameter

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 11, 2006

Date Printed: April 11, 2006

Client: Weaver Boos
Lab Order: 06030767
Project: 1894300-03, Sterling North Park, Downers Grove, I
Lab ID: 06030767-006

Client Sample ID: WB-3@28'
Collection Date: 3/30/2006 2:20:00 PM
Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 4/1/2006		Analyst: MP
Acetone	ND	0.043		mg/Kg-dry	1	4/7/2006
Benzene	ND	0.0043		mg/Kg-dry	1	4/7/2006
Bromodichloromethane	ND	0.0043		mg/Kg-dry	1	4/7/2006
Bromoform	ND	0.0043		mg/Kg-dry	1	4/7/2006
Bromomethane	ND	0.0085		mg/Kg-dry	1	4/7/2006
2-Butanone	ND	0.0085		mg/Kg-dry	1	4/7/2006
Carbon disulfide	ND	0.0043		mg/Kg-dry	1	4/7/2006
Carbon tetrachloride	ND	0.0043		mg/Kg-dry	1	4/7/2006
Chlorobenzene	ND	0.0043		mg/Kg-dry	1	4/7/2006
Dibromochloromethane	ND	0.0043		mg/Kg-dry	1	4/7/2006
Chloroethane	ND	0.0085		mg/Kg-dry	1	4/7/2006
Chloroform	ND	0.0043		mg/Kg-dry	1	4/7/2006
Chloromethane	ND	0.0085		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethane	ND	0.0043		mg/Kg-dry	1	4/7/2006
1,2-Dichloroethane	ND	0.0043		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethene	ND	0.0043		mg/Kg-dry	1	4/7/2006
cis-1,2-Dichloroethene	ND	0.0043		mg/Kg-dry	1	4/7/2006
trans-1,2-Dichloroethene	ND	0.0043		mg/Kg-dry	1	4/7/2006
1,2-Dichloropropane	ND	0.0043		mg/Kg-dry	1	4/7/2006
cis-1,3-Dichloropropene	ND	0.0043		mg/Kg-dry	1	4/7/2006
trans-1,3-Dichloropropene	ND	0.0043		mg/Kg-dry	1	4/7/2006
Ethylbenzene	ND	0.0043		mg/Kg-dry	1	4/7/2006
2-Hexanone	ND	0.0085		mg/Kg-dry	1	4/7/2006
4-Methyl-2-pentanone	ND	0.0085		mg/Kg-dry	1	4/7/2006
Methylene chloride	ND	0.0085		mg/Kg-dry	1	4/7/2006
Methyl tert-butyl ether	ND	0.0043		mg/Kg-dry	1	4/7/2006
Styrene	ND	0.0043		mg/Kg-dry	1	4/7/2006
1,1,2,2-Tetrachloroethane	ND	0.0043		mg/Kg-dry	1	4/7/2006
Tetrachloroethene	ND	0.0043		mg/Kg-dry	1	4/7/2006
Toluene	0.0064	0.0043		mg/Kg-dry	1	4/7/2006
1,1,1-Trichloroethane	ND	0.0043		mg/Kg-dry	1	4/7/2006
1,1,2-Trichloroethane	ND	0.0043		mg/Kg-dry	1	4/7/2006
Trichloroethene	ND	0.0043		mg/Kg-dry	1	4/7/2006
Vinyl chloride	ND	0.0043		mg/Kg-dry	1	4/7/2006
Xylenes, Total	ND	0.013		mg/Kg-dry	1	4/7/2006
Percent Moisture		D2974		Prep Date: 4/7/2006		Analyst: ICD
Percent Moisture		10.2	0.01	*	wt%	4/10/2006

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 11, 2006

Date Printed: April 11, 2006

Client:	Weaver Boos	Client Sample ID:	WB-4@30'
Lab Order:	06030767	Collection Date:	3/30/2006 3:45:00 PM
Project:	1894300-03, Sterling North Park, Downers Grove, I	Matrix:	Soil
Lab ID:	06030767-007		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 4/1/2006		Analyst: MP
Acetone	ND	0.056		mg/Kg-dry	1	4/7/2006
Benzene	ND	0.0056		mg/Kg-dry	1	4/7/2006
Bromodichloromethane	ND	0.0056		mg/Kg-dry	1	4/7/2006
Bromoform	ND	0.0056		mg/Kg-dry	1	4/7/2006
Bromomethane	ND	0.011		mg/Kg-dry	1	4/7/2006
2-Butanone	ND	0.011		mg/Kg-dry	1	4/7/2006
Carbon disulfide	ND	0.0056		mg/Kg-dry	1	4/7/2006
Carbon tetrachloride	ND	0.0056		mg/Kg-dry	1	4/7/2006
Chlorobenzene	ND	0.0056		mg/Kg-dry	1	4/7/2006
Dibromochloromethane	ND	0.0056		mg/Kg-dry	1	4/7/2006
Chloroethane	ND	0.011		mg/Kg-dry	1	4/7/2006
Chloroform	ND	0.0056		mg/Kg-dry	1	4/7/2006
Chloromethane	ND	0.011		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethane	ND	0.0056		mg/Kg-dry	1	4/7/2006
1,2-Dichloroethane	ND	0.0056		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethene	ND	0.0056		mg/Kg-dry	1	4/7/2006
cis-1,2-Dichloroethene	ND	0.0056		mg/Kg-dry	1	4/7/2006
trans-1,2-Dichloroethene	ND	0.0056		mg/Kg-dry	1	4/7/2006
1,2-Dichloropropane	ND	0.0056		mg/Kg-dry	1	4/7/2006
cis-1,3-Dichloropropene	ND	0.0056		mg/Kg-dry	1	4/7/2006
trans-1,3-Dichloropropene	ND	0.0056		mg/Kg-dry	1	4/7/2006
Ethylbenzene	ND	0.0056		mg/Kg-dry	1	4/7/2006
2-Hexanone	ND	0.011		mg/Kg-dry	1	4/7/2006
4-Methyl-2-pentanone	ND	0.011		mg/Kg-dry	1	4/7/2006
Methylene chloride	ND	0.011		mg/Kg-dry	1	4/7/2006
Methyl tert-butyl ether	ND	0.0056		mg/Kg-dry	1	4/7/2006
Styrene	ND	0.0056		mg/Kg-dry	1	4/7/2006
1,1,2,2-Tetrachloroethane	ND	0.0056		mg/Kg-dry	1	4/7/2006
Tetrachloroethene	ND	0.0056		mg/Kg-dry	1	4/7/2006
Toluene	ND	0.0056		mg/Kg-dry	1	4/7/2006
1,1,1-Trichloroethane	ND	0.0056		mg/Kg-dry	1	4/7/2006
1,1,2-Trichloroethane	ND	0.0056		mg/Kg-dry	1	4/7/2006
Trichloroethene	ND	0.0056		mg/Kg-dry	1	4/7/2006
Vinyl chloride	ND	0.0056		mg/Kg-dry	1	4/7/2006
Xylenes, Total	ND	0.017		mg/Kg-dry	1	4/7/2006
Percent Moisture	D2974			Prep Date: 4/7/2006		Analyst: ICD
Percent Moisture	20.2	0.01	*	wt%	1	4/10/2006

ND - Not Detected at the Reporting Limit

RL - Reporting / Quantitation Limit for the analysis

Qualifiers: J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

HT - Sample received past holding time

E - Value above quantitation range

* - Non-accredited parameter

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 11, 2006

Date Printed: April 11, 2006

Client: Weaver Boos
Lab Order: 06030767
Project: 1894300-03, Sterling North Park, Downers Grove, I
Lab ID: 06030767-008

Client Sample ID: WB-6@5'
Collection Date: 3/30/2006 9:20:00 AM
Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
		SW5035/8260B			Prep Date: 4/1/2006	Analyst: MP
Acetone	0.52	0.06	E	mg/Kg-dry	1	4/7/2006
Benzene	ND	0.006		mg/Kg-dry	1	4/7/2006
Bromodichloromethane	ND	0.006		mg/Kg-dry	1	4/7/2006
Bromoform	ND	0.006		mg/Kg-dry	1	4/7/2006
Bromomethane	ND	0.012		mg/Kg-dry	1	4/7/2006
2-Butanone	0.044	0.012		mg/Kg-dry	1	4/7/2006
Carbon disulfide	ND	0.006		mg/Kg-dry	1	4/7/2006
Carbon tetrachloride	ND	0.006		mg/Kg-dry	1	4/7/2006
Chlorobenzene	ND	0.006		mg/Kg-dry	1	4/7/2006
Dibromochloromethane	ND	0.006		mg/Kg-dry	1	4/7/2006
Chloroethane	ND	0.012		mg/Kg-dry	1	4/7/2006
Chloroform	ND	0.006		mg/Kg-dry	1	4/7/2006
Chloromethane	ND	0.012		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethane	ND	0.006		mg/Kg-dry	1	4/7/2006
1,2-Dichloroethane	ND	0.006		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethene	ND	0.006		mg/Kg-dry	1	4/7/2006
cis-1,2-Dichloroethene	ND	0.006		mg/Kg-dry	1	4/7/2006
trans-1,2-Dichloroethene	ND	0.006		mg/Kg-dry	1	4/7/2006
1,2-Dichloropropane	ND	0.006		mg/Kg-dry	1	4/7/2006
cis-1,3-Dichloropropene	ND	0.006		mg/Kg-dry	1	4/7/2006
trans-1,3-Dichloropropene	ND	0.006		mg/Kg-dry	1	4/7/2006
Ethylbenzene	ND	0.006		mg/Kg-dry	1	4/7/2006
2-Hexanone	ND	0.012		mg/Kg-dry	1	4/7/2006
4-Methyl-2-pentanone	ND	0.012		mg/Kg-dry	1	4/7/2006
Methylene chloride	ND	0.012		mg/Kg-dry	1	4/7/2006
Methyl tert-butyl ether	ND	0.006		mg/Kg-dry	1	4/7/2006
Styrene	ND	0.006		mg/Kg-dry	1	4/7/2006
1,1,2,2-Tetrachloroethane	ND	0.006		mg/Kg-dry	1	4/7/2006
Tetrachloroethene	ND	0.006		mg/Kg-dry	1	4/7/2006
Toluene	ND	0.006		mg/Kg-dry	1	4/7/2006
1,1,1-Trichloroethane	ND	0.006		mg/Kg-dry	1	4/7/2006
1,1,2-Trichloroethane	ND	0.006		mg/Kg-dry	1	4/7/2006
Trichloroethene	ND	0.006		mg/Kg-dry	1	4/7/2006
Vinyl chloride	ND	0.006		mg/Kg-dry	1	4/7/2006
Xylenes, Total	ND	0.018		mg/Kg-dry	1	4/7/2006
Percent Moisture		D2974			Prep Date: 4/7/2006	Analyst: ICD
Percent Moisture	19.8	0.01	*	wt%	1	4/10/2006

ND - Not Detected at the Reporting Limit

RL - Reporting / Quantitation Limit for the analysis

Qualifiers: J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

HT - Sample received past holding time

E - Value above quantitation range

* - Non-accredited parameter

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 11, 2006

Date Printed: April 11, 2006

Client: Weaver Boos
Lab Order: 06030767
Project: 1894300-03, Sterling North Park, Downers Grove, I
Lab ID: 06030767-009

Client Sample ID: WB-6@29'
Collection Date: 3/30/2006 10:07:00 AM
Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 4/1/2006		Analyst: MP
Acetone	ND	0.05		mg/Kg-dry	1	4/7/2006
Benzene	ND	0.005		mg/Kg-dry	1	4/7/2006
Bromodichloromethane	ND	0.005		mg/Kg-dry	1	4/7/2006
Bromoform	ND	0.005		mg/Kg-dry	1	4/7/2006
Bromomethane	ND	0.01		mg/Kg-dry	1	4/7/2006
2-Butanone	ND	0.01		mg/Kg-dry	1	4/7/2006
Carbon disulfide	ND	0.005		mg/Kg-dry	1	4/7/2006
Carbon tetrachloride	ND	0.005		mg/Kg-dry	1	4/7/2006
Chlorobenzene	ND	0.005		mg/Kg-dry	1	4/7/2006
Dibromochloromethane	ND	0.005		mg/Kg-dry	1	4/7/2006
Chloroethane	ND	0.01		mg/Kg-dry	1	4/7/2006
Chloroform	ND	0.005		mg/Kg-dry	1	4/7/2006
Chloromethane	ND	0.01		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethane	ND	0.005		mg/Kg-dry	1	4/7/2006
1,2-Dichloroethane	ND	0.005		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethene	ND	0.005		mg/Kg-dry	1	4/7/2006
cis-1,2-Dichloroethene	ND	0.005		mg/Kg-dry	1	4/7/2006
trans-1,2-Dichloroethene	ND	0.005		mg/Kg-dry	1	4/7/2006
1,2-Dichloropropane	ND	0.005		mg/Kg-dry	1	4/7/2006
cis-1,3-Dichloropropene	ND	0.005		mg/Kg-dry	1	4/7/2006
trans-1,3-Dichloropropene	ND	0.005		mg/Kg-dry	1	4/7/2006
Ethylbenzene	ND	0.005		mg/Kg-dry	1	4/7/2006
2-Hexanone	ND	0.01		mg/Kg-dry	1	4/7/2006
4-Methyl-2-pentanone	ND	0.01		mg/Kg-dry	1	4/7/2006
Methylene chloride	ND	0.01		mg/Kg-dry	1	4/7/2006
Methyl tert-butyl ether	ND	0.005		mg/Kg-dry	1	4/7/2006
Styrene	ND	0.005		mg/Kg-dry	1	4/7/2006
1,1,2,2-Tetrachloroethane	ND	0.005		mg/Kg-dry	1	4/7/2006
Tetrachloroethene	ND	0.005		mg/Kg-dry	1	4/7/2006
Toluene	ND	0.005		mg/Kg-dry	1	4/7/2006
1,1,1-Trichloroethane	ND	0.005		mg/Kg-dry	1	4/7/2006
1,1,2-Trichloroethane	ND	0.005		mg/Kg-dry	1	4/7/2006
Trichloroethene	ND	0.005		mg/Kg-dry	1	4/7/2006
Vinyl chloride	ND	0.005		mg/Kg-dry	1	4/7/2006
Xylenes, Total	ND	0.015		mg/Kg-dry	1	4/7/2006
Percent Moisture		D2974		Prep Date: 4/7/2006		Analyst: ICD
Percent Moisture	12.0	0.01	*	wt%	1	4/10/2006

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 11, 2006**Date Printed:** April 11, 2006

Client: Weaver Boos
Lab Order: 06030767
Project: 1894300-03, Sterling North Park, Downers Grove, I
Lab ID: 06030767-010

Client Sample ID: WB-2**Collection Date:** 3/30/2006 12:36:00 PM**Matrix:** Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
	SW8260B (SW5030B)			Prep Date:		Analyst: PS
Acetone	ND	0.01		mg/L	1	4/4/2006
Benzene	ND	0.005		mg/L	1	4/4/2006
Bromodichloromethane	ND	0.005		mg/L	1	4/4/2006
Bromoform	ND	0.005		mg/L	1	4/4/2006
Bromomethane	ND	0.01		mg/L	1	4/4/2006
2-Butanone	ND	0.01		mg/L	1	4/4/2006
Carbon disulfide	ND	0.005		mg/L	1	4/4/2006
Carbon tetrachloride	ND	0.005		mg/L	1	4/4/2006
Chlorobenzene	ND	0.005		mg/L	1	4/4/2006
Dibromochloromethane	ND	0.005		mg/L	1	4/4/2006
Chloroethane	ND	0.01		mg/L	1	4/4/2006
Chloroform	ND	0.005		mg/L	1	4/4/2006
Chloromethane	ND	0.01		mg/L	1	4/4/2006
1,1-Dichloroethane	ND	0.005		mg/L	1	4/4/2006
1,2-Dichloroethane	ND	0.005		mg/L	1	4/4/2006
1,1-Dichloroethene	ND	0.005		mg/L	1	4/4/2006
cis-1,2-Dichloroethene	ND	0.005		mg/L	1	4/4/2006
trans-1,2-Dichloroethene	ND	0.005		mg/L	1	4/4/2006
1,2-Dichloropropane	ND	0.005		mg/L	1	4/4/2006
cis-1,3-Dichloropropene	ND	0.001		mg/L	1	4/4/2006
trans-1,3-Dichloropropene	ND	0.001		mg/L	1	4/4/2006
Ethylbenzene	ND	0.005		mg/L	1	4/4/2006
2-Hexanone	ND	0.01		mg/L	1	4/4/2006
4-Methyl-2-pentanone	ND	0.01		mg/L	1	4/4/2006
Methylene chloride	ND	0.005		mg/L	1	4/4/2006
Methyl tert-butyl ether	ND	0.005		mg/L	1	4/4/2006
Styrene	ND	0.005		mg/L	1	4/4/2006
1,1,2,2-Tetrachloroethane	ND	0.005		mg/L	1	4/4/2006
Tetrachloroethene	ND	0.005		mg/L	1	4/4/2006
Toluene	ND	0.005		mg/L	1	4/4/2006
1,1,1-Trichloroethane	ND	0.005		mg/L	1	4/4/2006
1,1,2-Trichloroethane	ND	0.005		mg/L	1	4/4/2006
Trichloroethene	ND	0.005		mg/L	1	4/4/2006
Vinyl chloride	ND	0.002		mg/L	1	4/4/2006
Xylenes, Total	ND	0.015		mg/L	1	4/4/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 11, 2006**Date Printed:** April 11, 2006

Client: Weaver Boos
Lab Order: 06030767
Project: 1894300-03, Sterling North Park, Downers Grove, I
Lab ID: 06030767-011

Client Sample ID: WB-3**Collection Date:** 3/30/2006 2:30:00 PM**Matrix:** Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
	SW8260B (SW5030B)			Prep Date:		Analyst: PS
Acetone	ND	0.01		mg/L	1	4/4/2006
Benzene	ND	0.005		mg/L	1	4/4/2006
Bromodichloromethane	ND	0.005		mg/L	1	4/4/2006
Bromoform	ND	0.005		mg/L	1	4/4/2006
Bromomethane	ND	0.01		mg/L	1	4/4/2006
2-Butanone	ND	0.01		mg/L	1	4/4/2006
Carbon disulfide	ND	0.005		mg/L	1	4/4/2006
Carbon tetrachloride	ND	0.005		mg/L	1	4/4/2006
Chlorobenzene	ND	0.005		mg/L	1	4/4/2006
Dibromochloromethane	ND	0.005		mg/L	1	4/4/2006
Chloroethane	ND	0.01		mg/L	1	4/4/2006
Chloroform	ND	0.005		mg/L	1	4/4/2006
Chloromethane	ND	0.01		mg/L	1	4/4/2006
1,1-Dichloroethane	ND	0.005		mg/L	1	4/4/2006
1,2-Dichloroethane	ND	0.005		mg/L	1	4/4/2006
1,1-Dichloroethene	ND	0.005		mg/L	1	4/4/2006
cis-1,2-Dichloroethene	ND	0.005		mg/L	1	4/4/2006
trans-1,2-Dichloroethene	ND	0.005		mg/L	1	4/4/2006
1,2-Dichloropropane	ND	0.005		mg/L	1	4/4/2006
cis-1,3-Dichloropropene	ND	0.001		mg/L	1	4/4/2006
trans-1,3-Dichloropropene	ND	0.001		mg/L	1	4/4/2006
Ethylbenzene	ND	0.005		mg/L	1	4/4/2006
2-Hexanone	ND	0.01		mg/L	1	4/4/2006
4-Methyl-2-pentanone	ND	0.01		mg/L	1	4/4/2006
Methylene chloride	ND	0.005		mg/L	1	4/4/2006
Methyl tert-butyl ether	ND	0.005		mg/L	1	4/4/2006
Styrene	ND	0.005		mg/L	1	4/4/2006
1,1,2,2-Tetrachloroethane	ND	0.005		mg/L	1	4/4/2006
Tetrachloroethene	ND	0.005		mg/L	1	4/4/2006
Toluene	ND	0.005		mg/L	1	4/4/2006
1,1,1-Trichloroethane	ND	0.005		mg/L	1	4/4/2006
1,1,2-Trichloroethane	ND	0.005		mg/L	1	4/4/2006
Trichloroethene	ND	0.005		mg/L	1	4/4/2006
Vinyl chloride	ND	0.002		mg/L	1	4/4/2006
Xylenes, Total	ND	0.015		mg/L	1	4/4/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 11, 2006**Date Printed:** April 11, 2006

Client: Weaver Boos
Lab Order: 06030767
Project: 1894300-03, Sterling North Park, Downers Grove, I
Lab ID: 06030767-012

Client Sample ID: WB-4**Collection Date:** 3/30/2006 4:00:00 PM**Matrix:** Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
	SW8260B (SW5030B)			Prep Date:		Analyst: PS
Acetone	ND	0.01		mg/L	1	4/4/2006
Benzene	ND	0.005		mg/L	1	4/4/2006
Bromodichloromethane	ND	0.005		mg/L	1	4/4/2006
Bromoform	ND	0.005		mg/L	1	4/4/2006
Bromomethane	ND	0.01		mg/L	1	4/4/2006
2-Butanone	ND	0.01		mg/L	1	4/4/2006
Carbon disulfide	ND	0.005		mg/L	1	4/4/2006
Carbon tetrachloride	ND	0.005		mg/L	1	4/4/2006
Chlorobenzene	ND	0.005		mg/L	1	4/4/2006
Dibromochloromethane	ND	0.005		mg/L	1	4/4/2006
Chloroethane	ND	0.01		mg/L	1	4/4/2006
Chloroform	ND	0.005		mg/L	1	4/4/2006
Chloromethane	ND	0.01		mg/L	1	4/4/2006
1,1-Dichloroethane	ND	0.005		mg/L	1	4/4/2006
1,2-Dichloroethane	ND	0.005		mg/L	1	4/4/2006
1,1-Dichloroethene	ND	0.005		mg/L	1	4/4/2006
cis-1,2-Dichloroethene	ND	0.005		mg/L	1	4/4/2006
trans-1,2-Dichloroethene	ND	0.005		mg/L	1	4/4/2006
1,2-Dichloropropane	ND	0.005		mg/L	1	4/4/2006
cis-1,3-Dichloropropene	ND	0.001		mg/L	1	4/4/2006
trans-1,3-Dichloropropene	ND	0.001		mg/L	1	4/4/2006
Ethylbenzene	ND	0.005		mg/L	1	4/4/2006
2-Hexanone	ND	0.01		mg/L	1	4/4/2006
4-Methyl-2-pentanone	ND	0.01		mg/L	1	4/4/2006
Methylene chloride	ND	0.005		mg/L	1	4/4/2006
Methyl tert-butyl ether	ND	0.005		mg/L	1	4/4/2006
Styrene	ND	0.005		mg/L	1	4/4/2006
1,1,2,2-Tetrachloroethane	ND	0.005		mg/L	1	4/4/2006
Tetrachloroethene	ND	0.005		mg/L	1	4/4/2006
Toluene	ND	0.005		mg/L	1	4/4/2006
1,1,1-Trichloroethane	ND	0.005		mg/L	1	4/4/2006
1,1,2-Trichloroethane	ND	0.005		mg/L	1	4/4/2006
Trichloroethene	ND	0.005		mg/L	1	4/4/2006
Vinyl chloride	ND	0.002		mg/L	1	4/4/2006
Xylenes, Total	ND	0.015		mg/L	1	4/4/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 11, 2006

Date Printed: April 11, 2006

Client: Weaver Boos **Client Sample ID:** WB-8 (4-5')
Lab Order: 06030767 **Collection Date:** 3/30/2006 9:30:00 AM
Project: 1894300-03, Sterling North Park, Downers Grove, I **Matrix:** Soil
Lab ID: 06030767-013

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
		SW5035/8260B			Prep Date: 4/1/2006	Analyst: MP
Acetone	0.15	0.058		mg/Kg-dry	1	4/7/2006
Benzene	ND	0.0058		mg/Kg-dry	1	4/7/2006
Bromodichloromethane	ND	0.0058		mg/Kg-dry	1	4/7/2006
Bromoform	ND	0.0058		mg/Kg-dry	1	4/7/2006
Bromomethane	ND	0.012		mg/Kg-dry	1	4/7/2006
2-Butanone	ND	0.012		mg/Kg-dry	1	4/7/2006
Carbon disulfide	ND	0.0058		mg/Kg-dry	1	4/7/2006
Carbon tetrachloride	ND	0.0058		mg/Kg-dry	1	4/7/2006
Chlorobenzene	ND	0.0058		mg/Kg-dry	1	4/7/2006
Dibromochloromethane	ND	0.0058		mg/Kg-dry	1	4/7/2006
Chloroethane	ND	0.012		mg/Kg-dry	1	4/7/2006
Chloroform	ND	0.0058		mg/Kg-dry	1	4/7/2006
Chloromethane	ND	0.012		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethane	ND	0.0058		mg/Kg-dry	1	4/7/2006
1,2-Dichloroethane	ND	0.0058		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethene	ND	0.0058		mg/Kg-dry	1	4/7/2006
cis-1,2-Dichloroethene	ND	0.0058		mg/Kg-dry	1	4/7/2006
trans-1,2-Dichloroethene	ND	0.0058		mg/Kg-dry	1	4/7/2006
1,2-Dichloropropane	ND	0.0058		mg/Kg-dry	1	4/7/2006
cis-1,3-Dichloropropene	ND	0.0058		mg/Kg-dry	1	4/7/2006
trans-1,3-Dichloropropene	ND	0.0058		mg/Kg-dry	1	4/7/2006
Ethylbenzene	ND	0.0058		mg/Kg-dry	1	4/7/2006
2-Hexanone	ND	0.012		mg/Kg-dry	1	4/7/2006
4-Methyl-2-pentanone	ND	0.012		mg/Kg-dry	1	4/7/2006
Methylene chloride	ND	0.012		mg/Kg-dry	1	4/7/2006
Methyl tert-butyl ether	ND	0.0058		mg/Kg-dry	1	4/7/2006
Styrene	ND	0.0058		mg/Kg-dry	1	4/7/2006
1,1,2,2-Tetrachloroethane	ND	0.0058		mg/Kg-dry	1	4/7/2006
Tetrachloroethene	ND	0.0058		mg/Kg-dry	1	4/7/2006
Toluene	ND	0.0058		mg/Kg-dry	1	4/7/2006
1,1,1-Trichloroethane	ND	0.0058		mg/Kg-dry	1	4/7/2006
1,1,2-Trichloroethane	ND	0.0058		mg/Kg-dry	1	4/7/2006
Trichloroethene	ND	0.0058		mg/Kg-dry	1	4/7/2006
Vinyl chloride	ND	0.0058		mg/Kg-dry	1	4/7/2006
Xylenes, Total	ND	0.017		mg/Kg-dry	1	4/7/2006
Percent Moisture						
Percent Moisture	D2974				Prep Date: 4/7/2006	Analyst: ICD
		20.1	0.01	*	wt%	1
						4/10/2006

ND - Not Detected at the Reporting Limit

RL - Reporting / Quantitation Limit for the analysis

Qualifiers: J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

HT - Sample received past holding time

E - Value above quantitation range

* - Non-accredited parameter

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 11, 2006

Date Printed: April 11, 2006

Client: Weaver Boos **Client Sample ID:** WB-8 (25')
Lab Order: 06030767 **Collection Date:** 3/30/2006 9:35:00 AM
Project: 1894300-03, Sterling North Park, Downers Grove, I **Matrix:** Soil
Lab ID: 06030767-014

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Volatile Organic Compounds by GC/MS		SW5035/8260B		Prep Date: 4/1/2006		Analyst: MP
Acetone	3.2	0.058	E	mg/Kg-dry	1	4/7/2006
Benzene	ND	0.0058		mg/Kg-dry	1	4/7/2006
Bromodichloromethane	ND	0.0058		mg/Kg-dry	1	4/7/2006
Bromoform	ND	0.0058		mg/Kg-dry	1	4/7/2006
Bromomethane	ND	0.012		mg/Kg-dry	1	4/7/2006
2-Butanone	ND	0.012		mg/Kg-dry	1	4/7/2006
Carbon disulfide	ND	0.0058		mg/Kg-dry	1	4/7/2006
Carbon tetrachloride	ND	0.0058		mg/Kg-dry	1	4/7/2006
Chlorobenzene	ND	0.0058		mg/Kg-dry	1	4/7/2006
Dibromochloromethane	ND	0.0058		mg/Kg-dry	1	4/7/2006
Chloroethane	ND	0.012		mg/Kg-dry	1	4/7/2006
Chloroform	ND	0.0058		mg/Kg-dry	1	4/7/2006
Chloromethane	ND	0.012		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethane	ND	0.0058		mg/Kg-dry	1	4/7/2006
1,2-Dichloroethane	ND	0.0058		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethene	ND	0.0058		mg/Kg-dry	1	4/7/2006
cis-1,2-Dichloroethene	ND	0.0058		mg/Kg-dry	1	4/7/2006
trans-1,2-Dichloroethene	ND	0.0058		mg/Kg-dry	1	4/7/2006
1,2-Dichloropropane	ND	0.0058		mg/Kg-dry	1	4/7/2006
cis-1,3-Dichloropropene	ND	0.0058		mg/Kg-dry	1	4/7/2006
trans-1,3-Dichloropropene	ND	0.0058		mg/Kg-dry	1	4/7/2006
Ethylbenzene	ND	0.0058		mg/Kg-dry	1	4/7/2006
2-Hexanone	ND	0.012		mg/Kg-dry	1	4/7/2006
4-Methyl-2-pentanone	ND	0.012		mg/Kg-dry	1	4/7/2006
Methylene chloride	ND	0.012		mg/Kg-dry	1	4/7/2006
Methyl tert-butyl ether	ND	0.0058		mg/Kg-dry	1	4/7/2006
Styrene	ND	0.0058		mg/Kg-dry	1	4/7/2006
1,1,2,2-Tetrachloroethane	ND	0.0058		mg/Kg-dry	1	4/7/2006
Tetrachloroethene	ND	0.0058		mg/Kg-dry	1	4/7/2006
Toluene	ND	0.0058		mg/Kg-dry	1	4/7/2006
1,1,1-Trichloroethane	ND	0.0058		mg/Kg-dry	1	4/7/2006
1,1,2-Trichloroethane	ND	0.0058		mg/Kg-dry	1	4/7/2006
Trichloroethene	ND	0.0058		mg/Kg-dry	1	4/7/2006
Vinyl chloride	ND	0.0058		mg/Kg-dry	1	4/7/2006
Xylenes, Total	ND	0.017		mg/Kg-dry	1	4/7/2006

Percent Moisture	D2974	Prep Date: 4/7/2006		Analyst: ICD
Percent Moisture	15.8	0.01	*	4/10/2006

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 11, 2006**Date Printed:** April 11, 2006

Client:	Weaver Boos	Client Sample ID:	WB-8
Lab Order:	06030767	Collection Date:	3/30/2006 9:50:00 AM
Project:	1894300-03, Sterling North Park, Downers Grove, I	Matrix:	Water
Lab ID:	06030767-015		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
		SW8260B (SW5030B)		Prep Date:		Analyst: PS
Acetone	ND	0.01		mg/L	1	4/4/2006
Benzene	ND	0.005		mg/L	1	4/4/2006
Bromodichloromethane	ND	0.005		mg/L	1	4/4/2006
Bromoform	ND	0.005		mg/L	1	4/4/2006
Bromomethane	ND	0.01		mg/L	1	4/4/2006
2-Butanone	ND	0.01		mg/L	1	4/4/2006
Carbon disulfide	ND	0.005		mg/L	1	4/4/2006
Carbon tetrachloride	ND	0.005		mg/L	1	4/4/2006
Chlorobenzene	ND	0.005		mg/L	1	4/4/2006
Dibromochloromethane	ND	0.005		mg/L	1	4/4/2006
Chloroethane	ND	0.01		mg/L	1	4/4/2006
Chloroform	ND	0.005		mg/L	1	4/4/2006
Chloromethane	ND	0.01		mg/L	1	4/4/2006
1,1-Dichloroethane	ND	0.005		mg/L	1	4/4/2006
1,2-Dichloroethane	ND	0.005		mg/L	1	4/4/2006
1,1-Dichloroethene	ND	0.005		mg/L	1	4/4/2006
cis-1,2-Dichloroethene	ND	0.005		mg/L	1	4/4/2006
trans-1,2-Dichloroethene	ND	0.005		mg/L	1	4/4/2006
1,2-Dichloropropane	ND	0.005		mg/L	1	4/4/2006
cis-1,3-Dichloropropene	ND	0.001		mg/L	1	4/4/2006
trans-1,3-Dichloropropene	ND	0.001		mg/L	1	4/4/2006
Ethylbenzene	ND	0.005		mg/L	1	4/4/2006
2-Hexanone	ND	0.01		mg/L	1	4/4/2006
4-Methyl-2-pentanone	ND	0.01		mg/L	1	4/4/2006
Methylene chloride	ND	0.005		mg/L	1	4/4/2006
Methyl tert-butyl ether	ND	0.005		mg/L	1	4/4/2006
Styrene	ND	0.005		mg/L	1	4/4/2006
1,1,2,2-Tetrachloroethane	ND	0.005		mg/L	1	4/4/2006
Tetrachloroethene	ND	0.005		mg/L	1	4/4/2006
Toluene	ND	0.005		mg/L	1	4/4/2006
1,1,1-Trichloroethane	ND	0.005		mg/L	1	4/4/2006
1,1,2-Trichloroethane	ND	0.005		mg/L	1	4/4/2006
Trichloroethene	ND	0.005		mg/L	1	4/4/2006
Vinyl chloride	ND	0.002		mg/L	1	4/4/2006
Xylenes, Total	ND	0.015		mg/L	1	4/4/2006

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 11, 2006

Date Printed: April 11, 2006

Client: Weaver Boos **Client Sample ID:** WB-10 (4-5')
Lab Order: 06030767 **Collection Date:** 3/30/2006 10:55:00 AM
Project: 1894300-03, Sterling North Park, Downers Grove, I **Matrix:** Soil
Lab ID: 06030767-016

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Volatile Organic Compounds by GC/MS		SW5035/8260B		Prep Date: 4/1/2006	Analyst: MP
Acetone	0.28	0.072	mg/Kg-dry	1	4/7/2006
Benzene	ND	0.0072	mg/Kg-dry	1	4/7/2006
Bromodichloromethane	ND	0.0072	mg/Kg-dry	1	4/7/2006
Bromoform	ND	0.0072	mg/Kg-dry	1	4/7/2006
Bromomethane	ND	0.014	mg/Kg-dry	1	4/7/2006
2-Butanone	0.03	0.014	mg/Kg-dry	1	4/7/2006
Carbon disulfide	ND	0.0072	mg/Kg-dry	1	4/7/2006
Carbon tetrachloride	ND	0.0072	mg/Kg-dry	1	4/7/2006
Chlorobenzene	ND	0.0072	mg/Kg-dry	1	4/7/2006
Dibromochloromethane	ND	0.0072	mg/Kg-dry	1	4/7/2006
Chloroethane	ND	0.014	mg/Kg-dry	1	4/7/2006
Chloroform	ND	0.0072	mg/Kg-dry	1	4/7/2006
Chloromethane	ND	0.014	mg/Kg-dry	1	4/7/2006
1,1-Dichloroethane	ND	0.0072	mg/Kg-dry	1	4/7/2006
1,2-Dichloroethane	ND	0.0072	mg/Kg-dry	1	4/7/2006
1,1-Dichloroethene	ND	0.0072	mg/Kg-dry	1	4/7/2006
cis-1,2-Dichloroethene	ND	0.0072	mg/Kg-dry	1	4/7/2006
trans-1,2-Dichloroethene	ND	0.0072	mg/Kg-dry	1	4/7/2006
1,2-Dichloropropane	ND	0.0072	mg/Kg-dry	1	4/7/2006
cis-1,3-Dichloropropene	ND	0.0072	mg/Kg-dry	1	4/7/2006
trans-1,3-Dichloropropene	ND	0.0072	mg/Kg-dry	1	4/7/2006
Ethylbenzene	ND	0.0072	mg/Kg-dry	1	4/7/2006
2-Hexanone	ND	0.014	mg/Kg-dry	1	4/7/2006
4-Methyl-2-pentanone	ND	0.014	mg/Kg-dry	1	4/7/2006
Methylene chloride	ND	0.014	mg/Kg-dry	1	4/7/2006
Methyl tert-butyl ether	ND	0.0072	mg/Kg-dry	1	4/7/2006
Styrene	ND	0.0072	mg/Kg-dry	1	4/7/2006
1,1,2,2-Tetrachloroethane	ND	0.0072	mg/Kg-dry	1	4/7/2006
Tetrachloroethene	ND	0.0072	mg/Kg-dry	1	4/7/2006
Toluene	ND	0.0072	mg/Kg-dry	1	4/7/2006
1,1,1-Trichloroethane	ND	0.0072	mg/Kg-dry	1	4/7/2006
1,1,2-Trichloroethane	ND	0.0072	mg/Kg-dry	1	4/7/2006
Trichloroethene	ND	0.0072	mg/Kg-dry	1	4/7/2006
Vinyl chloride	ND	0.0072	mg/Kg-dry	1	4/7/2006
Xylenes, Total	ND	0.022	mg/Kg-dry	1	4/7/2006

Percent Moisture	D2974	Prep Date: 4/7/2006	Analyst: ICD	
Percent Moisture	26.2	0.01	* wt% 1	4/10/2006

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 11, 2006

Date Printed: April 11, 2006

Client: Weaver Boos **Client Sample ID:** WB-10 (25')
Lab Order: 06030767 **Collection Date:** 3/30/2006 11:00:00 AM
Project: 1894300-03, Sterling North Park, Downers Grove, I **Matrix:** Soil
Lab ID: 06030767-017

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Volatile Organic Compounds by GC/MS		SW5035/8260B		Prep Date: 4/1/2006	Analyst: MP
Acetone	0.26	0.065	mg/Kg-dry	1	4/8/2006
Benzene	ND	0.0065	mg/Kg-dry	1	4/8/2006
Bromodichloromethane	ND	0.0065	mg/Kg-dry	1	4/8/2006
Bromoform	ND	0.0065	mg/Kg-dry	1	4/8/2006
Bromomethane	ND	0.013	mg/Kg-dry	1	4/8/2006
2-Butanone	ND	0.013	mg/Kg-dry	1	4/8/2006
Carbon disulfide	ND	0.0065	mg/Kg-dry	1	4/8/2006
Carbon tetrachloride	ND	0.0065	mg/Kg-dry	1	4/8/2006
Chlorobenzene	ND	0.0065	mg/Kg-dry	1	4/8/2006
Dibromochloromethane	ND	0.0065	mg/Kg-dry	1	4/8/2006
Chloroethane	ND	0.013	mg/Kg-dry	1	4/8/2006
Chloroform	ND	0.0065	mg/Kg-dry	1	4/8/2006
Chloromethane	ND	0.013	mg/Kg-dry	1	4/8/2006
1,1-Dichloroethane	ND	0.0065	mg/Kg-dry	1	4/8/2006
1,2-Dichloroethane	ND	0.0065	mg/Kg-dry	1	4/8/2006
1,1-Dichloroethene	ND	0.0065	mg/Kg-dry	1	4/8/2006
cis-1,2-Dichloroethene	ND	0.0065	mg/Kg-dry	1	4/8/2006
trans-1,2-Dichloroethene	ND	0.0065	mg/Kg-dry	1	4/8/2006
1,2-Dichloropropane	ND	0.0065	mg/Kg-dry	1	4/8/2006
cis-1,3-Dichloropropene	ND	0.0065	mg/Kg-dry	1	4/8/2006
trans-1,3-Dichloropropene	ND	0.0065	mg/Kg-dry	1	4/8/2006
Ethylbenzene	ND	0.0065	mg/Kg-dry	1	4/8/2006
2-Hexanone	ND	0.013	mg/Kg-dry	1	4/8/2006
4-Methyl-2-pentanone	ND	0.013	mg/Kg-dry	1	4/8/2006
Methylene chloride	ND	0.013	mg/Kg-dry	1	4/8/2006
Methyl tert-butyl ether	ND	0.0065	mg/Kg-dry	1	4/8/2006
Styrene	ND	0.0065	mg/Kg-dry	1	4/8/2006
1,1,2,2-Tetrachloroethane	ND	0.0065	mg/Kg-dry	1	4/8/2006
Tetrachloroethene	ND	0.0065	mg/Kg-dry	1	4/8/2006
Toluene	ND	0.0065	mg/Kg-dry	1	4/8/2006
1,1,1-Trichloroethane	ND	0.0065	mg/Kg-dry	1	4/8/2006
1,1,2-Trichloroethane	ND	0.0065	mg/Kg-dry	1	4/8/2006
Trichloroethene	ND	0.0065	mg/Kg-dry	1	4/8/2006
Vinyl chloride	ND	0.0065	mg/Kg-dry	1	4/8/2006
Xylenes, Total	ND	0.019	mg/Kg-dry	1	4/8/2006

Percent Moisture	D2974	Prep Date: 4/7/2006	Analyst: ICD
Percent Moisture	15.7	0.01	* wt% 1
			4/10/2006

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 11, 2006**Date Printed:** April 11, 2006

Client: Weaver Boos
Lab Order: 06030767
Project: 1894300-03, Sterling North Park, Downers Grove, I
Lab ID: 06030767-018

Client Sample ID: WB-10**Collection Date:** 3/30/2006 11:15:00 AM**Matrix:** Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
	SW8260B (SW5030B)			Prep Date:		Analyst: PS
Acetone	ND	0.01		mg/L	1	4/4/2006
Benzene	ND	0.005		mg/L	1	4/4/2006
Bromodichloromethane	ND	0.005		mg/L	1	4/4/2006
Bromoform	ND	0.005		mg/L	1	4/4/2006
Bromomethane	ND	0.01		mg/L	1	4/4/2006
2-Butanone	ND	0.01		mg/L	1	4/4/2006
Carbon disulfide	ND	0.005		mg/L	1	4/4/2006
Carbon tetrachloride	ND	0.005		mg/L	1	4/4/2006
Chlorobenzene	ND	0.005		mg/L	1	4/4/2006
Dibromochloromethane	ND	0.005		mg/L	1	4/4/2006
Chloroethane	ND	0.01		mg/L	1	4/4/2006
Chloroform	ND	0.005		mg/L	1	4/4/2006
Chloromethane	ND	0.01		mg/L	1	4/4/2006
1,1-Dichloroethane	ND	0.005		mg/L	1	4/4/2006
1,2-Dichloroethane	ND	0.005		mg/L	1	4/4/2006
1,1-Dichloroethene	ND	0.005		mg/L	1	4/4/2006
cis-1,2-Dichloroethene	ND	0.005		mg/L	1	4/4/2006
trans-1,2-Dichloroethene	ND	0.005		mg/L	1	4/4/2006
1,2-Dichloropropane	ND	0.005		mg/L	1	4/4/2006
cis-1,3-Dichloropropene	ND	0.001		mg/L	1	4/4/2006
trans-1,3-Dichloropropene	ND	0.001		mg/L	1	4/4/2006
Ethylbenzene	ND	0.005		mg/L	1	4/4/2006
2-Hexanone	ND	0.01		mg/L	1	4/4/2006
4-Methyl-2-pentanone	ND	0.01		mg/L	1	4/4/2006
Methylene chloride	ND	0.005		mg/L	1	4/4/2006
Methyl tert-butyl ether	ND	0.005		mg/L	1	4/4/2006
Styrene	ND	0.005		mg/L	1	4/4/2006
1,1,2,2-Tetrachloroethane	ND	0.005		mg/L	1	4/4/2006
Tetrachloroethene	ND	0.005		mg/L	1	4/4/2006
Toluene	ND	0.005		mg/L	1	4/4/2006
1,1,1-Trichloroethane	ND	0.005		mg/L	1	4/4/2006
1,1,2-Trichloroethane	ND	0.005		mg/L	1	4/4/2006
Trichloroethene	0.014	0.005		mg/L	1	4/4/2006
Vinyl chloride	ND	0.002		mg/L	1	4/4/2006
Xylenes, Total	ND	0.015		mg/L	1	4/4/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 11, 2006

Date Printed: April 11, 2006

Client: Weaver Boos **Client Sample ID:** WB-9 (5-6')
Lab Order: 06030767 **Collection Date:** 3/30/2006 1:20:00 PM
Project: 1894300-03, Sterling North Park, Downers Grove, I **Matrix:** Soil
Lab ID: 06030767-019

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Volatile Organic Compounds by GC/MS		SW5035/8260B		Prep Date: 4/1/2006	Analyst: MP
Acetone	0.25	0.077	mg/Kg-dry	1	4/7/2006
Benzene	ND	0.0077	mg/Kg-dry	1	4/7/2006
Bromodichloromethane	ND	0.0077	mg/Kg-dry	1	4/7/2006
Bromoform	ND	0.0077	mg/Kg-dry	1	4/7/2006
Bromomethane	ND	0.015	mg/Kg-dry	1	4/7/2006
2-Butanone	0.03	0.015	mg/Kg-dry	1	4/7/2006
Carbon disulfide	ND	0.0077	mg/Kg-dry	1	4/7/2006
Carbon tetrachloride	ND	0.0077	mg/Kg-dry	1	4/7/2006
Chlorobenzene	ND	0.0077	mg/Kg-dry	1	4/7/2006
Dibromochloromethane	ND	0.0077	mg/Kg-dry	1	4/7/2006
Chloroethane	ND	0.015	mg/Kg-dry	1	4/7/2006
Chloroform	ND	0.0077	mg/Kg-dry	1	4/7/2006
Chloromethane	ND	0.015	mg/Kg-dry	1	4/7/2006
1,1-Dichloroethane	ND	0.0077	mg/Kg-dry	1	4/7/2006
1,2-Dichloroethane	ND	0.0077	mg/Kg-dry	1	4/7/2006
1,1-Dichloroethene	ND	0.0077	mg/Kg-dry	1	4/7/2006
cis-1,2-Dichloroethene	ND	0.0077	mg/Kg-dry	1	4/7/2006
trans-1,2-Dichloroethene	ND	0.0077	mg/Kg-dry	1	4/7/2006
1,2-Dichloropropane	ND	0.0077	mg/Kg-dry	1	4/7/2006
cis-1,3-Dichloropropene	ND	0.0077	mg/Kg-dry	1	4/7/2006
trans-1,3-Dichloropropene	ND	0.0077	mg/Kg-dry	1	4/7/2006
Ethylbenzene	ND	0.0077	mg/Kg-dry	1	4/7/2006
2-Hexanone	ND	0.015	mg/Kg-dry	1	4/7/2006
4-Methyl-2-pentanone	ND	0.015	mg/Kg-dry	1	4/7/2006
Methylene chloride	ND	0.015	mg/Kg-dry	1	4/7/2006
Methyl tert-butyl ether	ND	0.0077	mg/Kg-dry	1	4/7/2006
Styrene	ND	0.0077	mg/Kg-dry	1	4/7/2006
1,1,2,2-Tetrachloroethane	ND	0.0077	mg/Kg-dry	1	4/7/2006
Tetrachloroethene	ND	0.0077	mg/Kg-dry	1	4/7/2006
Toluene	ND	0.0077	mg/Kg-dry	1	4/7/2006
1,1,1-Trichloroethane	ND	0.0077	mg/Kg-dry	1	4/7/2006
1,1,2-Trichloroethane	ND	0.0077	mg/Kg-dry	1	4/7/2006
Trichloroethene	ND	0.0077	mg/Kg-dry	1	4/7/2006
Vinyl chloride	ND	0.0077	mg/Kg-dry	1	4/7/2006
Xylenes, Total	ND	0.023	mg/Kg-dry	1	4/7/2006

Percent Moisture	D2974	Prep Date: 4/7/2006	Analyst: ICD	
Percent Moisture	24.7	0.01	* wt% 1	4/10/2006

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 11, 2006

Date Printed: April 11, 2006

Client: Weaver Boos
Lab Order: 06030767
Project: 1894300-03, Sterling North Park, Downers Grove, I
Lab ID: 06030767-020

Client Sample ID: WB-9 (25')
Collection Date: 3/30/2006 1:25:00 PM
Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
		SW5035/8260B			Prep Date: 4/1/2006	Analyst: MP
Acetone	0.21	0.053		mg/Kg-dry	1	4/7/2006
Benzene	ND	0.0053		mg/Kg-dry	1	4/7/2006
Bromodichloromethane	ND	0.0053		mg/Kg-dry	1	4/7/2006
Bromoform	ND	0.0053		mg/Kg-dry	1	4/7/2006
Bromomethane	ND	0.011		mg/Kg-dry	1	4/7/2006
2-Butanone	ND	0.011		mg/Kg-dry	1	4/7/2006
Carbon disulfide	ND	0.0053		mg/Kg-dry	1	4/7/2006
Carbon tetrachloride	ND	0.0053		mg/Kg-dry	1	4/7/2006
Chlorobenzene	ND	0.0053		mg/Kg-dry	1	4/7/2006
Dibromochloromethane	ND	0.0053		mg/Kg-dry	1	4/7/2006
Chloroethane	ND	0.011		mg/Kg-dry	1	4/7/2006
Chloroform	ND	0.0053		mg/Kg-dry	1	4/7/2006
Chloromethane	ND	0.011		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethane	ND	0.0053		mg/Kg-dry	1	4/7/2006
1,2-Dichloroethane	ND	0.0053		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethene	ND	0.0053		mg/Kg-dry	1	4/7/2006
cis-1,2-Dichloroethene	ND	0.0053		mg/Kg-dry	1	4/7/2006
trans-1,2-Dichloroethene	ND	0.0053		mg/Kg-dry	1	4/7/2006
1,2-Dichloropropane	ND	0.0053		mg/Kg-dry	1	4/7/2006
cis-1,3-Dichloropropene	ND	0.0053		mg/Kg-dry	1	4/7/2006
trans-1,3-Dichloropropene	ND	0.0053		mg/Kg-dry	1	4/7/2006
Ethylbenzene	ND	0.0053		mg/Kg-dry	1	4/7/2006
2-Hexanone	ND	0.011		mg/Kg-dry	1	4/7/2006
4-Methyl-2-pentanone	ND	0.011		mg/Kg-dry	1	4/7/2006
Methylene chloride	ND	0.011		mg/Kg-dry	1	4/7/2006
Methyl tert-butyl ether	ND	0.0053		mg/Kg-dry	1	4/7/2006
Styrene	ND	0.0053		mg/Kg-dry	1	4/7/2006
1,1,2,2-Tetrachloroethane	ND	0.0053		mg/Kg-dry	1	4/7/2006
Tetrachloroethene	ND	0.0053		mg/Kg-dry	1	4/7/2006
Toluene	ND	0.0053		mg/Kg-dry	1	4/7/2006
1,1,1-Trichloroethane	ND	0.0053		mg/Kg-dry	1	4/7/2006
1,1,2-Trichloroethane	ND	0.0053		mg/Kg-dry	1	4/7/2006
Trichloroethene	ND	0.0053		mg/Kg-dry	1	4/7/2006
Vinyl chloride	ND	0.0053		mg/Kg-dry	1	4/7/2006
Xylenes, Total	ND	0.016		mg/Kg-dry	1	4/7/2006
Percent Moisture						
Percent Moisture	D2974			Prep Date: 4/7/2006	Analyst: ICD	
	9.51	0.01	*	wt%	1	4/10/2006

ND - Not Detected at the Reporting Limit

RL - Reporting / Quantitation Limit for the analysis

Qualifiers: J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

HT - Sample received past holding time

E - Value above quantitation range

* - Non-accredited parameter

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 11, 2006**Date Printed:** April 11, 2006

Client: Weaver Boos
Lab Order: 06030767
Project: 1894300-03, Sterling North Park, Downers Grove, I
Lab ID: 06030767-021

Client Sample ID: WB-9**Collection Date:** 3/30/2006 1:35:00 PM**Matrix:** Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
		SW8260B (SW5030B)		Prep Date:		Analyst: PS
Acetone	ND	0.01		mg/L	1	4/4/2006
Benzene	ND	0.005		mg/L	1	4/4/2006
Bromodichloromethane	ND	0.005		mg/L	1	4/4/2006
Bromoform	ND	0.005		mg/L	1	4/4/2006
Bromomethane	ND	0.01		mg/L	1	4/4/2006
2-Butanone	ND	0.01		mg/L	1	4/4/2006
Carbon disulfide	ND	0.005		mg/L	1	4/4/2006
Carbon tetrachloride	ND	0.005		mg/L	1	4/4/2006
Chlorobenzene	ND	0.005		mg/L	1	4/4/2006
Dibromochloromethane	ND	0.005		mg/L	1	4/4/2006
Chloroethane	ND	0.01		mg/L	1	4/4/2006
Chloroform	ND	0.005		mg/L	1	4/4/2006
Chloromethane	ND	0.01		mg/L	1	4/4/2006
1,1-Dichloroethane	ND	0.005		mg/L	1	4/4/2006
1,2-Dichloroethane	ND	0.005		mg/L	1	4/4/2006
1,1-Dichloroethene	ND	0.005		mg/L	1	4/4/2006
cis-1,2-Dichloroethene	ND	0.005		mg/L	1	4/4/2006
trans-1,2-Dichloroethene	ND	0.005		mg/L	1	4/4/2006
1,2-Dichloropropane	ND	0.005		mg/L	1	4/4/2006
cis-1,3-Dichloropropene	ND	0.001		mg/L	1	4/4/2006
trans-1,3-Dichloropropene	ND	0.001		mg/L	1	4/4/2006
Ethylbenzene	ND	0.005		mg/L	1	4/4/2006
2-Hexanone	ND	0.01		mg/L	1	4/4/2006
4-Methyl-2-pentanone	ND	0.01		mg/L	1	4/4/2006
Methylene chloride	ND	0.005		mg/L	1	4/4/2006
Methyl tert-butyl ether	ND	0.005		mg/L	1	4/4/2006
Styrene	ND	0.005		mg/L	1	4/4/2006
1,1,2,2-Tetrachloroethane	ND	0.005		mg/L	1	4/4/2006
Tetrachloroethene	ND	0.005		mg/L	1	4/4/2006
Toluene	ND	0.005		mg/L	1	4/4/2006
1,1,1-Trichloroethane	ND	0.005		mg/L	1	4/4/2006
1,1,2-Trichloroethane	ND	0.005		mg/L	1	4/4/2006
Trichloroethene	ND	0.005		mg/L	1	4/4/2006
Vinyl chloride	ND	0.002		mg/L	1	4/4/2006
Xylenes, Total	ND	0.015		mg/L	1	4/4/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 11, 2006

Date Printed: April 11, 2006

Client: Weaver Boos **Client Sample ID:** WB-11 (5-6')
Lab Order: 06030767 **Collection Date:** 3/30/2006 2:15:00 PM
Project: 1894300-03, Sterling North Park, Downers Grove, I **Matrix:** Soil
Lab ID: 06030767-022

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Volatile Organic Compounds by GC/MS		SW5035/8260B		Prep Date: 4/1/2006	Analyst: MP
Acetone	0.16	0.069	mg/Kg-dry	1	4/8/2006
Benzene	ND	0.0069	mg/Kg-dry	1	4/8/2006
Bromodichloromethane	ND	0.0069	mg/Kg-dry	1	4/8/2006
Bromoform	ND	0.0069	mg/Kg-dry	1	4/8/2006
Bromomethane	ND	0.014	mg/Kg-dry	1	4/8/2006
2-Butanone	ND	0.014	mg/Kg-dry	1	4/8/2006
Carbon disulfide	ND	0.0069	mg/Kg-dry	1	4/8/2006
Carbon tetrachloride	ND	0.0069	mg/Kg-dry	1	4/8/2006
Chlorobenzene	ND	0.0069	mg/Kg-dry	1	4/8/2006
Dibromochloromethane	ND	0.0069	mg/Kg-dry	1	4/8/2006
Chloroethane	ND	0.014	mg/Kg-dry	1	4/8/2006
Chloroform	ND	0.0069	mg/Kg-dry	1	4/8/2006
Chloromethane	ND	0.014	mg/Kg-dry	1	4/8/2006
1,1-Dichloroethane	ND	0.0069	mg/Kg-dry	1	4/8/2006
1,2-Dichloroethane	ND	0.0069	mg/Kg-dry	1	4/8/2006
1,1-Dichloroethene	ND	0.0069	mg/Kg-dry	1	4/8/2006
cis-1,2-Dichloroethene	ND	0.0069	mg/Kg-dry	1	4/8/2006
trans-1,2-Dichloroethene	ND	0.0069	mg/Kg-dry	1	4/8/2006
1,2-Dichloropropane	ND	0.0069	mg/Kg-dry	1	4/8/2006
cis-1,3-Dichloropropene	ND	0.0069	mg/Kg-dry	1	4/8/2006
trans-1,3-Dichloropropene	ND	0.0069	mg/Kg-dry	1	4/8/2006
Ethylbenzene	ND	0.0069	mg/Kg-dry	1	4/8/2006
2-Hexanone	ND	0.014	mg/Kg-dry	1	4/8/2006
4-Methyl-2-pentanone	ND	0.014	mg/Kg-dry	1	4/8/2006
Methylene chloride	ND	0.014	mg/Kg-dry	1	4/8/2006
Methyl tert-butyl ether	ND	0.0069	mg/Kg-dry	1	4/8/2006
Styrene	ND	0.0069	mg/Kg-dry	1	4/8/2006
1,1,2,2-Tetrachloroethane	ND	0.0069	mg/Kg-dry	1	4/8/2006
Tetrachloroethene	ND	0.0069	mg/Kg-dry	1	4/8/2006
Toluene	ND	0.0069	mg/Kg-dry	1	4/8/2006
1,1,1-Trichloroethane	ND	0.0069	mg/Kg-dry	1	4/8/2006
1,1,2-Trichloroethane	ND	0.0069	mg/Kg-dry	1	4/8/2006
Trichloroethene	ND	0.0069	mg/Kg-dry	1	4/8/2006
Vinyl chloride	ND	0.0069	mg/Kg-dry	1	4/8/2006
Xylenes, Total	ND	0.021	mg/Kg-dry	1	4/8/2006

Percent Moisture	D2974	Prep Date: 4/7/2006	Analyst: ICD	
Percent Moisture	34.2	0.01	* wt% 1	4/10/2006

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 11, 2006

Date Printed: April 11, 2006

Client: Weaver Boos
Lab Order: 06030767
Project: 1894300-03, Sterling North Park, Downers Grove, I
Lab ID: 06030767-023

Client Sample ID: WB-11 (20')
Collection Date: 3/30/2006 2:20:00 PM
Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
		SW5035/8260B			Prep Date: 4/1/2006	Analyst: MP
Acetone	0.089	0.067		mg/Kg-dry	1	4/8/2006
Benzene	ND	0.0067		mg/Kg-dry	1	4/8/2006
Bromodichloromethane	ND	0.0067		mg/Kg-dry	1	4/8/2006
Bromoform	ND	0.0067		mg/Kg-dry	1	4/8/2006
Bromomethane	ND	0.013		mg/Kg-dry	1	4/8/2006
2-Butanone	ND	0.013		mg/Kg-dry	1	4/8/2006
Carbon disulfide	ND	0.0067		mg/Kg-dry	1	4/8/2006
Carbon tetrachloride	ND	0.0067		mg/Kg-dry	1	4/8/2006
Chlorobenzene	ND	0.0067		mg/Kg-dry	1	4/8/2006
Dibromochloromethane	ND	0.0067		mg/Kg-dry	1	4/8/2006
Chloroethane	ND	0.013		mg/Kg-dry	1	4/8/2006
Chloroform	ND	0.0067		mg/Kg-dry	1	4/8/2006
Chloromethane	ND	0.013		mg/Kg-dry	1	4/8/2006
1,1-Dichloroethane	ND	0.0067		mg/Kg-dry	1	4/8/2006
1,2-Dichloroethane	ND	0.0067		mg/Kg-dry	1	4/8/2006
1,1-Dichloroethene	ND	0.0067		mg/Kg-dry	1	4/8/2006
cis-1,2-Dichloroethene	ND	0.0067		mg/Kg-dry	1	4/8/2006
trans-1,2-Dichloroethene	ND	0.0067		mg/Kg-dry	1	4/8/2006
1,2-Dichloropropane	ND	0.0067		mg/Kg-dry	1	4/8/2006
cis-1,3-Dichloropropene	ND	0.0067		mg/Kg-dry	1	4/8/2006
trans-1,3-Dichloropropene	ND	0.0067		mg/Kg-dry	1	4/8/2006
Ethylbenzene	ND	0.0067		mg/Kg-dry	1	4/8/2006
2-Hexanone	ND	0.013		mg/Kg-dry	1	4/8/2006
4-Methyl-2-pentanone	ND	0.013		mg/Kg-dry	1	4/8/2006
Methylene chloride	ND	0.013		mg/Kg-dry	1	4/8/2006
Methyl tert-butyl ether	ND	0.0067		mg/Kg-dry	1	4/8/2006
Styrene	ND	0.0067		mg/Kg-dry	1	4/8/2006
1,1,2,2-Tetrachloroethane	ND	0.0067		mg/Kg-dry	1	4/8/2006
Tetrachloroethene	ND	0.0067		mg/Kg-dry	1	4/8/2006
Toluene	ND	0.0067		mg/Kg-dry	1	4/8/2006
1,1,1-Trichloroethane	ND	0.0067		mg/Kg-dry	1	4/8/2006
1,1,2-Trichloroethane	ND	0.0067		mg/Kg-dry	1	4/8/2006
Trichloroethene	ND	0.0067		mg/Kg-dry	1	4/8/2006
Vinyl chloride	ND	0.0067		mg/Kg-dry	1	4/8/2006
Xylenes, Total	ND	0.02		mg/Kg-dry	1	4/8/2006
Percent Moisture						
Percent Moisture	D2974			Prep Date: 4/7/2006	Analyst: ICD	
		10.7	0.01	*	wt%	4/10/2006

ND - Not Detected at the Reporting Limit

RL - Reporting / Quantitation Limit for the analysis

Qualifiers: J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

HT - Sample received past holding time

E - Value above quantitation range

* - Non-accredited parameter

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 11, 2006**Date Printed:** April 11, 2006

Client: Weaver Boos
Lab Order: 06030767
Project: 1894300-03, Sterling North Park, Downers Grove, I
Lab ID: 06030767-024

Client Sample ID: WB-11**Collection Date:** 3/30/2006 2:25:00 PM**Matrix:** Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
		SW8260B (SW5030B)		Prep Date:		Analyst: PS
Acetone	0.019	0.01		mg/L	1	4/4/2006
Benzene	ND	0.005		mg/L	1	4/4/2006
Bromodichloromethane	ND	0.005		mg/L	1	4/4/2006
Bromoform	ND	0.005		mg/L	1	4/4/2006
Bromomethane	ND	0.01		mg/L	1	4/4/2006
2-Butanone	ND	0.01		mg/L	1	4/4/2006
Carbon disulfide	ND	0.005		mg/L	1	4/4/2006
Carbon tetrachloride	ND	0.005		mg/L	1	4/4/2006
Chlorobenzene	ND	0.005		mg/L	1	4/4/2006
Dibromochloromethane	ND	0.005		mg/L	1	4/4/2006
Chloroethane	ND	0.01		mg/L	1	4/4/2006
Chloroform	ND	0.005		mg/L	1	4/4/2006
Chloromethane	ND	0.01		mg/L	1	4/4/2006
1,1-Dichloroethane	ND	0.005		mg/L	1	4/4/2006
1,2-Dichloroethane	ND	0.005		mg/L	1	4/4/2006
1,1-Dichloroethene	ND	0.005		mg/L	1	4/4/2006
cis-1,2-Dichloroethene	0.0056	0.005		mg/L	1	4/4/2006
trans-1,2-Dichloroethene	ND	0.005		mg/L	1	4/4/2006
1,2-Dichloropropane	ND	0.005		mg/L	1	4/4/2006
cis-1,3-Dichloropropene	ND	0.001		mg/L	1	4/4/2006
trans-1,3-Dichloropropene	ND	0.001		mg/L	1	4/4/2006
Ethylbenzene	ND	0.005		mg/L	1	4/4/2006
2-Hexanone	ND	0.01		mg/L	1	4/4/2006
4-Methyl-2-pentanone	ND	0.01		mg/L	1	4/4/2006
Methylene chloride	ND	0.005		mg/L	1	4/4/2006
Methyl tert-butyl ether	ND	0.005		mg/L	1	4/4/2006
Styrene	ND	0.005		mg/L	1	4/4/2006
1,1,2,2-Tetrachloroethane	ND	0.005		mg/L	1	4/4/2006
Tetrachloroethene	ND	0.005		mg/L	1	4/4/2006
Toluene	ND	0.005		mg/L	1	4/4/2006
1,1,1-Trichloroethane	ND	0.005		mg/L	1	4/4/2006
1,1,2-Trichloroethane	ND	0.005		mg/L	1	4/4/2006
Trichloroethene	0.047	0.005		mg/L	1	4/4/2006
Vinyl chloride	ND	0.002		mg/L	1	4/4/2006
Xylenes, Total	ND	0.015		mg/L	1	4/4/2006

ND - Not Detected at the Reporting Limit

RL - Reporting / Quantitation Limit for the analysis

Qualifiers: J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

HT - Sample received past holding time

E - Value above quantitation range

* - Non-accredited parameter

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 11, 2006

Date Printed: April 11, 2006

Client: Weaver Boos
Lab Order: 06030767
Project: 1894300-03, Sterling North Park, Downers Grove, I
Lab ID: 06030767-025

Client Sample ID: WB-7 (5-7')
Collection Date: 3/30/2006 3:20:00 PM
Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
		SW5035/8260B			Prep Date: 4/1/2006	Analyst: PS
Acetone	0.22	0.077		mg/Kg-dry	1	4/9/2006
Benzene	ND	0.0077		mg/Kg-dry	1	4/9/2006
Bromodichloromethane	ND	0.0077		mg/Kg-dry	1	4/9/2006
Bromoform	ND	0.0077		mg/Kg-dry	1	4/9/2006
Bromomethane	ND	0.015		mg/Kg-dry	1	4/9/2006
2-Butanone	ND	0.015		mg/Kg-dry	1	4/9/2006
Carbon disulfide	ND	0.0077		mg/Kg-dry	1	4/9/2006
Carbon tetrachloride	ND	0.0077		mg/Kg-dry	1	4/9/2006
Chlorobenzene	ND	0.0077		mg/Kg-dry	1	4/9/2006
Dibromochloromethane	ND	0.0077		mg/Kg-dry	1	4/9/2006
Chloroethane	ND	0.015		mg/Kg-dry	1	4/9/2006
Chloroform	ND	0.0077		mg/Kg-dry	1	4/9/2006
Chloromethane	ND	0.015		mg/Kg-dry	1	4/9/2006
1,1-Dichloroethane	ND	0.0077		mg/Kg-dry	1	4/9/2006
1,2-Dichloroethane	ND	0.0077		mg/Kg-dry	1	4/9/2006
1,1-Dichloroethene	ND	0.0077		mg/Kg-dry	1	4/9/2006
cis-1,2-Dichloroethene	ND	0.0077		mg/Kg-dry	1	4/9/2006
trans-1,2-Dichloroethene	ND	0.0077		mg/Kg-dry	1	4/9/2006
1,2-Dichloropropane	ND	0.0077		mg/Kg-dry	1	4/9/2006
cis-1,3-Dichloropropene	ND	0.0077		mg/Kg-dry	1	4/9/2006
trans-1,3-Dichloropropene	ND	0.0077		mg/Kg-dry	1	4/9/2006
Ethylbenzene	ND	0.0077		mg/Kg-dry	1	4/9/2006
2-Hexanone	ND	0.015		mg/Kg-dry	1	4/9/2006
4-Methyl-2-pentanone	ND	0.015		mg/Kg-dry	1	4/9/2006
Methylene chloride	ND	0.015		mg/Kg-dry	1	4/9/2006
Methyl tert-butyl ether	ND	0.0077		mg/Kg-dry	1	4/9/2006
Styrene	ND	0.0077		mg/Kg-dry	1	4/9/2006
1,1,2,2-Tetrachloroethane	ND	0.0077		mg/Kg-dry	1	4/9/2006
Tetrachloroethene	ND	0.0077		mg/Kg-dry	1	4/9/2006
Toluene	ND	0.0077		mg/Kg-dry	1	4/9/2006
1,1,1-Trichloroethane	ND	0.0077		mg/Kg-dry	1	4/9/2006
1,1,2-Trichloroethane	ND	0.0077		mg/Kg-dry	1	4/9/2006
Trichloroethene	ND	0.0077		mg/Kg-dry	1	4/9/2006
Vinyl chloride	ND	0.0077		mg/Kg-dry	1	4/9/2006
Xylenes, Total	ND	0.023		mg/Kg-dry	1	4/9/2006
Percent Moisture						
Percent Moisture	D2974			Prep Date: 4/7/2006	Analyst: ICD	
		14.8	0.01	*	wt%	4/10/2006

ND - Not Detected at the Reporting Limit

RL - Reporting / Quantitation Limit for the analysis

Qualifiers: J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

HT - Sample received past holding time

E - Value above quantitation range

* - Non-accredited parameter

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 11, 2006

Date Printed: April 11, 2006

Client: Weaver Boos
Lab Order: 06030767
Project: 1894300-03, Sterling North Park, Downers Grove, I
Lab ID: 06030767-026

Client Sample ID: WB-7 (25')
Collection Date: 3/30/2006 3:25:00 PM
Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
		SW5035/8260B			Prep Date: 4/1/2006	Analyst: PS
Acetone	0.14	0.046		mg/Kg-dry	1	4/9/2006
Benzene	ND	0.0046		mg/Kg-dry	1	4/9/2006
Bromodichloromethane	ND	0.0046		mg/Kg-dry	1	4/9/2006
Bromoform	ND	0.0046		mg/Kg-dry	1	4/9/2006
Bromomethane	ND	0.0093		mg/Kg-dry	1	4/9/2006
2-Butanone	ND	0.0093		mg/Kg-dry	1	4/9/2006
Carbon disulfide	ND	0.0046		mg/Kg-dry	1	4/9/2006
Carbon tetrachloride	ND	0.0046		mg/Kg-dry	1	4/9/2006
Chlorobenzene	ND	0.0046		mg/Kg-dry	1	4/9/2006
Dibromochloromethane	ND	0.0046		mg/Kg-dry	1	4/9/2006
Chloroethane	ND	0.0093		mg/Kg-dry	1	4/9/2006
Chloroform	ND	0.0046		mg/Kg-dry	1	4/9/2006
Chloromethane	ND	0.0093		mg/Kg-dry	1	4/9/2006
1,1-Dichloroethane	ND	0.0046		mg/Kg-dry	1	4/9/2006
1,2-Dichloroethane	ND	0.0046		mg/Kg-dry	1	4/9/2006
1,1-Dichloroethene	ND	0.0046		mg/Kg-dry	1	4/9/2006
cis-1,2-Dichloroethene	ND	0.0046		mg/Kg-dry	1	4/9/2006
trans-1,2-Dichloroethene	ND	0.0046		mg/Kg-dry	1	4/9/2006
1,2-Dichloropropane	ND	0.0046		mg/Kg-dry	1	4/9/2006
cis-1,3-Dichloropropene	ND	0.0046		mg/Kg-dry	1	4/9/2006
trans-1,3-Dichloropropene	ND	0.0046		mg/Kg-dry	1	4/9/2006
Ethylbenzene	ND	0.0046		mg/Kg-dry	1	4/9/2006
2-Hexanone	ND	0.0093		mg/Kg-dry	1	4/9/2006
4-Methyl-2-pentanone	ND	0.0093		mg/Kg-dry	1	4/9/2006
Methylene chloride	ND	0.0093		mg/Kg-dry	1	4/9/2006
Methyl tert-butyl ether	ND	0.0046		mg/Kg-dry	1	4/9/2006
Styrene	ND	0.0046		mg/Kg-dry	1	4/9/2006
1,1,2,2-Tetrachloroethane	ND	0.0046		mg/Kg-dry	1	4/9/2006
Tetrachloroethene	ND	0.0046		mg/Kg-dry	1	4/9/2006
Toluene	ND	0.0046		mg/Kg-dry	1	4/9/2006
1,1,1-Trichloroethane	ND	0.0046		mg/Kg-dry	1	4/9/2006
1,1,2-Trichloroethane	ND	0.0046		mg/Kg-dry	1	4/9/2006
Trichloroethene	ND	0.0046		mg/Kg-dry	1	4/9/2006
Vinyl chloride	ND	0.0046		mg/Kg-dry	1	4/9/2006
Xylenes, Total	ND	0.014		mg/Kg-dry	1	4/9/2006
Percent Moisture						
Percent Moisture	D2974			Prep Date: 4/7/2006	Analyst: ICD	
		11.2	0.01	*	wt%	4/10/2006

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 11, 2006

Date Printed: April 11, 2006

Client: Weaver Boos **Client Sample ID:** WB-5 (5-7')
Lab Order: 06030767 **Collection Date:** 3/30/2006 4:00:00 PM
Project: 1894300-03, Sterling North Park, Downers Grove, I **Matrix:** Soil
Lab ID: 06030767-027

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
		SW5035/8260B			Prep Date: 4/1/2006	Analyst: PS
Acetone	0.24	0.055		mg/Kg-dry	1	4/9/2006
Benzene	ND	0.0055		mg/Kg-dry	1	4/9/2006
Bromodichloromethane	ND	0.0055		mg/Kg-dry	1	4/9/2006
Bromoform	ND	0.0055		mg/Kg-dry	1	4/9/2006
Bromomethane	ND	0.011		mg/Kg-dry	1	4/9/2006
2-Butanone	ND	0.011		mg/Kg-dry	1	4/9/2006
Carbon disulfide	ND	0.0055		mg/Kg-dry	1	4/9/2006
Carbon tetrachloride	ND	0.0055		mg/Kg-dry	1	4/9/2006
Chlorobenzene	ND	0.0055		mg/Kg-dry	1	4/9/2006
Dibromochloromethane	ND	0.0055		mg/Kg-dry	1	4/9/2006
Chloroethane	ND	0.011		mg/Kg-dry	1	4/9/2006
Chloroform	ND	0.0055		mg/Kg-dry	1	4/9/2006
Chloromethane	ND	0.011		mg/Kg-dry	1	4/9/2006
1,1-Dichloroethane	ND	0.0055		mg/Kg-dry	1	4/9/2006
1,2-Dichloroethane	ND	0.0055		mg/Kg-dry	1	4/9/2006
1,1-Dichloroethene	ND	0.0055		mg/Kg-dry	1	4/9/2006
cis-1,2-Dichloroethene	ND	0.0055		mg/Kg-dry	1	4/9/2006
trans-1,2-Dichloroethene	ND	0.0055		mg/Kg-dry	1	4/9/2006
1,2-Dichloropropane	ND	0.0055		mg/Kg-dry	1	4/9/2006
cis-1,3-Dichloropropene	ND	0.0055		mg/Kg-dry	1	4/9/2006
trans-1,3-Dichloropropene	ND	0.0055		mg/Kg-dry	1	4/9/2006
Ethylbenzene	ND	0.0055		mg/Kg-dry	1	4/9/2006
2-Hexanone	ND	0.011		mg/Kg-dry	1	4/9/2006
4-Methyl-2-pentanone	ND	0.011		mg/Kg-dry	1	4/9/2006
Methylene chloride	ND	0.011		mg/Kg-dry	1	4/9/2006
Methyl tert-butyl ether	ND	0.0055		mg/Kg-dry	1	4/9/2006
Styrene	ND	0.0055		mg/Kg-dry	1	4/9/2006
1,1,2,2-Tetrachloroethane	ND	0.0055		mg/Kg-dry	1	4/9/2006
Tetrachloroethene	ND	0.0055		mg/Kg-dry	1	4/9/2006
Toluene	ND	0.0055		mg/Kg-dry	1	4/9/2006
1,1,1-Trichloroethane	ND	0.0055		mg/Kg-dry	1	4/9/2006
1,1,2-Trichloroethane	ND	0.0055		mg/Kg-dry	1	4/9/2006
Trichloroethene	ND	0.0055		mg/Kg-dry	1	4/9/2006
Vinyl chloride	ND	0.0055		mg/Kg-dry	1	4/9/2006
Xylenes, Total	ND	0.017		mg/Kg-dry	1	4/9/2006
Percent Moisture						
Percent Moisture	D2974			Prep Date: 4/7/2006	Analyst: ICD	
		19.6	0.01	*	wt%	4/10/2006

ND - Not Detected at the Reporting Limit

RL - Reporting / Quantitation Limit for the analysis

Qualifiers: J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

HT - Sample received past holding time

E - Value above quantitation range

* - Non-accredited parameter

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 11, 2006

Date Printed: April 11, 2006

Client: Weaver Boos
Lab Order: 06030767
Project: 1894300-03, Sterling North Park, Downers Grove, I
Lab ID: 06030767-028

Client Sample ID: WB-5 (25')
Collection Date: 3/30/2006 4:05:00 PM
Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
		SW5035/8260B			Prep Date: 4/1/2006	Analyst: PS
Acetone	0.11	0.061		mg/Kg-dry	1	4/9/2006
Benzene	ND	0.0061		mg/Kg-dry	1	4/9/2006
Bromodichloromethane	ND	0.0061		mg/Kg-dry	1	4/9/2006
Bromoform	ND	0.0061		mg/Kg-dry	1	4/9/2006
Bromomethane	ND	0.012		mg/Kg-dry	1	4/9/2006
2-Butanone	ND	0.012		mg/Kg-dry	1	4/9/2006
Carbon disulfide	ND	0.0061		mg/Kg-dry	1	4/9/2006
Carbon tetrachloride	ND	0.0061		mg/Kg-dry	1	4/9/2006
Chlorobenzene	ND	0.0061		mg/Kg-dry	1	4/9/2006
Dibromochloromethane	ND	0.0061		mg/Kg-dry	1	4/9/2006
Chloroethane	ND	0.012		mg/Kg-dry	1	4/9/2006
Chloroform	ND	0.0061		mg/Kg-dry	1	4/9/2006
Chloromethane	ND	0.012		mg/Kg-dry	1	4/9/2006
1,1-Dichloroethane	ND	0.0061		mg/Kg-dry	1	4/9/2006
1,2-Dichloroethane	ND	0.0061		mg/Kg-dry	1	4/9/2006
1,1-Dichloroethene	ND	0.0061		mg/Kg-dry	1	4/9/2006
cis-1,2-Dichloroethene	ND	0.0061		mg/Kg-dry	1	4/9/2006
trans-1,2-Dichloroethene	ND	0.0061		mg/Kg-dry	1	4/9/2006
1,2-Dichloropropane	ND	0.0061		mg/Kg-dry	1	4/9/2006
cis-1,3-Dichloropropene	ND	0.0061		mg/Kg-dry	1	4/9/2006
trans-1,3-Dichloropropene	ND	0.0061		mg/Kg-dry	1	4/9/2006
Ethylbenzene	ND	0.0061		mg/Kg-dry	1	4/9/2006
2-Hexanone	ND	0.012		mg/Kg-dry	1	4/9/2006
4-Methyl-2-pentanone	ND	0.012		mg/Kg-dry	1	4/9/2006
Methylene chloride	ND	0.012		mg/Kg-dry	1	4/9/2006
Methyl tert-butyl ether	ND	0.0061		mg/Kg-dry	1	4/9/2006
Styrene	ND	0.0061		mg/Kg-dry	1	4/9/2006
1,1,2,2-Tetrachloroethane	ND	0.0061		mg/Kg-dry	1	4/9/2006
Tetrachloroethene	ND	0.0061		mg/Kg-dry	1	4/9/2006
Toluene	ND	0.0061		mg/Kg-dry	1	4/9/2006
1,1,1-Trichloroethane	ND	0.0061		mg/Kg-dry	1	4/9/2006
1,1,2-Trichloroethane	ND	0.0061		mg/Kg-dry	1	4/9/2006
Trichloroethene	ND	0.0061		mg/Kg-dry	1	4/9/2006
Vinyl chloride	ND	0.0061		mg/Kg-dry	1	4/9/2006
Xylenes, Total	ND	0.018		mg/Kg-dry	1	4/9/2006
Percent Moisture						
Percent Moisture	D2974				Prep Date: 4/7/2006	Analyst: ICD
		10.8	0.01	*	wt%	1
						4/10/2006

ND - Not Detected at the Reporting Limit

RL - Reporting / Quantitation Limit for the analysis

Qualifiers: J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

HT - Sample received past holding time

E - Value above quantitation range

* - Non-accredited parameter

H - Holding time exceeded

STAT Analysis Corporation

2255 W. Harrison Suite B, Chicago, Illinois 60612 Phone: (312) 733-0551 Fax: (312) 733-2386
e-mail address: STATinfo@STATAnalysis.com

CHAIN OF CUSTODY RECORD										Nº: 812404	Page: 1 of 2		
Company: <u>Wacker Chemicals</u>				P.O. No.:									
Project Number: 1094300-03				Client Tracking No.:									
Project Name: <u>Jeremy Nevan</u>				Quote No.:									
Project Location: <u>Diamond Mine, IL</u>													
Sampler(s): <u>Jane Vaughan / Ted Slusich</u>													
Report To: <u>Carl Pausel</u>				Phone: (312) 777-4848									
QC Level: 1	2	3	4	Fax: <u>510-777-4848</u>	e-mail: <u>edowers@wackerchemicals.com</u>								
Client Sample Number/Description:	Date Taken	Time Taken	Time Z	Soil	Grav	Gmp	Presrv	No. of Containers	Remarks	Lab No.:	Results Needed:		
WB-1 @ 16'	3/30/04	11:17	Soil	X AF	84	X				04 / 11 / 06 AM/PM			
WB-1 @ 26'	3/30/04	11:25	Soil	X AF	4	X				04 / 11 / 06 AM/PM			
WB-2 @ 10'	3/30/04	12:07	Soil	X AF	4	X				04 / 11 / 06 AM/PM			
WB-2 @ 28'	3/30/04	12:30	Soil	X AF	4	X				04 / 11 / 06 AM/PM			
WB-3 @ 9'	3/30/04	2:15	Soil	X AF	4	X				04 / 11 / 06 AM/PM			
WB-3 @ 28'	3/30/04	2:20	Soil	X AF	4	X				04 / 11 / 06 AM/PM			
WB-4 @ 30'	3/30/04	3:45	Soil	X AF	4	X				04 / 11 / 06 AM/PM			
WB-4 @ 5'	3/30/04	9:20	Soil	X AF	4	X				04 / 11 / 06 AM/PM			
WB-U @ 29'	3/30/04	10:07	Soil	X AF	4	X				04 / 11 / 06 AM/PM			
WB-2	3/30/04	12:36	Gus	X E	2	X				04 / 11 / 06 AM/PM			
WB-3	3/30/04	2:30	Gus	X E	2	X				04 / 11 / 06 AM/PM			
WB-4	3/30/04	4:00	Gus	X E	2	X				04 / 11 / 06 AM/PM			
WB-8 (4-5')	09/30	Soil	X AF	4	X					04 / 11 / 06 AM/PM			
WB-8 (25')	09/30	Soil	X AF	4	X					04 / 11 / 06 AM/PM			
WB-8 (20)	09/30	Gus	X G	2	X					04 / 11 / 06 AM/PM			
WB-10 (4-5')	10/5	Soil	X AF	4	X					04 / 11 / 06 AM/PM			
WB-10 (25')	11/00	Soil	X AF	4	X					04 / 11 / 06 AM/PM			
WB-9 (5-6')	11/15	Soil	X E	2	X					04 / 11 / 06 AM/PM			
WB-9 (25')	12/20	Soil	X AF	4	X					04 / 11 / 06 AM/PM			
WB-9 (25')	12/25	Soil	X AF	4	X					04 / 11 / 06 AM/PM			

Laboratory Work Order No.: 06030707

Received on Ice: Yes No

Temperature: 3 °C

Preservation Code: A = None B = HNO₃ C = NaOH
D = H₂SO₄ E = HCl F = 5035/EnCore G = Other

Date/Time: 3/30/04 10:11 Comments: Results by April 11th 2004

Date/Time: 3/30/04 11:11

STAT Analysis Corporation

Sample Receipt Checklist

Client Name WEAVER BOOS

Date and Time Received: 3/30/2006

Work Order Number 06030767

Received by: JC

Checklist completed by:

Jesus But
Signature

3/30/06
Date

Reviewed by:

JTA
Initials

4/1/06
Date

Matrix

Carrier name Client Delivered

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on shipping container/cooler?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Custody seals intact on sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels/containers?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Container or Temp Blank temperature in compliance?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Temperature 3 °C
Water - VOA vials have zero headspace?	No VOA vials submitted <input type="checkbox"/>	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Water - Samples pH checked?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Checked by:
Water - Samples properly preserved?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	pH Adjusted?

Any No response must be detailed in the comments section below.

Comments: Headspace was present in samples WB-3 (1, 2, and 3 of 3) and WB-11 (1 and 2 of 2).

FOR SAMPLES ON COC WITHOUT A DATE TAKEN, THE DATE TAKEN AS INDICATED ON THE SAMPLE CONTAINERS WAS USED.

Client / Person contacted:

Carl Dames

Date contacted:

4/1/06

Contacted by: *CC*

Response:

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

April 10, 2006

Weaver Boos
70 W. Madison, Suite 4250
Chicago, IL 60602
Telephone: (877) 654-5241
Fax: (312) 922-0201

RE: 1894300-03, Sterling North Park, Downers Grove

STAT Project No: 06030806

Dear Carl Dawes:

STAT Analysis received 10 samples for the referenced project on 3/31/2006. The analytical results are presented in the following report.

All analyses were performed in accordance with the requirements of 35 IAC Part 186 / NELAC standards. Analyses were performed in accordance with methods as referenced on the analytical report. Those analytical results expressed on a dry weight basis are also noted on the analytical report.

All analyses were performed within established holding time criteria, and all Quality Control criteria met EPA or laboratory specifications except when noted in the Case Narrative or Analytical Report. If required, an estimate of uncertainty for the analyses can be provided. A listing of accredited methods/parameters can also be provided.

Thank you for the opportunity to serve you and I look forward to working with you in the future. If you have any questions regarding the enclosed materials, please contact me at (312) 563-0371.

Sincerely,



Jennifer Hass

Project Manager

The information contained in this report and any attachments is confidential information intended only for the use of the individual or entities named above. The results of this report relate only to the samples tested. If you have received this report in error, please notify us immediately by phone. This report shall not be reproduced, except in its entirety, unless written approval has been obtained from the laboratory.

STAT Analysis Corporation

Sample Receipt Checklist

Client Name WEAVER BOOS

Date and Time Received: 3/31/2006

Work Order Number 06030806

Received by: JC

Checklist completed by:

Jesus Cart
Signature
Date 3/31/06

Reviewed by: *JCH*
Initials Date 4/3/06

Matrix

Carrier name Client Delivered

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on shipping container/cooler?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Custody seals intact on sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels/containers?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Container or Temp Blank temperature in compliance?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Temperature 3 °C
Water - VOA vials have zero headspace?	No VOA vials submitted <input type="checkbox"/>	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Water - Samples pH checked?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Checked by: _____
Water - Samples properly preserved?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	pH Adjusted? _____

Any No response must be detailed in the comments section below.

Comments:

Client / Person contacted:

Date contacted:

Contacted by:

Response:

STAT Analysis Corporation**Date:** April 10, 2006

Client: Weaver Boos
Project: 1894300-03, Sterling North Park, Downers Grove
Lab Order: 06030806

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
06030806-001A	WB-16 (5-6')		3/31/2006 8:30:00 AM	3/31/2006
06030806-001B	WB-16 (5-6')		3/31/2006 8:30:00 AM	3/31/2006
06030806-002A	WB-16 (25')		3/31/2006 8:35:00 AM	3/31/2006
06030806-002B	WB-16 (25')		3/31/2006 8:35:00 AM	3/31/2006
06030806-003A	WB-15		3/31/2006 10:00:00 AM	3/31/2006
06030806-003B	WB-15		3/31/2006 10:00:00 AM	3/31/2006
06030806-004A	WB-12 (5-6')		3/31/2006 11:00:00 AM	3/31/2006
06030806-004B	WB-12 (5-6')		3/31/2006 11:00:00 AM	3/31/2006
06030806-005A	WB-12 (25')		3/31/2006 11:05:00 AM	3/31/2006
06030806-005B	WB-12 (25')		3/31/2006 11:05:00 AM	3/31/2006
06030806-006A	WB-13 (5-6')		3/31/2006 12:00:00 PM	3/31/2006
06030806-006B	WB-13 (5-6')		3/31/2006 12:00:00 PM	3/31/2006
06030806-007A	WB-13 (25')		3/31/2006 12:05:00 PM	3/31/2006
06030806-007B	WB-13 (25')		3/31/2006 12:05:00 PM	3/31/2006
06030806-008A	WB-14 (5-6')		3/31/2006 1:00:00 PM	3/31/2006
06030806-008B	WB-14 (5-6')		3/31/2006 1:00:00 PM	3/31/2006
06030806-009A	WB-14 (25')		3/31/2006 1:05:00 PM	3/31/2006
06030806-009B	WB-14 (25')		3/31/2006 1:05:00 PM	3/31/2006
06030806-010A	WB-12		3/31/2006 2:20:00 PM	3/31/2006

CLIENT: Weaver Boos
Project: 1894300-03, Sterling North Park, Downers Grov
Lab Order: 06030806

CASE NARRATIVE

The VOC soil LCS analyzed 04/06/06 had low recovery for 1,1-Dichloroethene (70% recovery, QC Limits 70-130%). The LCSD was in control.

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 10, 2006

Date Printed: April 10, 2006

Client: Weaver Boos **Client Sample ID:** WB-16 (5-6')
Lab Order: 06030806 **Collection Date:** 3/31/2006 8:30:00 AM
Project: 1894300-03, Sterling North Park, Downers Grove **Matrix:** Soil
Lab ID: 06030806-001

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Volatile Organic Compounds by GC/MS		SW5035/8260B		Prep Date: 4/3/2006	Analyst: PS
Acetone	ND	0.049	mg/Kg-dry	1	4/6/2006
Benzene	ND	0.0049	mg/Kg-dry	1	4/6/2006
Bromodichloromethane	ND	0.0049	mg/Kg-dry	1	4/6/2006
Bromoform	ND	0.0049	mg/Kg-dry	1	4/6/2006
Bromomethane	ND	0.0099	mg/Kg-dry	1	4/6/2006
2-Butanone	ND	0.0099	mg/Kg-dry	1	4/6/2006
Carbon disulfide	ND	0.0049	mg/Kg-dry	1	4/6/2006
Carbon tetrachloride	ND	0.0049	mg/Kg-dry	1	4/6/2006
Chlorobenzene	ND	0.0049	mg/Kg-dry	1	4/6/2006
Dibromochloromethane	ND	0.0049	mg/Kg-dry	1	4/6/2006
Chloroethane	ND	0.0099	mg/Kg-dry	1	4/6/2006
Chloroform	ND	0.0049	mg/Kg-dry	1	4/6/2006
Chloromethane	ND	0.0099	mg/Kg-dry	1	4/6/2006
1,1-Dichloroethane	ND	0.0049	mg/Kg-dry	1	4/6/2006
1,2-Dichloroethane	ND	0.0049	mg/Kg-dry	1	4/6/2006
1,1-Dichloroethene	ND	0.0049	mg/Kg-dry	1	4/6/2006
cis-1,2-Dichloroethene	ND	0.0049	mg/Kg-dry	1	4/6/2006
trans-1,2-Dichloroethene	ND	0.0049	mg/Kg-dry	1	4/6/2006
1,2-Dichloropropane	ND	0.0049	mg/Kg-dry	1	4/6/2006
cis-1,3-Dichloropropene	ND	0.0049	mg/Kg-dry	1	4/6/2006
trans-1,3-Dichloropropene	ND	0.0049	mg/Kg-dry	1	4/6/2006
Ethylbenzene	ND	0.0049	mg/Kg-dry	1	4/6/2006
2-Hexanone	ND	0.0099	mg/Kg-dry	1	4/6/2006
4-Methyl-2-pentanone	ND	0.0099	mg/Kg-dry	1	4/6/2006
Methylene chloride	ND	0.0099	mg/Kg-dry	1	4/6/2006
Methyl tert-butyl ether	ND	0.0049	mg/Kg-dry	1	4/6/2006
Styrene	ND	0.0049	mg/Kg-dry	1	4/6/2006
1,1,2,2-Tetrachloroethane	ND	0.0049	mg/Kg-dry	1	4/6/2006
Tetrachloroethene	ND	0.0049	mg/Kg-dry	1	4/6/2006
Toluene	ND	0.0049	mg/Kg-dry	1	4/6/2006
1,1,1-Trichloroethane	ND	0.0049	mg/Kg-dry	1	4/6/2006
1,1,2-Trichloroethane	ND	0.0049	mg/Kg-dry	1	4/6/2006
Trichloroethene	ND	0.0049	mg/Kg-dry	1	4/6/2006
Vinyl chloride	ND	0.0049	mg/Kg-dry	1	4/6/2006
Xylenes, Total	ND	0.015	mg/Kg-dry	1	4/6/2006

Percent Moisture	D2974		Prep Date: 4/6/2006	Analyst: RW
Percent Moisture	14.6	0.01	*	wt% 1

Qualifiers:	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 10, 2006

Date Printed: April 10, 2006

Client: Weaver Boos **Client Sample ID:** WB-16 (25')
Lab Order: 06030806 **Collection Date:** 3/31/2006 8:35:00 AM
Project: 1894300-03, Sterling North Park, Downers Grove **Matrix:** Soil
Lab ID: 06030806-002

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Volatile Organic Compounds by GC/MS		SW5035/8260B		Prep Date: 4/4/2006	Analyst: PS
Acetone	ND	0.045	mg/Kg-dry	1	4/7/2006
Benzene	ND	0.0045	mg/Kg-dry	1	4/7/2006
Bromodichloromethane	ND	0.0045	mg/Kg-dry	1	4/7/2006
Bromoform	ND	0.0045	mg/Kg-dry	1	4/7/2006
Bromomethane	ND	0.0089	mg/Kg-dry	1	4/7/2006
2-Butanone	ND	0.0089	mg/Kg-dry	1	4/7/2006
Carbon disulfide	ND	0.0045	mg/Kg-dry	1	4/7/2006
Carbon tetrachloride	ND	0.0045	mg/Kg-dry	1	4/7/2006
Chlorobenzene	ND	0.0045	mg/Kg-dry	1	4/7/2006
Dibromochloromethane	ND	0.0045	mg/Kg-dry	1	4/7/2006
Chloroethane	ND	0.0089	mg/Kg-dry	1	4/7/2006
Chloroform	ND	0.0045	mg/Kg-dry	1	4/7/2006
Chloromethane	ND	0.0089	mg/Kg-dry	1	4/7/2006
1,1-Dichloroethane	ND	0.0045	mg/Kg-dry	1	4/7/2006
1,2-Dichloroethane	ND	0.0045	mg/Kg-dry	1	4/7/2006
1,1-Dichloroethene	ND	0.0045	mg/Kg-dry	1	4/7/2006
cis-1,2-Dichloroethene	ND	0.0045	mg/Kg-dry	1	4/7/2006
trans-1,2-Dichloroethene	ND	0.0045	mg/Kg-dry	1	4/7/2006
1,2-Dichloropropane	ND	0.0045	mg/Kg-dry	1	4/7/2006
cis-1,3-Dichloropropene	ND	0.0045	mg/Kg-dry	1	4/7/2006
trans-1,3-Dichloropropene	ND	0.0045	mg/Kg-dry	1	4/7/2006
Ethylbenzene	ND	0.0045	mg/Kg-dry	1	4/7/2006
2-Hexanone	ND	0.0089	mg/Kg-dry	1	4/7/2006
4-Methyl-2-pentanone	ND	0.0089	mg/Kg-dry	1	4/7/2006
Methylene chloride	ND	0.0089	mg/Kg-dry	1	4/7/2006
Methyl tert-butyl ether	ND	0.0045	mg/Kg-dry	1	4/7/2006
Styrene	ND	0.0045	mg/Kg-dry	1	4/7/2006
1,1,2,2-Tetrachloroethane	ND	0.0045	mg/Kg-dry	1	4/7/2006
Tetrachloroethene	ND	0.0045	mg/Kg-dry	1	4/7/2006
Toluene	ND	0.0045	mg/Kg-dry	1	4/7/2006
1,1,1-Trichloroethane	ND	0.0045	mg/Kg-dry	1	4/7/2006
1,1,2-Trichloroethane	ND	0.0045	mg/Kg-dry	1	4/7/2006
Trichloroethene	ND	0.0045	mg/Kg-dry	1	4/7/2006
Vinyl chloride	ND	0.0045	mg/Kg-dry	1	4/7/2006
Xylenes, Total	ND	0.013	mg/Kg-dry	1	4/7/2006

Percent Moisture	D2974		Prep Date: 4/6/2006	Analyst: RW
Percent Moisture	12.9	0.01	*	wt% 1

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 10, 2006

Date Printed: April 10, 2006

Client: Weaver Boos **Client Sample ID:** WB-15
Lab Order: 06030806 **Collection Date:** 3/31/2006 10:00:00 AM
Project: 1894300-03, Sterling North Park, Downers Grove **Matrix:** Soil
Lab ID: 06030806-003

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 4/3/2006		Analyst: PS
Acetone	ND	0.053		mg/Kg-dry	1	4/7/2006
Benzene	ND	0.0053		mg/Kg-dry	1	4/7/2006
Bromodichloromethane	ND	0.0053		mg/Kg-dry	1	4/7/2006
Bromoform	ND	0.0053		mg/Kg-dry	1	4/7/2006
Bromomethane	ND	0.011		mg/Kg-dry	1	4/7/2006
2-Butanone	ND	0.011		mg/Kg-dry	1	4/7/2006
Carbon disulfide	ND	0.0053		mg/Kg-dry	1	4/7/2006
Carbon tetrachloride	ND	0.0053		mg/Kg-dry	1	4/7/2006
Chlorobenzene	ND	0.0053		mg/Kg-dry	1	4/7/2006
Dibromochloromethane	ND	0.0053		mg/Kg-dry	1	4/7/2006
Chloroethane	ND	0.011		mg/Kg-dry	1	4/7/2006
Chloroform	ND	0.0053		mg/Kg-dry	1	4/7/2006
Chloromethane	ND	0.011		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethane	ND	0.0053		mg/Kg-dry	1	4/7/2006
1,2-Dichloroethane	ND	0.0053		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethene	ND	0.0053		mg/Kg-dry	1	4/7/2006
cis-1,2-Dichloroethene	ND	0.0053		mg/Kg-dry	1	4/7/2006
trans-1,2-Dichloroethene	ND	0.0053		mg/Kg-dry	1	4/7/2006
1,2-Dichloropropane	ND	0.0053		mg/Kg-dry	1	4/7/2006
cis-1,3-Dichloropropene	ND	0.0053		mg/Kg-dry	1	4/7/2006
trans-1,3-Dichloropropene	ND	0.0053		mg/Kg-dry	1	4/7/2006
Ethylbenzene	ND	0.0053		mg/Kg-dry	1	4/7/2006
2-Hexanone	ND	0.011		mg/Kg-dry	1	4/7/2006
4-Methyl-2-pentanone	ND	0.011		mg/Kg-dry	1	4/7/2006
Methylene chloride	ND	0.011		mg/Kg-dry	1	4/7/2006
Methyl tert-butyl ether	ND	0.0053		mg/Kg-dry	1	4/7/2006
Styrene	ND	0.0053		mg/Kg-dry	1	4/7/2006
1,1,2,2-Tetrachloroethane	ND	0.0053		mg/Kg-dry	1	4/7/2006
Tetrachloroethene	ND	0.0053		mg/Kg-dry	1	4/7/2006
Toluene	ND	0.0053		mg/Kg-dry	1	4/7/2006
1,1,1-Trichloroethane	ND	0.0053		mg/Kg-dry	1	4/7/2006
1,1,2-Trichloroethane	ND	0.0053		mg/Kg-dry	1	4/7/2006
Trichloroethene	ND	0.0053		mg/Kg-dry	1	4/7/2006
Vinyl chloride	ND	0.0053		mg/Kg-dry	1	4/7/2006
Xylenes, Total	ND	0.016		mg/Kg-dry	1	4/7/2006
Percent Moisture		D2974		Prep Date: 4/6/2006		Analyst: RW
Percent Moisture		11.7	0.01	*	wt%	4/7/2006

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 10, 2006

Date Printed: April 10, 2006

Client: Weaver Boos **Client Sample ID:** WB-12 (5-6')
Lab Order: 06030806 **Collection Date:** 3/31/2006 11:00:00 AM
Project: 1894300-03, Sterling North Park, Downers Grove **Matrix:** Soil
Lab ID: 06030806-004

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Volatile Organic Compounds by GC/MS		SW5035/8260B		Prep Date: 4/3/2006	Analyst: PS
Acetone	ND	0.051	mg/Kg-dry	1	4/7/2006
Benzene	ND	0.0051	mg/Kg-dry	1	4/7/2006
Bromodichloromethane	ND	0.0051	mg/Kg-dry	1	4/7/2006
Bromoform	ND	0.0051	mg/Kg-dry	1	4/7/2006
Bromomethane	ND	0.01	mg/Kg-dry	1	4/7/2006
2-Butanone	ND	0.01	mg/Kg-dry	1	4/7/2006
Carbon disulfide	ND	0.0051	mg/Kg-dry	1	4/7/2006
Carbon tetrachloride	ND	0.0051	mg/Kg-dry	1	4/7/2006
Chlorobenzene	ND	0.0051	mg/Kg-dry	1	4/7/2006
Dibromochloromethane	ND	0.0051	mg/Kg-dry	1	4/7/2006
Chloroethane	ND	0.01	mg/Kg-dry	1	4/7/2006
Chloroform	ND	0.0051	mg/Kg-dry	1	4/7/2006
Chloromethane	ND	0.01	mg/Kg-dry	1	4/7/2006
1,1-Dichloroethane	ND	0.0051	mg/Kg-dry	1	4/7/2006
1,2-Dichloroethane	ND	0.0051	mg/Kg-dry	1	4/7/2006
1,1-Dichloroethene	ND	0.0051	mg/Kg-dry	1	4/7/2006
cis-1,2-Dichloroethene	ND	0.0051	mg/Kg-dry	1	4/7/2006
trans-1,2-Dichloroethene	ND	0.0051	mg/Kg-dry	1	4/7/2006
1,2-Dichloropropane	ND	0.0051	mg/Kg-dry	1	4/7/2006
cis-1,3-Dichloropropene	ND	0.0051	mg/Kg-dry	1	4/7/2006
trans-1,3-Dichloropropene	ND	0.0051	mg/Kg-dry	1	4/7/2006
Ethylbenzene	ND	0.0051	mg/Kg-dry	1	4/7/2006
2-Hexanone	ND	0.01	mg/Kg-dry	1	4/7/2006
4-Methyl-2-pentanone	ND	0.01	mg/Kg-dry	1	4/7/2006
Methylene chloride	ND	0.01	mg/Kg-dry	1	4/7/2006
Methyl tert-butyl ether	ND	0.0051	mg/Kg-dry	1	4/7/2006
Styrene	ND	0.0051	mg/Kg-dry	1	4/7/2006
1,1,2,2-Tetrachloroethane	ND	0.0051	mg/Kg-dry	1	4/7/2006
Tetrachloroethene	ND	0.0051	mg/Kg-dry	1	4/7/2006
Toluene	ND	0.0051	mg/Kg-dry	1	4/7/2006
1,1,1-Trichloroethane	ND	0.0051	mg/Kg-dry	1	4/7/2006
1,1,2-Trichloroethane	ND	0.0051	mg/Kg-dry	1	4/7/2006
Trichloroethene	ND	0.0051	mg/Kg-dry	1	4/7/2006
Vinyl chloride	ND	0.0051	mg/Kg-dry	1	4/7/2006
Xylenes, Total	ND	0.015	mg/Kg-dry	1	4/7/2006

Percent Moisture	D2974	Prep Date: 4/6/2006	Analyst: RW
Percent Moisture	14.6	0.01	* wt% 1

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 10, 2006

Date Printed: April 10, 2006

Client: Weaver Boos **Client Sample ID:** WB-12 (25')
Lab Order: 06030806 **Collection Date:** 3/31/2006 11:05:00 AM
Project: 1894300-03, Sterling North Park, Downers Grove **Matrix:** Soil
Lab ID: 06030806-005

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Volatile Organic Compounds by GC/MS		SW5035/8260B		Prep Date: 4/4/2006	Analyst: PS
Acetone	ND	0.047	mg/Kg-dry	1	4/7/2006
Benzene	ND	0.0047	mg/Kg-dry	1	4/7/2006
Bromodichloromethane	ND	0.0047	mg/Kg-dry	1	4/7/2006
Bromoform	ND	0.0047	mg/Kg-dry	1	4/7/2006
Bromomethane	ND	0.0094	mg/Kg-dry	1	4/7/2006
2-Butanone	ND	0.0094	mg/Kg-dry	1	4/7/2006
Carbon disulfide	ND	0.0047	mg/Kg-dry	1	4/7/2006
Carbon tetrachloride	ND	0.0047	mg/Kg-dry	1	4/7/2006
Chlorobenzene	ND	0.0047	mg/Kg-dry	1	4/7/2006
Dibromochloromethane	ND	0.0047	mg/Kg-dry	1	4/7/2006
Chloroethane	ND	0.0094	mg/Kg-dry	1	4/7/2006
Chloroform	ND	0.0047	mg/Kg-dry	1	4/7/2006
Chloromethane	ND	0.0094	mg/Kg-dry	1	4/7/2006
1,1-Dichloroethane	ND	0.0047	mg/Kg-dry	1	4/7/2006
1,2-Dichloroethane	ND	0.0047	mg/Kg-dry	1	4/7/2006
1,1-Dichloroethene	ND	0.0047	mg/Kg-dry	1	4/7/2006
cis-1,2-Dichloroethene	ND	0.0047	mg/Kg-dry	1	4/7/2006
trans-1,2-Dichloroethene	ND	0.0047	mg/Kg-dry	1	4/7/2006
1,2-Dichloropropane	ND	0.0047	mg/Kg-dry	1	4/7/2006
cis-1,3-Dichloropropene	ND	0.0047	mg/Kg-dry	1	4/7/2006
trans-1,3-Dichloropropene	ND	0.0047	mg/Kg-dry	1	4/7/2006
Ethylbenzene	ND	0.0047	mg/Kg-dry	1	4/7/2006
2-Hexanone	ND	0.0094	mg/Kg-dry	1	4/7/2006
4-Methyl-2-pentanone	ND	0.0094	mg/Kg-dry	1	4/7/2006
Methylene chloride	ND	0.0094	mg/Kg-dry	1	4/7/2006
Methyl tert-butyl ether	ND	0.0047	mg/Kg-dry	1	4/7/2006
Styrene	ND	0.0047	mg/Kg-dry	1	4/7/2006
1,1,2,2-Tetrachloroethane	ND	0.0047	mg/Kg-dry	1	4/7/2006
Tetrachloroethene	ND	0.0047	mg/Kg-dry	1	4/7/2006
Toluene	ND	0.0047	mg/Kg-dry	1	4/7/2006
1,1,1-Trichloroethane	ND	0.0047	mg/Kg-dry	1	4/7/2006
1,1,2-Trichloroethane	ND	0.0047	mg/Kg-dry	1	4/7/2006
Trichloroethene	ND	0.0047	mg/Kg-dry	1	4/7/2006
Vinyl chloride	ND	0.0047	mg/Kg-dry	1	4/7/2006
Xylenes, Total	ND	0.014	mg/Kg-dry	1	4/7/2006

Percent Moisture	D2974	Prep Date: 4/6/2006	Analyst: RW	
Percent Moisture	12.5	0.01	* wt% 1	4/7/2006

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 10, 2006

Date Printed: April 10, 2006

Client: Weaver Boos **Client Sample ID:** WB-13 (5-6')
Lab Order: 06030806 **Collection Date:** 3/31/2006 12:00:00 PM
Project: 1894300-03, Sterling North Park, Downers Grove **Matrix:** Soil
Lab ID: 06030806-006

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Volatile Organic Compounds by GC/MS	SW5035/8260B			Prep Date: 4/3/2006		Analyst: PS
Acetone	ND	0.061		mg/Kg-dry	1	4/7/2006
Benzene	ND	0.0061		mg/Kg-dry	1	4/7/2006
Bromodichloromethane	ND	0.0061		mg/Kg-dry	1	4/7/2006
Bromoform	ND	0.0061		mg/Kg-dry	1	4/7/2006
Bromomethane	ND	0.012		mg/Kg-dry	1	4/7/2006
2-Butanone	ND	0.012		mg/Kg-dry	1	4/7/2006
Carbon disulfide	ND	0.0061		mg/Kg-dry	1	4/7/2006
Carbon tetrachloride	ND	0.0061		mg/Kg-dry	1	4/7/2006
Chlorobenzene	ND	0.0061		mg/Kg-dry	1	4/7/2006
Dibromochloromethane	ND	0.0061		mg/Kg-dry	1	4/7/2006
Chloroethane	ND	0.012		mg/Kg-dry	1	4/7/2006
Chloroform	ND	0.0061		mg/Kg-dry	1	4/7/2006
Chloromethane	ND	0.012		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethane	ND	0.0061		mg/Kg-dry	1	4/7/2006
1,2-Dichloroethane	ND	0.0061		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethene	ND	0.0061		mg/Kg-dry	1	4/7/2006
cis-1,2-Dichloroethene	ND	0.0061		mg/Kg-dry	1	4/7/2006
trans-1,2-Dichloroethene	ND	0.0061		mg/Kg-dry	1	4/7/2006
1,2-Dichloropropane	ND	0.0061		mg/Kg-dry	1	4/7/2006
cis-1,3-Dichloropropene	ND	0.0061		mg/Kg-dry	1	4/7/2006
trans-1,3-Dichloropropene	ND	0.0061		mg/Kg-dry	1	4/7/2006
Ethylbenzene	ND	0.0061		mg/Kg-dry	1	4/7/2006
2-Hexanone	ND	0.012		mg/Kg-dry	1	4/7/2006
4-Methyl-2-pentanone	ND	0.012		mg/Kg-dry	1	4/7/2006
Methylene chloride	ND	0.012		mg/Kg-dry	1	4/7/2006
Methyl tert-butyl ether	ND	0.0061		mg/Kg-dry	1	4/7/2006
Styrene	ND	0.0061		mg/Kg-dry	1	4/7/2006
1,1,2,2-Tetrachloroethane	ND	0.0061		mg/Kg-dry	1	4/7/2006
Tetrachloroethene	ND	0.0061		mg/Kg-dry	1	4/7/2006
Toluene	ND	0.0061		mg/Kg-dry	1	4/7/2006
1,1,1-Trichloroethane	ND	0.0061		mg/Kg-dry	1	4/7/2006
1,1,2-Trichloroethane	ND	0.0061		mg/Kg-dry	1	4/7/2006
Trichloroethene	ND	0.0061		mg/Kg-dry	1	4/7/2006
Vinyl chloride	ND	0.0061		mg/Kg-dry	1	4/7/2006
Xylenes, Total	ND	0.018		mg/Kg-dry	1	4/7/2006

Percent Moisture	D2974			Prep Date: 4/6/2006		Analyst: RW
Percent Moisture	15.1	0.01	*	wt%	1	4/7/2006

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 10, 2006

Date Printed: April 10, 2006

Client: Weaver Boos **Client Sample ID:** WB-13 (25')
Lab Order: 06030806 **Collection Date:** 3/31/2006 12:05:00 PM
Project: 1894300-03, Sterling North Park, Downers Grove **Matrix:** Soil
Lab ID: 06030806-007

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Volatile Organic Compounds by GC/MS		SW5035/8260B		Prep Date: 4/4/2006	Analyst: PS
Acetone	ND	0.049	mg/Kg-dry	1	4/7/2006
Benzene	ND	0.0049	mg/Kg-dry	1	4/7/2006
Bromodichloromethane	ND	0.0049	mg/Kg-dry	1	4/7/2006
Bromoform	ND	0.0049	mg/Kg-dry	1	4/7/2006
Bromomethane	ND	0.0098	mg/Kg-dry	1	4/7/2006
2-Butanone	ND	0.0098	mg/Kg-dry	1	4/7/2006
Carbon disulfide	ND	0.0049	mg/Kg-dry	1	4/7/2006
Carbon tetrachloride	ND	0.0049	mg/Kg-dry	1	4/7/2006
Chlorobenzene	ND	0.0049	mg/Kg-dry	1	4/7/2006
Dibromochloromethane	ND	0.0049	mg/Kg-dry	1	4/7/2006
Chloroethane	ND	0.0098	mg/Kg-dry	1	4/7/2006
Chloroform	ND	0.0049	mg/Kg-dry	1	4/7/2006
Chloromethane	ND	0.0098	mg/Kg-dry	1	4/7/2006
1,1-Dichloroethane	ND	0.0049	mg/Kg-dry	1	4/7/2006
1,2-Dichloroethane	ND	0.0049	mg/Kg-dry	1	4/7/2006
1,1-Dichloroethene	ND	0.0049	mg/Kg-dry	1	4/7/2006
cis-1,2-Dichloroethene	ND	0.0049	mg/Kg-dry	1	4/7/2006
trans-1,2-Dichloroethene	ND	0.0049	mg/Kg-dry	1	4/7/2006
1,2-Dichloropropane	ND	0.0049	mg/Kg-dry	1	4/7/2006
cis-1,3-Dichloropropene	ND	0.0049	mg/Kg-dry	1	4/7/2006
trans-1,3-Dichloropropene	ND	0.0049	mg/Kg-dry	1	4/7/2006
Ethylbenzene	ND	0.0049	mg/Kg-dry	1	4/7/2006
2-Hexanone	ND	0.0098	mg/Kg-dry	1	4/7/2006
4-Methyl-2-pentanone	ND	0.0098	mg/Kg-dry	1	4/7/2006
Methylene chloride	ND	0.0098	mg/Kg-dry	1	4/7/2006
Methyl tert-butyl ether	ND	0.0049	mg/Kg-dry	1	4/7/2006
Styrene	ND	0.0049	mg/Kg-dry	1	4/7/2006
1,1,2,2-Tetrachloroethane	ND	0.0049	mg/Kg-dry	1	4/7/2006
Tetrachloroethene	ND	0.0049	mg/Kg-dry	1	4/7/2006
Toluene	ND	0.0049	mg/Kg-dry	1	4/7/2006
1,1,1-Trichloroethane	ND	0.0049	mg/Kg-dry	1	4/7/2006
1,1,2-Trichloroethane	ND	0.0049	mg/Kg-dry	1	4/7/2006
Trichloroethene	ND	0.0049	mg/Kg-dry	1	4/7/2006
Vinyl chloride	ND	0.0049	mg/Kg-dry	1	4/7/2006
Xylenes, Total	ND	0.015	mg/Kg-dry	1	4/7/2006

Percent Moisture	D2974		Prep Date: 4/6/2006	Analyst: RW
Percent Moisture	17.5	0.01	*	wt% 1

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 10, 2006

Date Printed: April 10, 2006

Client: Weaver Boos **Client Sample ID:** WB-14 (5-6')
Lab Order: 06030806 **Collection Date:** 3/31/2006 1:00:00 PM
Project: 1894300-03, Sterling North Park, Downers Grove **Matrix:** Soil
Lab ID: 06030806-008

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 4/3/2006		Analyst: PS
Acetone	ND	0.069		mg/Kg-dry	1	4/7/2006
Benzene	ND	0.0069		mg/Kg-dry	1	4/7/2006
Bromodichloromethane	ND	0.0069		mg/Kg-dry	1	4/7/2006
Bromoform	ND	0.0069		mg/Kg-dry	1	4/7/2006
Bromomethane	ND	0.014		mg/Kg-dry	1	4/7/2006
2-Butanone	ND	0.014		mg/Kg-dry	1	4/7/2006
Carbon disulfide	ND	0.0069		mg/Kg-dry	1	4/7/2006
Carbon tetrachloride	ND	0.0069		mg/Kg-dry	1	4/7/2006
Chlorobenzene	ND	0.0069		mg/Kg-dry	1	4/7/2006
Dibromochloromethane	ND	0.0069		mg/Kg-dry	1	4/7/2006
Chloroethane	ND	0.014		mg/Kg-dry	1	4/7/2006
Chloroform	ND	0.0069		mg/Kg-dry	1	4/7/2006
Chloromethane	ND	0.014		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethane	ND	0.0069		mg/Kg-dry	1	4/7/2006
1,2-Dichloroethane	ND	0.0069		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethene	ND	0.0069		mg/Kg-dry	1	4/7/2006
cis-1,2-Dichloroethene	ND	0.0069		mg/Kg-dry	1	4/7/2006
trans-1,2-Dichloroethene	ND	0.0069		mg/Kg-dry	1	4/7/2006
1,2-Dichloropropane	ND	0.0069		mg/Kg-dry	1	4/7/2006
cis-1,3-Dichloropropene	ND	0.0069		mg/Kg-dry	1	4/7/2006
trans-1,3-Dichloropropene	ND	0.0069		mg/Kg-dry	1	4/7/2006
Ethylbenzene	ND	0.0069		mg/Kg-dry	1	4/7/2006
2-Hexanone	ND	0.014		mg/Kg-dry	1	4/7/2006
4-Methyl-2-pentanone	ND	0.014		mg/Kg-dry	1	4/7/2006
Methylene chloride	ND	0.014		mg/Kg-dry	1	4/7/2006
Methyl tert-butyl ether	ND	0.0069		mg/Kg-dry	1	4/7/2006
Styrene	ND	0.0069		mg/Kg-dry	1	4/7/2006
1,1,2,2-Tetrachloroethane	ND	0.0069		mg/Kg-dry	1	4/7/2006
Tetrachloroethene	ND	0.0069		mg/Kg-dry	1	4/7/2006
Toluene	ND	0.0069		mg/Kg-dry	1	4/7/2006
1,1,1-Trichloroethane	ND	0.0069		mg/Kg-dry	1	4/7/2006
1,1,2-Trichloroethane	ND	0.0069		mg/Kg-dry	1	4/7/2006
Trichloroethene	ND	0.0069		mg/Kg-dry	1	4/7/2006
Vinyl chloride	ND	0.0069		mg/Kg-dry	1	4/7/2006
Xylenes, Total	ND	0.021		mg/Kg-dry	1	4/7/2006
Percent Moisture		D2974		Prep Date: 4/6/2006		Analyst: RW
Percent Moisture		13.8	0.01	*	wt%	4/7/2006

ND - Not Detected at the Reporting Limit

RL - Reporting / Quantitation Limit for the analysis

Qualifiers: J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

HT - Sample received past holding time

E - Value above quantitation range

* - Non-accredited parameter

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 10, 2006

Date Printed: April 10, 2006

Client: Weaver Boos **Client Sample ID:** WB-14 (25')
Lab Order: 06030806 **Collection Date:** 3/31/2006 1:05:00 PM
Project: 1894300-03, Sterling North Park, Downers Grove **Matrix:** Soil
Lab ID: 06030806-009

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 4/4/2006		Analyst: PS
Acetone	ND	0.044		mg/Kg-dry	1	4/7/2006
Benzene	ND	0.0044		mg/Kg-dry	1	4/7/2006
Bromodichloromethane	ND	0.0044		mg/Kg-dry	1	4/7/2006
Bromoform	ND	0.0044		mg/Kg-dry	1	4/7/2006
Bromomethane	ND	0.0089		mg/Kg-dry	1	4/7/2006
2-Butanone	ND	0.0089		mg/Kg-dry	1	4/7/2006
Carbon disulfide	ND	0.0044		mg/Kg-dry	1	4/7/2006
Carbon tetrachloride	ND	0.0044		mg/Kg-dry	1	4/7/2006
Chlorobenzene	ND	0.0044		mg/Kg-dry	1	4/7/2006
Dibromochloromethane	ND	0.0044		mg/Kg-dry	1	4/7/2006
Chloroethane	ND	0.0089		mg/Kg-dry	1	4/7/2006
Chloroform	ND	0.0044		mg/Kg-dry	1	4/7/2006
Chloromethane	ND	0.0089		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethane	ND	0.0044		mg/Kg-dry	1	4/7/2006
1,2-Dichloroethane	ND	0.0044		mg/Kg-dry	1	4/7/2006
1,1-Dichloroethene	ND	0.0044		mg/Kg-dry	1	4/7/2006
cis-1,2-Dichloroethene	ND	0.0044		mg/Kg-dry	1	4/7/2006
trans-1,2-Dichloroethene	ND	0.0044		mg/Kg-dry	1	4/7/2006
1,2-Dichloropropane	ND	0.0044		mg/Kg-dry	1	4/7/2006
cis-1,3-Dichloropropene	ND	0.0044		mg/Kg-dry	1	4/7/2006
trans-1,3-Dichloropropene	ND	0.0044		mg/Kg-dry	1	4/7/2006
Ethylbenzene	ND	0.0044		mg/Kg-dry	1	4/7/2006
2-Hexanone	ND	0.0089		mg/Kg-dry	1	4/7/2006
4-Methyl-2-pentanone	ND	0.0089		mg/Kg-dry	1	4/7/2006
Methylene chloride	ND	0.0089		mg/Kg-dry	1	4/7/2006
Methyl tert-butyl ether	ND	0.0044		mg/Kg-dry	1	4/7/2006
Styrene	ND	0.0044		mg/Kg-dry	1	4/7/2006
1,1,2,2-Tetrachloroethane	ND	0.0044		mg/Kg-dry	1	4/7/2006
Tetrachloroethene	ND	0.0044		mg/Kg-dry	1	4/7/2006
Toluene	ND	0.0044		mg/Kg-dry	1	4/7/2006
1,1,1-Trichloroethane	ND	0.0044		mg/Kg-dry	1	4/7/2006
1,1,2-Trichloroethane	ND	0.0044		mg/Kg-dry	1	4/7/2006
Trichloroethene	ND	0.0044		mg/Kg-dry	1	4/7/2006
Vinyl chloride	ND	0.0044		mg/Kg-dry	1	4/7/2006
Xylenes, Total	ND	0.013		mg/Kg-dry	1	4/7/2006
Percent Moisture						
Percent Moisture	D2974			Prep Date: 4/6/2006		Analyst: RW
		10.3	0.01	*	wt%	4/7/2006

ND - Not Detected at the Reporting Limit

RL - Reporting / Quantitation Limit for the analysis

Qualifiers: J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

HT - Sample received past holding time

E - Value above quantitation range

* - Non-accredited parameter

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 10, 2006**Date Printed:** April 10, 2006

Client: Weaver Boos
Lab Order: 06030806
Project: 1894300-03, Sterling North Park, Downers Grove
Lab ID: 06030806-010

Client Sample ID: WB-12**Collection Date:** 3/31/2006 2:20:00 PM**Matrix:** Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
	SW8260B (SW5030B)			Prep Date:		Analyst: PS
Acetone	ND	0.01		mg/L	1	4/7/2006
Benzene	ND	0.005		mg/L	1	4/7/2006
Bromodichloromethane	ND	0.005		mg/L	1	4/7/2006
Bromoform	ND	0.005		mg/L	1	4/7/2006
Bromomethane	ND	0.01		mg/L	1	4/7/2006
2-Butanone	ND	0.01		mg/L	1	4/7/2006
Carbon disulfide	ND	0.005		mg/L	1	4/7/2006
Carbon tetrachloride	ND	0.005		mg/L	1	4/7/2006
Chlorobenzene	ND	0.005		mg/L	1	4/7/2006
Dibromochloromethane	ND	0.005		mg/L	1	4/7/2006
Chloroethane	ND	0.01		mg/L	1	4/7/2006
Chloroform	ND	0.005		mg/L	1	4/7/2006
Chloromethane	ND	0.01		mg/L	1	4/7/2006
1,1-Dichloroethane	ND	0.005		mg/L	1	4/7/2006
1,2-Dichloroethane	ND	0.005		mg/L	1	4/7/2006
1,1-Dichloroethene	ND	0.005		mg/L	1	4/7/2006
cis-1,2-Dichloroethene	ND	0.005		mg/L	1	4/7/2006
trans-1,2-Dichloroethene	ND	0.005		mg/L	1	4/7/2006
1,2-Dichloropropane	ND	0.005		mg/L	1	4/7/2006
cis-1,3-Dichloropropene	ND	0.001		mg/L	1	4/7/2006
trans-1,3-Dichloropropene	ND	0.001		mg/L	1	4/7/2006
Ethylbenzene	ND	0.005		mg/L	1	4/7/2006
2-Hexanone	ND	0.01		mg/L	1	4/7/2006
4-Methyl-2-pentanone	ND	0.01		mg/L	1	4/7/2006
Methylene chloride	ND	0.005		mg/L	1	4/7/2006
Methyl tert-butyl ether	ND	0.005		mg/L	1	4/7/2006
Styrene	ND	0.005		mg/L	1	4/7/2006
1,1,2,2-Tetrachloroethane	ND	0.005		mg/L	1	4/7/2006
Tetrachloroethene	ND	0.005		mg/L	1	4/7/2006
Toluene	0.0078	0.005		mg/L	1	4/7/2006
1,1,1-Trichloroethane	ND	0.005		mg/L	1	4/7/2006
1,1,2-Trichloroethane	ND	0.005		mg/L	1	4/7/2006
Trichloroethene	ND	0.005		mg/L	1	4/7/2006
Vinyl chloride	ND	0.002		mg/L	1	4/7/2006
Xylenes, Total	ND	0.015		mg/L	1	4/7/2006

ND - Not Detected at the Reporting Limit

RL - Reporting / Quantitation Limit for the analysis

Qualifiers: J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

HT - Sample received past holding time

E - Value above quantitation range

* - Non-accredited parameter

H - Holding time exceeded

STAT Analysis Corporation

2255 W. Harrison Suite B, Chicago, Illinois 60612 Phone: (312) 733-0551 Fax: (312) 733-2386
 e-mail address: STATinfo@STATAnalysis.com AIHA, NVLAP and NELAP accredited

CHAIN OF CUSTODY RECORD

Nº: 812727

Page: 1 of 1

Company:	P.O. No.:		Chain of Custody Record										Results Needed:									
Project Number:	Client Tracking No.:												/ / am/pm									
Project Name:	Quote No.:												Lab No.:									
Project Location:	Skyline Urban Park																					
Sampler(s):	Takie Kauffmann																					
Report To:	Carl Dawes																					
Report To:	Waperville Office																					
QC Level:	1	2	3	4	e-mail: <u>charles@waverocks.com</u>																	
Client Sample Number/Description:	Date Taken	Time Taken	Matrix	Comp	Grav	Preserv.	No. of Containers															
WB-10 (5'-6')	3/31/06	0830	Soil	X	A/F	4																
WB-10 (25')	3/31/06	0835	Soil	X	A/F	4																
WB-12	3/31/06	1000	Soil	X	A/F	4																
WB-12 (5-6')	3/31/06	1100	Soil	X	A/F	4																
WB-12 (25')	3/31/06	1105	Soil	X	A/F	4																
WB-13 (5-6')	3/31/06	1200	Soil	X	A/F	4																
WB-13 (25')	3/31/06	1205	Soil	X	A/F	4																
WB-14 (5-6')	3/31/06	1300	Soil	X	A/F	4																
WB-14 (25')	3/31/06	1305	Soil	X	A/F	4																
WB-15	3/31/06	1420	GW	X	C	2																
Comments: 3/31/06 8:40 AM															Laboratory Work Order No.:							
Received by: (Signature) <u>John Johnson</u> Date/Time: 3/31/06 (1540)															<u>00030806</u>							
Received by: (Signature) <u>John Johnson</u> Date/Time:															Received on ice: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>							
Relinquished by: (Signature) <u>John Johnson</u> Date/Time:															Preservation Code: A = None B = HNO ₃ C = NaOH D = H ₂ SO ₄ E = HCl F = 5035/EnCore G = Other							
Relinquished by: (Signature) <u>John Johnson</u> Date/Time:															Temperature: 3 °C							
Received by: (Signature) <u>John Johnson</u> Date/Time:																						